

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1057555

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name: Sirius Energy Corp.	Spot Description:
Address 1: 526 COUNTRY PL, SOUTH	NE_NW_SE_NE Sec. 14 Twp. 21 S. R. 20 ▼ East West
Address 2:	3641 Feet from \[\bigcap \text{North} / \bigcap \text{South Line of Section} \]
City: ABILENE State: TX Zip: 79606 + 7032	779 Feet from Feet from East / West Line of Section
Contact Person: Randy Teter	Footages Calculated from Nearest Outside Section Corner:
Phone: (□NE □NW ☑SE □SW
CONTRACTOR: License #32079	County: Anderson
Name: Leis, John E.	Lease Name: West Van Winkle Well #: W-34
Wellsite Geologist: n/a	Field Name:
Purchaser:	Producing Formation: _Squirrel sand
Designate Type of Completion:	Elevation: Ground: 1070 Kelly Bushing: 0
✓ New Well	Total Depth: 755 Plug Back Total Depth:
☑ oil ☐ wsw ☐ swb ☐ slow	Amount of Surface Pipe Set and Cemented at: 22 Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? Yes V No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 22
Cathodic Other (Core, Expl., etc.):	feet depth to: 0 w/ 6 sx cmt
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: 0 ppm Fluid volume: 120 bbls
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Dewatering method used: Evaporated
Conv. to GSW	Donate ing method used.
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec. Twp. S. R. East West
GSW Permit #:	County: Permit #:
02/18/2011 02/18/2011 03/17/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

	KCC Office Use ONLY
	Letter of Confidentiality Received
	Date:
	Confidential Release Date:
V	Wireline Log Received
	Geologist Report Received
	UIC Distribution
ALT	☐ I ✓ II ☐ III Approved by: Deanna Garrisor Date: 06/14/2011

Side Two



1057555

Operator Name: Siriu	is Energy Corp.			Lease I	Name: _	West Van W	inkle	Well #:W	/-34	
Sec. 14 Twp.21	s. R. <u>20</u>	. ✓ East	West		: And					
INSTRUCTIONS: Shot time tool open and clos recovery, and flow rate line Logs surveyed. At	sed, flowing and sh s if gas to surface t	ut-in pressu est, along v	ures, whether : vith final chart	shut-in pres	sure rea	ched static level	. hydrostatic pre	ssures bottom	hole temperatu	ire fluid
Drill Stem Tests Taken (Attach Additional St	heets)	Ye	es 🗸 No			og Formatio	on (Top), Depth	and Datum	☐ Samp	ple
Samples Sent to Geolo	ogical Survey	☐ Ye	es 🗸 No		Nam	el sand		Top 662	Datur	n
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	•	Ye✓ Ye	s 🗌 No						, gl	
List All E. Logs Run:										
Gamma Ray / Neutro	on / CCL									
		*	CASING	RECORD	✓ N	ew Used				
			rt all strings set-			ermediate, produc	ion, etc.			
Purpose of String	Size Hole Drilled		e Casing (In O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used	Type and Po	
Surface	9.875	7		20		22	Portland	6		
Production	5.625	2.875		6.5		748	owc	66	Kol seal 40	%
			ADDITIONAL	L CEMENTIN	NG / SQL	JEEZE RECORD		J		
Purpose: —— Perforate	Depth Top Bottom	Type of Cement		# Sacks Used			Type and Percent Additives			
Protect Casing Plug Back TD Plug Off Zone	-						18111.000 A A A A A A A A A A A A A A A A A A			
		<u> </u>							·	
Shots Per Foot PERFORATION RECORD - Bridge Plugs Specify Footage of Each Interval Perfor			gs Set/Type rforated	et/Type Acid, Fracture, Shot, Cement Squeeze Rec ted (Amount and Kind of Material Used)				epth		
			·	······································	·					
	· · · · · · · · · · · · · · · · · · ·									
	· · · · · · · · · · · · · · · · · · ·									
TUBING RECORD:	Size:	Set At:		Packer At:	:	Liner Run:	Yes N	o		
Date of First, Resumed P	roduction, SWD or EN	IHR.	Producing Meth	hod:	; []	Gas Lift 🔲 🤇	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	ег В	bls.	Gas-Oil Ratio	Gra	vity
DISPOSITION	OF GAS:		N	METHOD OF	COMPLE	TION:		PRODUCTION	ON INTERVAL:	
Vented Sold	Used on Lease	□ ∘	pen Hole	Perf.	Dually (Submit A	, —	nmingled mit ACO-4)	-harmanan		
(If vented, Subm	it ACO-18.)		thor (Cassific		,,,,,,,,,	(500)	700-7)			

GARNETT TRUE VALUE HOMECENTER

410 N Maple Garnett, KS 66032 {785} 448-7106 FAX {785} 448-7135 Merchant Copy
INVOICE
THIS COPY MUST REMAIN AT
MERCHANT AT ALL TIMES!

\$1070.88

TOTAL

Page: 1		Invoice: 101	169338				
Special :		Time:	11:24:20				
Instructions :		Ship Date:	03/07/11				
(A)DACHBURGIST		Invoice Oate	: 03/07/11				
Sale rep #: MARILYN	Acct rep		04/08/11				
Sold To: SIRIUS ENERGY CORP	Ship To: SIRIUS ENERGY CORP						
526 COUNTRYPLACE SOUTH ABILENE, TX 79606-7032	(325) 665-9152						
, , , , , , , , , , , , , , , , , , , ,	(325) 665-9152						
0004000		Order Bur					

Customer #: 0001860 Customer PO: Order By: 6TH T 120 Popimg01 EXTENSION PRICE Alt Price/Uom ITEM# DESCRIPTION ORDER SHIP L U/M 6.9900 419.40 6.9900 BAG 60.00 P FLY ASH MIX 80 LBS PER BAG BAG CPFA 60.00 569.40 9.4900 BAG 9.4900 60.00 P BAG CPPC PORTLAND CEMENT-94# 60.00 FILLED BY CHECKED BY DATE SHIPPED \$988.80 Sales total SHIP VIA Customer Pick up RECEIVED COMPLETE AND IN GOOD CONDITION 988.80 Taxable Non-taxable 0.00 82.08 Sales tax Tax#

1 - Merchant Copy