KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST (See Instructions on Reverse Side)

Type resi					,	occ monaci	ions on nev	crac crac	' ie	1	-225 +	⊀− α	$\mathcal{K}(\mathcal{K})$	
	en Flov liverabil				Test Date 12/22/10				API	No. 15 0 7-23363- 0				
Company WOOLS		ERATING	G COM	PANY, LLC			Lease BOUZID	EN TRU	ST	22578	1	Well Nu	ımber	
			ocation 2, S/2,		Section 13		TWP 34S		RNG (E/W) 14W			Acres A	Attributed	
Field AETNA			Reservoir TORON	r TO/MISSIS:	SIPPI/SIMP	Gas Gathering Cor		ering Conne	ction					
Completion Date 7/21/06			Plug Back Total Depth 4946				Packer Set at NONE			RECEIVE				
Casing Size 5.500			Weight 14.000			Internal Diameter 5.012		Set at 5384		Perforations 4732		To JAN 07 4		
Tubing Size Weight 2.375 4.70			·····	Internal I 1.995	Diameter	Set at		Perforations OPEN		To	To JAN U 7 20 4870 To CC WICHIT			
Type Completion (Describe) Commingled (Gas)					id Production			Pump Unit or Traveling I		Plunger? Yes	/ No			
Producing	Thru	(Annulus /				Carbon Dioxid	de		% Nitroge		Gas G	ravity - (G _g	
ANNUL Vertical D 4796)	 		·	Press	sure Taps				(Meter	Run) (P	rover) Size	
Pressure	Buildup	: Shut in	12/2	1/10 2	0 at		(AM) (PM)	Taken 12	2/22/10	20	at		(AM) (PM)	
Well on L	ine:	Started		20	0 at		(AM) (PM)	Taken	· · · · · · · · · · · · · · · · · · ·	20	at	((AM) (PM)	
						OBSERVE	D SURFACE	DATA			Duration of Shut	-in	Hour	
Static / Dynamic Property	namic Size		e one: eter Pressure (Pm)	Pressure Differential in Inches H ₂ 0	Flowing Well Head Temperature t Temperature		Casing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia		Tubing Wellhead Pressure (P _w) or (P ₁) or (P _c) psig psia		1 '		id Produced (Barrels)	
Shut-In		Frig					psig 120	psia	120	psia	24			
Flow														
			···		T	FLOW STR	EAM ATTRI	BUTES	· ·				T	
Plate Coeffiecient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Pressure psia		Press Extension √ P _m x h	Grav Fac F	tor T	emperature Fa		viation Metered Flo actor R F _{pv} (Mcfd)		GOR (Cubic Fo Barrel	eet/	Flowing Fluid Gravity G _m	
						A _{ri}								
(P _c) ² =		. (P _w)² =		•	OW) (DELIV	·		ATIONS 14.4 =) ² = 0.2	207	
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		(P _c) ² - (P _w) ²		0056 formula 1 or 2. 1. P _c ² - P _d ² 2. P _c ² - P _d ²	LÕG of formula 1. or 2. and divide		Backpressure Curv Slope = "n" or Assigned Standard Slope		n x l	r 7	Antilog	O _l Del Equals	Open Flow Deliverability Equals R x Antilog (Mcfd)	
			div	ided by: $P_c^2 - P_w^2$	by:		Starida	ra Siope				<u> </u>		
					1							<u> </u>		
Open Flo				Mcfd @ 14.		-4-4 46-4 6	Deliverabi	-	1 41		Mcfd @ 14.65 ps			
	•	-	•	benair of the			·		day of Di	ECEMBER	rt and that he h		20 <u>10</u>	
<u> </u>	<u> </u>	, v	itness (if a	ny)			_	*1	W	e Aulie For C	ompar),			
		F	or Commiss	sion				•		Chec	ked by			

exempt status und and that the foreg correct to the best of equipment insta I hereby requa	er penalty of perjury under the laws of the state of Kansas that I am authorized to request the Rule K.A.R. 82-3-304 on behalf of the operator WOOLSEY OPERATING CO., LLC to loing pressure information and statements contained on this application form are true and of my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named. Lest a one-year exemption from open flow testing for the BOUZIDEN TRUST 1 counds that said well:
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D eto supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing.
Date: <u>12/30/10</u>	Signature: Wan Hallangh Title: FIELD MGR.

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.