Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

Type Test:				(-	See Instruct	ions on Rev	rerse Side	!)				
Open Fl	ow			T4 D-4-				ΛDI	No. 15			
Delivera	bilty	\$		Test Date Sept 29				15-	033-21111~	0000		
Company Hummon Coi	porat	ion				Lease Moyer C	Campbell			#1-16	Well Number	
County Location Comanche SW SW SE			Section 16		TWP 32S		RNG (E/W) 18W			Acres Attributed 160		
Field Nescatunga				Reservoir Cheroke	ee + Miss	issippi	ssippi		hering Conn	ction		
Completion Date Oct 13, 2000				Plug Bac 4750'	k Total Dept	h			Set at			
Casing Size Weight 5-1/2" 15.50#			Internal E 4.950"	Diameter	Set at 5798'		Perforations 5127-5132'		то 4695-4702'			
Tubing Size 2-3/8"			internal Diameter 1.995"		Set at 4644'		Perforations		То			
Type_Completion (Describe)			Type Flui Water	d Production	า	Pump Unit or Travel Pumping Unit			ing Plunger? Yes / No			
Producing Thr			g)	% C	arbon Dioxi	de		% Nitrog	jen	Gas Gr	avity - G _g	
Tubing Vertical Depth	(H)				Pres	sure Taps			· · · · · · · · · · · · · · · · · · ·	(Meter I	Run) (Prover) Siz	
······································		Sei	nt 28	10 1	0.00 AM		S	 ent 29		10 2:00 P	M	
Pressure Build Well on Line:										10 at 2:00 P		
					Ond TRVE	D SURFAC	E DATA		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Duration of Shut-	inHo	
Dynamic S	mic Size Meter Prover Press		1	Flowing Temperature t	Temperature Temperature		Casing Wellhead Pressure (P_w) or (P_t) or (P_c)		Tubingead Pressure or (P _c) or (P _c)	Duration (Hours)	Liquid Produced (Barrels)	
Shut-In	-	psig (Pm)	Inches H ₂ 0			psig	psia	950.	psia) 364,4			
Flow									,			
	1		1		FLOW STF	REAM ATTR	IBUTES		İ			
Coefficient Met (F _h) (F _p) Prover		Circle one: Meter or over Pressure psia	Press Extension P _m xh	Gravity Factor F _g		Temperature Fa		riation Metered Flow actor R = (Mcfd)		GOR FI (Cubic Feet/ G Barrel)		
	<u> </u>			·								
				`	OW) (DELIV		•				$r^2 = 0.207$	
(P _c) ² =	: T	(P _w) ² =	Choose formula 1 or 2				- 14.4) -		:	(P _d)	² =	
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_a)^2$	(F	P _c) ² - (P _w) ²	1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_w$	LOG of formula 1. or 2. and divide	P _c ² -P _w ²	Backpressure Curve Slope = "n" or Assigned Standard Slope		n x	LOG	Antilog	Open Flow Deliverability Equals R x Antilo (McId)	
					•						·	
Open Flow Mcfd @ 14.6			65 psia		Deliveral	Deliverability		Mcfd €		@ 14.65 psia		
The unde				Company,		this REC			the above reproduction	ort and that he hi	as knowledge of	
		Witness	(if any)			NUV	שמינט	7	Ed	Company	7	
		For Com	mission			KCC '	WICH	MA	Cho	ecked by		

	der Rule K.A.R. 82-3-304 on behalf of the operator Hummon Corporation going pressure information and statements contained on this application form are true and
_	at of my knowledge and belief based upon available production summaries and lease records
of equipment insta	allation and/or upon type of completion or upon use being made of the gas well herein named. rest a one-year exemption from open flow testing for theMoyer Campbell #1-16
	rounds that said well:
taff as necessar	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D se to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing.
	Signature: What & Landinger

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject were given by signed and dated on the front side as though it was a verified report of annual test results.

NOV 0 5 2010