KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test | | | | | | (| See Instr | ructions on | Rev | erse Side) | | | | | | |
|-----------------------------------------------------|------------|------|-----------------------------------------------------------------|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-------------------------------------|------------------------------------------|-----------------------------------------------------------------------|----------------------------------------|--------------------------------------------------------------------------------------|-----------------------------|---------------------|------------------------------|-------------------------------------------------------------|-------------------------------------------------------------|
| Open Flow Deliverabilty | | | Test Date | Test Date: | | | | | API No. 15 | | | | | | | |
| De | liverabi | ity | | | | 9/28/10 | | | | | 15-0 | 007-22510-0 | 0000 | | | |
| Company | | PER | ATING CO | MF | PANY, LLC | | | Lease BELI | | | | | | A-1 | Well Nu | mber |
| County Location BARBER 160' S OF NE SW NW | | | | Section 28 | | | | | RNG (E/W) 13W | | | , | Acres A | ttributed | | |
| Fleid AETNA | | | | | Reservoir SNYDERVILLE/i | | | | Gas Gati APC | hering Conn | ection | | | | | |
| Completion Date 10/31/97 | | | | Plug Bac 4550 | Plug Back Total Depth 4550 | | | | Packer Set at NONE | | | | | | | |
| Casing Size Weight 4.500 10.50 | | | | Internal C 4.052 | | Set at 5220 | | | Perforations 3902 | | | то 3912 | | | | |
| Tubing Size Weight 2.375 4.70 | | | | Internal D 1.995 | Internal Diameter 1.995 | | | t) | Perforations OPEN | | | То | | | | |
| Type Completion (Describe) SINGLE | | | | | Type Fluid Production WATER | | | | Pump Unit or Traveling Plunger? PUMPING | | | | Yes / No | | | |
| Producing | - | (Anı | nulus / Tubin | g) | | % C | arbon Di | oxide | | | % Nitrog | en | | Gas Gr | avity - G | |
| Vertical D | epth(H |) | | | | | Pi | ressure Tap | s | | | | | (Meter F | Run) (Pr | over) Size |
| Pressure | Buildur | p: | Shut in | 7/1 | 10 2 | 0 at | | (AM) (P | PM) | Taken_9/2 | 28/10 | 20 | at | t | (| AM) (PM) |
| Well on Line: | | | Started | | 2 | 20 at | | (AM) (P | PM) | Taken | l | |) at | | (AM) (PM) | |
| | | | | | | | OBSER | IVED SURF | ACE | DATA | | | Duratio | on of Shut- | in | Hours |
| Static / Dynamic Property | namic Size | | Circle one: Meter Prover Pressure | | Pressure Differential in tables H.O. Flowing Temperature | | Well Hea | wellh (P,) | Casing Wellhead Pressure (P_w) or (P_t) or (P_c) | | Tubing Wellhead Pressure (P _w) or (P ₁) or (P ₆) | | Duration (Hours) | | Liquid Produced (Barrels) | |
| Shut-In | | _ | psig (Pm) | | Inches H ₂ 0 | | | psig 55 | \dashv | psia | psig 70 | psia | 24 | | | |
| Flow | | | | _ | | | | | \dashv | | | | | | | |
| | | | | | | l | FLOW S | TREAM AT | TRI | BUTES | | | | | <u> </u> | |
| Plate | | | Circle one: | T | Press | 6,55 | | Flowing | | T | | | | | | Flowing |
| Coefficient (F _b) (F _p) Mod | | Pro | Meter or Prover Pressure psia | | Extension √ P _m x h | Gravity Factor F _o | | Temperature Factor F _{rt} | | Deviation Factor F _{ev} | | Metered Flow R (Mcfd) | | GOR (Cubic Fee Barrel) | | Fluid Gravity G _m |
| | | | | | | | | | | | | | | | | |
| | | | | | | (OPEN FL | OW) (DEI | LIVERABIL | .ITY) | CALCUL | ATIONS | | _ | /P \ | ² = 0.2 | 07 |
| (P _o)² = | | _: | (P _w) ² = | | ; | P₀≂ | | % | (P | _c - 14.4) + | 14.4 = | : | | (P _a) | | |
| $(P_o)^2 - (P_a)^2$ or $(P_e)^2 - (P_d)^2$ | | (F | (P _c) ² - (P _w) ² | | ose formula 1 or 2 1. P _c ² - P _a ² 2. P _c ² - P _d ² ted by: P _c ² - P _w ² | LOG of formula 1, or 2. and divide | formula 1. or 2. and divide p2_p2 | | Backpressure Curvi Slope ≖ "n" 0r Assigned Standard Slope | | n x LOG | | Antilog | | Open Flow Deliverability Equals R x Antilog (Mcfd) | |
| | | | | | | | | | | | | | | | | |
| Open Flo | | | | | Mcfd @ 14. | 65 peia | | Delive | orch: | ilitu | | | Motel @ | 1465 | <u> </u> | |
| · · · · · · · · · · · · · · · · · · · | | | | • | | · | | | | , | | | | 14.65 psi | | |
| | | - | a authority, o | | | | | • | - | | | e above repo ovember | ort and | that he ha | | ledge of 20 <u>10 </u> |
| | , | | | | | | | h | _ | | \mathcal{C} | | 1 | | R | ECEIVE |
| | | | Witness | | | | | _ | _ | | _ (| | colingerity | |) Ju | C 2 2 20 |
| | | | For Com | 1955(| un I | | | | | | | Che | cked by 🤨 | | KC(| O:WICH |

| exemp and the correct | status under Rule K.A.R. 82-3-304 on behalf of the operator WOOLSEY OPERATING CO., LLC the foregoing pressure information and statements contained on this application form are true and to the best of my knowledge and belief based upon available production summaries and lease records ment installation and/or upon type of completion or upon use being made of the gas well herein named. |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| • | reby request a one-year exemption from open flow testing for the BELL A-1 |
| | Il on the grounds that said well: |
| staff as | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D rther agree to supply to the best of my ability any and all supporting documents deemed by Commission necessary to corroborate this claim for exemption from testing. |
| | Signature: CaQwina Title: FIELD MGR. |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.