

AUG 14 2000

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1
September 1999
Form Must Be Typed

CONSERVATION DIVISION
Wichita, Kansas

ORIGINAL

Operator: License # 32609
Name: Joseph H. Strabala
Address: 3320 Hoofprint Rd
City/State/Zip: Peyton, Colo 80831
Purchaser: None
Operator Contact Person: Joseph H. Strabala
Phone: (719) 683-7974
Contractor: Name: Murfin Drilling Co Inc
License: 30606

Wellsite Geologist: Bob Posey
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW

D&A: Dry Other (Core, WSW, Expl., Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows:
Operator: N/A


Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr/SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

<u>5-22-2000</u>	<u>5-30-2000</u>	<u>D & A</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 199-202820000
County: Wallace
SW - SW - SE - 7 Sec. 13 Twp. 13 S. R. 42 East West
330 feet from S / N (circle one) Line of Section
2450 feet from E / W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Rother Well #: 1
Field Name: None
Producing Formation: None
Elevation: Ground: 3875 Kelly Bushing: 3885
Total Depth: 5184 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 263 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set None Feet
If Alternate II completion, cement circulated from N/A
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan D & A 9/4 2/6/01
(Data must be collected from the Reserve Pit)
Chloride content 11,000 ppm Fluid volume 1500 bbls
Dewatering method used Evaporation
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well reports shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-4 form with all temporarily abandoned wells.



All requirements of the statutes, rules and regulations promulgated herein are complete and correct to the best of my knowledge.

Signature: Joseph H. Strabala
Title: Operator Date: Aug 11, 2000
Subscribed and sworn to before me this 11th day of Aug. 2000
Notary Public: Cheryl Carter

KCC Office Use ONLY
 Letter of Confidentiality Attached
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: Joseph H. Strabala Lease Name: Rother Well #: 1
 Sec. 7 Twp. 13 S. R. 42 East West County: Wallace

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: <u>Dual induction, Dual Compensated Porosity</u>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table border="0" style="width: 100%;"> <tr> <td style="width: 50%;">Name</td> <td style="width: 25%;">Top</td> <td style="width: 25%;">Datum</td> </tr> <tr> <td>Base Cimarron</td> <td>2970</td> <td>+915</td> </tr> <tr> <td>Base Heebner</td> <td>4216</td> <td>-432</td> </tr> <tr> <td>Lansing</td> <td>4302</td> <td>-417</td> </tr> <tr> <td>Marmaton</td> <td>4662</td> <td>-777</td> </tr> <tr> <td>Cherokee shale</td> <td>4802</td> <td>-917</td> </tr> <tr> <td>Morrow Shale</td> <td>5050</td> <td>-1165</td> </tr> <tr> <td>Upper sand</td> <td>---</td> <td></td> </tr> <tr> <td>Lower sand</td> <td>---</td> <td></td> </tr> <tr> <td>Mississippian</td> <td>5144</td> <td>-1258</td> </tr> </table>	Name	Top	Datum	Base Cimarron	2970	+915	Base Heebner	4216	-432	Lansing	4302	-417	Marmaton	4662	-777	Cherokee shale	4802	-917	Morrow Shale	5050	-1165	Upper sand	---		Lower sand	---		Mississippian	5144	-1258
Name	Top	Datum																													
Base Cimarron	2970	+915																													
Base Heebner	4216	-432																													
Lansing	4302	-417																													
Marmaton	4662	-777																													
Cherokee shale	4802	-917																													
Morrow Shale	5050	-1165																													
Upper sand	---																														
Lower sand	---																														
Mississippian	5144	-1258																													

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacs Used	Type and Percent Additives
Surface	12 1/4	8 5/8	20	265	common	185	4 Gel 7 CHL

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	N/A			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	N/A		

TUBING RECORD	Size N/A	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr. None		Producing Method: <input checked="" type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls. N/A	Gas Mcf N/A	Water Bbls. N/A	Gas-Oil Ratio

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	<input type="checkbox"/> _____ <input type="checkbox"/> _____

ORIGINAL

15-199-20282-00-00

RECEIVED
KANSAS CORP CO.
2000 JUL -5 P 1:54

ALLIED CEMENTING CO., INC.

P.O. BOX 31
RUSSELL, KS 67665
PH (785) 483-3887
FAX (785) 483-5566

* INVOICE *

Invoice Number: 081382

Invoice Date: 05/29/00

Sold Joseph H. Strabala
To: 312 E. Uintah St.
Colorado Springs, CO
80903

Cust I.D.....: Stra
P.O. Number...: Rother #1-7
P.O. Date....: 05/29/00

Due Date.: 06/28/00
Terms...: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common	120.00	SKS	7.5500	906.00	E
Pozmix	80.00	SKS	3.2500	260.00	E
Gel	10.00	SKS	9.5000	95.00	E
FloSeal	50.00	LBS	1.1500	57.50	E
Handling	200.00	SKS	1.0500	210.00	E
Mileage (64)	64.00	MILE	8.0000	512.00	E
200 sks @\$.04 per sk per mi\					
Plug	1.00	JOB	580.0000	580.00	E
Mileage pmp trk	64.00	MILE	3.0000	192.00	E

All Prices Are Net, Payable 30 Days Following
Date of Invoice. 1 1/2% Charged Thereafter.
If Account CURRENT take Discount of \$ 281.25
ONLY if paid within 30 days from Invoice Date

Subtotal: 2812.50
Tax.....: 0.00
Payments: 0.00
Total....: 2812.50

ORIGINAL

15-199-20282-00-00
3808

ALLIED CEMENTING CO., INC.

Federal Tax I.D.#

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley

DATE <u>5-29-00</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>10:00 AM</u>	JOB START	JOB FINISH <u>2:30 PM</u>
LEASE <u>Rother</u>	WELL # <u>1-7</u>	LOCATION <u>Weskan 2W-5N-14W</u>		COUNTY <u>Wallace</u>	STATE <u>Kan</u>		
OLD OR <u>(NEW)</u> (Circle one)							

CONTRACTOR MurFin Drlg Co # 14
 TYPE OF JOB PTA
 HOLE SIZE 7 7/8 T.D. 5182'
 CASING SIZE _____ DEPTH _____
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE 4 1/2 x H DEPTH 2950'
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT _____

OWNER Same
 CEMENT
 AMOUNT ORDERED 200 sks 60/40 per
6 3/4 Cel, 1/4 # Flo-Seal

COMMON	<u>120</u> sks	@	<u>7.55</u>	<u>906.00</u>
POZMIX	<u>80</u> sks	@	<u>3.25</u>	<u>260.00</u>
GEL	<u>10</u> sks	@	<u>9.50</u>	<u>95.00</u>
CHLORIDE		@		
<u>Flo-Seal</u>	<u>50 #</u>	@	<u>1.15</u>	<u>57.50</u>
		@		
		@		
		@		
		@		
HANDLING	<u>200</u> sks	@	<u>1.05</u>	<u>210.00</u>
MILEAGE	<u>44 per sk mile</u>			<u>512.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER Walt
 # 300 HELPER Wayne
 BULK TRUCK
 # 315 DRIVER Andrew
 BULK TRUCK
 # _____ DRIVER Duane

TOTAL 2,040.50

REMARKS:

- 25 sks @ 2950'
 - 100 sks @ 2075'
 - 40 sks @ 315'
 - 10 sks @ 40'
 - 10 sks in M.H.
 - 15 sks in R.H.
- [Signature]*

SERVICE

DEPTH OF JOB _____
 PUMP TRUCK CHARGE _____ 580.00
 EXTRA FOOTAGE _____ @ _____
 MILEAGE 64 miles @ 3.00 192.00
 PLUG _____ @ _____
 _____ @ _____
 _____ @ _____

TOTAL 772.00

CHARGE TO: Strabala Oil
 STREET _____
 CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

 @ _____
 @ _____
 @ _____
 @ _____
 @ _____

TOTAL _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE 2,812.50
 DISCOUNT - 281.25 IF PAID IN 30 DAYS
 Total = 2,531.25

SIGNATURE [Signature]

JAMES BECKER
PRINTED NAME

[Handwritten initials]

ALLIED CEMENTING CO., INC.

Federal Tax I.D.#

15-199-20282-00-00

2889

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

OAKLEY

DATE <u>5-22-00</u>	SEC. <u>7</u>	TWP. <u>13S</u>	RANGE <u>H2W</u>	CALLED OUT	ON LOCATION <u>5:30 PM</u>	JOB START <u>7:30 PM</u>	JOB FINISH <u>8:00 PM</u>
LEASE	WELL #	LOCATION <u>WESKAN 3W - 4 3/4 N</u>			COUNTY <u>WALLACE</u>	STATE <u>KS</u>	
OLD OR <u>(NEW)</u> (Circle one)							

CONTRACTOR MURFIN DRILLING #14 OWNER SHIIE

TYPE OF JOB SURFACE

HOLE SIZE <u>12 1/4"</u>	T.D. <u>265</u>
CASING SIZE <u>8 7/8"</u>	DEPTH <u>265'</u>
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG. <u>15'</u>	
PERFS.	
DISPLACEMENT <u>16 BBL</u>	

CEMENT AMOUNT ORDERED 185 SKS COM 3% CC 2% LCL

COMMON	<u>185 SKS</u>	@	<u>7 55</u>	<u>1396 75</u>
POZMIX		@		
GEL	<u>4 SKS</u>	@	<u>9 00</u>	<u>38 00</u>
CHLORIDE	<u>7 SKS</u>	@	<u>28 00</u>	<u>196 00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>185 SKS</u>	@	<u>1 05</u>	<u>194 25</u>
MILEAGE	<u>44 USE SK / MILE</u>			<u>473 00</u>
TOTAL				<u>2298 00</u>

EQUIPMENT

PUMP TRUCK # <u>300</u>	CEMENTER <u>TERRY</u>
	HELPER <u>WAYNE</u>
BULK TRUCK # <u>280</u>	DRIVER <u>TERRY</u>
BULK TRUCK #	DRIVER

REMARKS:

CEMENT AND CIRC.

THANK YOU

SERVICE

DEPTH OF JOB	<u>265'</u>
PUMP TRUCK CHARGE	<u>470 00</u>
EXTRA FOOTAGE	@
MILEAGE	<u>64</u> @ <u>3 00</u> = <u>192 00</u>
PLUG	<u>8 7/8 SURFACE</u> @ <u>45 00</u>
	@
	@
TOTAL <u>707 00</u>	

CHARGE TO: JOSEPH H. STRABALA

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

RECEIVED
STATE CORPORATION COMMISSION
AUG 14 2000
CONSERVATION DIVISION
Wichita, Kansas

	@
	@
	@
	@
	@

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Joseph H. Strabala
Pd-1002

TOTAL	_____
TAX	_____
TOTAL CHARGE	<u>3005 00</u>
DISCOUNT	<u>300 56</u>
AFTER DISC.	<u>2705 00</u>
IF PAID IN 30 DAYS	

PRINTED NAME

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Allied" shall mean Allied Cementing Co., Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

—**TERMS:** Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "ALLIED" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "ALLIED," refunded directly to "CUSTOMER." For purposes of this paragraph, ALLIED and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

—**ATTORNEY FEES:** In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.

—**PRICES AND TAXES:** All merchandise listed in "ALLIED'S" current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.

—**TOWING CHARGES:** ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.

—**PREPARATION CHARGES:** If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.

—**DEADHAUL, CHARGES:** Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

—**SERVICE CONDITIONS AND LIABILITIES:** 1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:

(A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:

(B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.

2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.

3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES: 1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.

(C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.