Kansas Corporation Commissic Oil & Gas Conservation Division

ORIGINAL

Form ACO-1
June 2009
In Must Be Typed
... must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15031-22860-00-00
Name: Birk Petroleum	Spot Description:
Address 1: 874 12th Rd SW	SW_SW_SW_Sec. 29 Twp. 22 S. R. 17 V East West
Address 2:	165 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 66839 +	5,115 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Brian L Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-1311 - office	NE □NW ✓SE □SW
CONTRACTOR: License # 33900	County: Coffey
Stove Laie	Lease Name: Parmely A Well #: 26
Name:	Field Name: Parmely
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1043 est Kelly Bushing:
	Total Depth: 998 Plug Back Total Depth: 976
New Well Re-Entry Workover	Amount of Surface Pipe Set and Cemented at: 40 Feet
Oil WSW SWD Slow	Multiple Stage Cementing Collar Used? Yes V No
☐ Gas ☐ D&A ☐ SIGW ☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Methane)	076
Cathodic Other (Core, Expl., etc.):	If Alternate II completion, cement circulated from: 570 feet depth to: surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	reet depth to: sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content:ppm Fluid volume:bbls
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	QuarterSecTwpS. REast West
ENHR Permit #:	County: Permit #:
GSW Permit #:	
Spud Date or Date Reached TD Completion Date or	
Recompletion Date Recompletion Date	
Kansas 67202, within 120 days of the spud date, recompletion, workover or of side two of this form will be held confidential for a period of 12 months if re	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidenell report shall be attached with this form. ALL CEMENTING TICKETS MUST orm with all temporarily abandoned wells.
AFFIDAVIT If am the affiant and I hereby certify that all requirements of the statutes, rules and lations promulgated to regulate the oil and gas industry have been fully complied and the statements herein are complete and correct to the best of my knowled	d with Letter of Confidentiality Received
Signature: awa State	Wireline Log Received KCC WICHITA

UIC Distribution

Date: 06/07/2011

Title: Agent

Side Two

12 to 1

Operator Name: Birk	Petroleum			Lease	Name: _	Parmely A		Well #: <u>26</u>		
Sec. 29 Twp.22 S. R. 17 🗸 East 🗌 West				County	: Coffe	<u>y</u>				
INSTRUCTIONS: Shot time tool open and clo recovery, and flow rate line Logs surveyed. A	sed, flowing and shu s if gas to surface te	t-in pressures, w st, along with fin	hether s al chart(hut-in pres	sure read	ched static level,	hydrostatic pr	essures, bottom l	nole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional S		Yes [∑ No		Log Formation (Top), De			and Datum	✓ Sample	
Samples Sent to Geological Survey			7 No		Name Southerd Sand			Top Datum		Datum
Cores Taken ☐ Yes ✓ N Electric Log Run ☐ Yes ✓ N		Z No Z No Z No	Squirrel Sand 979							
List All E. Logs Run:										
				RECORD	Ne urface, inte	ew 🗸 Used	tion, etc.			
Purpose of String	Size Hole Drilled	Size Casi Set (In O.I		Wel		Setting Depth	Type of Cement	# Sacks Used		and Percent idditives
Surface Casing	9 7/8"	7"		17#		40'	Portland	10	Calciu	m
Long string	5 7/8"	2 7/8"		6.5#		976'	Portland	120		
		ADI	DITIONAL	L CEMENTI	NG / SQL	 JEEZE RECORD	<u> </u>		1	
Purpose: Depth Top Bottom Type of Co		Type of Cer	ment	# Sack	s Used	Type and Percent Additives				
Plug Back TD Plug Off Zone										
Shots Per Foot		ON RECORD - B					acture, Shot, Cer amount and Kind o	nent Squeeze Reco	rd	Depth
None	Open hole compl	etion 976-998'								
		· · · · · · · · · · · · · · · · · · ·							RE	CEIVED
									MIII	1.0.2011
TUBING RECORD:	Size:	Set At:		Packer /	At:	Liner Run:	Yes	No	KCC	WICHIT,
Date of First, Resumed 05/23/2011	Production, SWD or EN	1	ucing Met	thod: Pumpii	ng 🗌	Gas Lift	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	ter E	Bbls.	Gas-Oil Ratio		Gravity
Vented Sold	ON OF GAS: Used on Lease	Open I	lole (METHOD O		y Comp. 🔲 Co	ommingled brait ACO-4)	PRODUCT	ION INTER	VAL:

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, treas, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failurs of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

B & B COOPERATIVE VENTURES 900 B. FOURTH ST.

BURLINGTON KS

66839

B42/48

B TO COOP, PENTURES FAIRL BIL

58 W TO MAYSTDE PD N I MI TO

- RELL # PARMENT A #20

LE ROY, MS 66857

12:51:35p ELL 6.00 yd 12.00 yd 7.00 31 0.00	PLANT/TRANSACTION #	5 ATD	DRIVERARICK	14 CAL	YARDS ORDERED	LOAD SIZE	FORMULA	TIME
TABLE TO THE PROPERTY OF THE P		0.00	31	·	12.00 yd	6.00 yd	WELL.	12:51:35p
	TICKET NUMBER	SLUMP	WATER TRIM	BATCH#	YARDS DEL.		To Date	DATE
03-21-11 Today 2 12.00 yd 16040 4.00 in	28735	4.00 in			, , , , , , , , , , , , , , , , , , ,	8	l.	03-21-11

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Weer Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS, Avoid Contact Wift Eyes- and Prolonged Contact With Skin. In Case of
Ceptact With Skin or Eyes, Flush Thoroughly With Water, Il Impation Persists, Get Medical
Andrew KEEP Children AWAY.

CONCRETE IS A PERISHABLE COMMODITY AND BECOMES the PROPERTY OF THE PURCHASER UPON LEVING THE PLANT, ANY CHANGES OR CANCELLATION OF ORGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' tees, incurred in any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per account. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Debered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Chacks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE VISIDE CURB LINE)

Dear Customer-The drivity of this truck in preserving this RELEASE to you for your signaturaging the homion that the lists, and weight of his truck may possibly office damage to the premises endow adoption property if I places the material in this load where you death It. It is out, with ju play you fave very your that you you find property of property in the young the release of the premises and/or adjacent property. Buddings, sidewalls, the supplemental property in buddings, sidewalls, and of the the will not list the public dealways, cut, etc. by the delivery of this metarial, and that you also agree to help him remove mud from the system state, and the supplementation, the understoned agrees to indemntly with hold harmless the driver of this truck and this supplemental that appears to the truckerstoned agrees to indemntly with hold harmless the driver of this truck and this supplemental that appears to the premises and/or adjacent property which may be claimed by anyone to have sideled.

Excessive Water Is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER_

CATES THAT I HAVE READ THE HEALTH WARNING BE RESPONSIBLE FOR ANY DAMAGE CAUSED

LOAD RECEIVED BY

QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE 6.00 WELL WELL (10 SACKS PER UNIT) 12.00 76.00 456.00

J Mix # 6135

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER, TEST TAKEN		TIME ALLOWED &	ubTotal \$	456.00
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3.:TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 13. ADDIDENT 8. CITATION	1	ax % 6.300	28.73 484.73
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN S. ADDED WATER	S OTHER		irder \$	1102.33
1:00	1. 20						1102.33
				4,0		ADDITIONAL CHARGE 1 _	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		1	DELAY TIME	ADDITIONAL CHARGE 2	
1				· · · · · · · · · · · · · · · · · · ·			•
1						GRAND TOTAL	

RECEIVED JUN 1 0 2011 KCC WICHITA 802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



Concrete to be dailvered to the nearest accessible point over passable road under truck's own power. Due to delivery at owner's or intermediary's direction, safer assumes no responsibility for damages in any manner to sidewalks neadways, driveways, buildings, trees, shrubbery, stc., which are at customer's risk. The maximum abotined time for unloading trucks is 5 minutes per yerd. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength test when water is added at customer's request.

NOTICE TO OWNER.

Falture of the contents.

SHIP TO:

SOLD TO: मुसाराहार

B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

BURLINGTON KS

66.839

B & B COMP. VENTURES/TIPA OH 58 W TO WAYSTDE, RD N 1 NJ TO STH PO U 1/2 MT WELL # PARMELY O #26

LE 20Y, 49 66857

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
12:46: 0 8p	IELL	6.00 vd	12.00 ya	0.00	31	% AIR 0.00	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
Ø3-21-11	oday	1	150.00 yd 6.00 yd	16039		4.00 in	28734

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement, West Rubber Boots and Glores. PROLONGED CONTACT MAY
CAUSE BURNS: Avoid Cortact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Push Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE In a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will beer interest at the rate of 24% per annum Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Chacks,

Excess Delay Time Charged @ \$50/HR. CODE PROPERTY DAMAGE RELEASE

(TO SE SIGNED & DELIVERY TO BE MADE NAME CURB UNE)

Dear Dustomer-The driver of this truck in presenting this RELEASE to you for your algorithms is of the opinion that the size and weight of this truck may possibly clause damage to the premises another adjount properly if it places the matterfal in this load where you desire it. It is our wint to help you jo every way that we can, but in order to do this the driver is requesting that you stip his RELEASE releving this and this support from any responsibility from any desired, and any occur to the premises and/or adjacent property. butlengs that any occur to the premises and/or adjacent property butlengs, stewards, otherwise, oruse, set. by the othersy of this material, and frest you also agree to help him remove must from the wheels of his vehicle so that he will not like the public street. Further, as additional consideration, the understigned agrees to indemnify and hold harmless the driver of this linck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have statin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

LOAD RECEIVED BY:

EXTENDED PRICE

6.00

QUANTITY

WELL

WELL (10 SACKS PER UNIT)

6.00.

UNIT PRICE 76.00

456.00

2.50

TRUCKING

TRUCKING CHARGE

2,50

50.00

125.00

Paid Check # 6185 Total 4, 102.3%

DESCRIPTION

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYL	INDER TEST TAKEN	TIME ALLOWED S	pbTotal \$	581.00
			JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB	B. TRUCK BROKE DOWN 7. ACCIDENT B. CITATION	Υ.	x % 6.300	36.60 617.60
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN ADDED WATER	B. OTHER	TIME DUE	rder \$	617.60
1:00	1:30					ADDITIONAL CHARGE 1	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2	
	<u> </u>					GRAND TOTAL	

RECEIVED JUN 1 0 2011 KCC WICHITA