## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL Form ACO-1
June 2009
Form Must Be Typed

Form must be Signed All blanks must be Filled

## **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Name: Birk Petroleum	
074 404 D 1 014	Spot Description:
Address 1: 874 12th Rd SW	NW_SW_SW_SW Sec. 29 Twp. 22 S. R. 17 🗸 East West
Address 2:	495 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 66839 +	5,115 Feet from ✓ East / West Line of Section
Contact Person: Brian L Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 364-1311 - office	□NE □NW ☑SE □SW
CONTRACTOR: License # _33900	County: Coffey
Stovo Lais	Lease Name: Parmely A Well #: 25
Wellsite Geologist; None	Field Name: Parmely Producing Formation: Squirrel
Purchaser: Coffeyville Resources	
Designate Type of Completion:	Elevation: Ground: 1050 est Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 998 Plug Back Total Depth: 976
✓ oil  wsw swd slow	Amount of Surface Pipe Set and Cemented at: 40 Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
OG GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 976
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Orilling Cluid Management Plan
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls
Deepening Re-perf. Conv. to ENHR Conv. to SWD	
☐ Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	QuarterSecTwpS. R East West
ENHR Permit #:	
GSW Permit #:	County: Permit #:
03/18/2011 03/21/2011 03/22/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed wit Kansas 67202, within 120 days of the spud date, recompletion, workover or of side two of this form will be held confidential for a period of 12 months if re	h the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information equested in writing and submitted with the form (see rule 82-3-107 for confidence) report shall be attached with this form. ALL CEMENTING TICKETS MUST orm with all temporarily abandoned wells.
	RECFIVED
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and lations promulgated to regulate the oil and gas industry have been fully complied.	ed with Letter of Confidentiality Received JOIN 0 9 201
and the statements herein are complete and correct to the heat of my knowled	Confidential Release Date: KCC M//CLIT
and the statements herein are complete and correct to the best of my knowled	Confidencial Release Date: 1700 VVIII
Sarring Rivelle	Wireline Log Received
Signature:	

## Side Two

Operator Name: Birk Petroleum				Lease Name: Parmely A We				_ Well #:25		
Sec. 29 Twp.22	s. R. <u>17</u>	✓ East	st	County	: Coffe	y			W-1	
NSTRUCTIONS: Shime tool open and clo ecovery, and flow rate ine Logs surveyed. A	sed, flowing and shu es if gas to surface te	t-in pressures, wh st, along with fina	nether s	hut-in pres	sure read	ched static level	, hydrostatic pres	ssures, bottom l	hole temp	erature, fluid
Orill Stem Tests Taken (Attach Additional S		Yes 🗸	] No		Log Formation (Top), Dept  Name  Squirrel Sand			and Datum	✓ Sample	
Samples Sent to Geol	ogical Survey	∏Yes ✓	No					Тор 981		Datum
Cores Taken         ☐ Yes         ✓           Electric Log Run         ☐ Yes         ✓		✓ No ✓ No ✓ No		Oquiii	oquirrer oanu		301			
ist All E. Logs Run:										
			CASING	RECORD	Ne	ew √Used			<del>II 4-14-wisIncome</del>	····
	Cina Mala		-	1		ermediate, produc		# Seeke	Time	and Dansont
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D		Wei		Setting Depth	Type of Cement	# Sacks Used		and Percent Additives
Surface Casing	9 7/8"	7"		17#		40'	Portland	10	Calciu	m
Long string	5 7/8"	2 7/8"		6.5#		976'	Portland	120		
		ADD	TIONAL	L CEMENTI	NG / SQL	JEEZE RECORD			-l	
Purpose: Depth Type of Cement Perforate Top Bottom Protect Casing Plug Back TD			ent	# Sack	# Sacks Used Type and Percent Additives			s	***************************************	
Plug Off Zone										
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/T Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)			Depth	
None Open hole completion 976-998'					Frac w/42 s	x sand			983-998	
TUBING RECORD:	Size:	Set At:		Packer /	At:	Liner Run:	∏ Yes ∏ N	ło	R	FCEN :
Date of First, Resumed 04/12/2011	Production, SWD or EN	ا	cing Met	hod:	ng 🗌	Gas Lift	Other (Explain)			ECEIVEC N 0 9 20
Estimated Production Per 24 Hours Oil Bbls. Gas		as	Mcf			Bbls.	Gas-Oil Ratio KCC WICH		Gravity WICHI	
DISPOSITION OF GAS:  Vented Sold Used on Lease Open Hole (If vented, Submit ACO-18.)			METHOD O	ETHOD OF COMPLETION: PRODUCTION IN						

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermedieny's direction, seller assumes no responsibility for damages in any manner to sidewalke, roadways, driveways, buildings, trees, shrubbery, stc., which are at customer's risk. The maximum stlotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO GWHER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

SOLD TO: DROOM

B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

> BURLIMETON 195 66839

BTO 18

B & B COOP, "ENTHPER OTER OTE 50 H TO WAYGEDE RD N 1 ME TO SIH DO WITTO MI

WELL & PARMELY OF \$25

UE 1915, PG 66857

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
<b>08:06:42</b> a	IELL	6.00 yd	12.00 vd	% UHI 0.00	31	7- ATR 70.00	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
Ø3-22-11	o bate .	27 1	6.00 yd	16052		4.00 in	28741

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Certent: West quote books and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If stritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IN A PERISHABLE COMMODITY AND BECOMES IN A PROPERTY OF THIS PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owned.

All accounts not paid within 30 days of delivery will beer interest at the rate of 24% per arount.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Charles Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE BEYEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CLIRB LINE). Deer Custome-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent properly it it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this hundries. It is requesting that you sign this RELEASE reserving them and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent properly, buddings, sidewise, such as a supplier from any calculation of the premises and/or adjacent properly. buddings, sidewise, such as a superior to the premises and/or adjacent properly and hold harmless the other than which are the public street. Further, as additional consideration, the undersigned agrees to indemly and hold harmless the other of its incuts and this supplier for any and all damage to the premises endors adjacent property which may be claimed by anyone to have arisen out of delivery of this codes.

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

GAL X

WEIGHMASTER

QUANTITY CODE DESCRIPTION **UNIT PRICE EXTENDED PRICE** 6.00 UELL WELL (10 SACKS PER UNIT) F. 90 76.00 456,00 2,50 TRUCKING TRUCKING CHARGE 2.50 50.00 125.00

Paid	Check #	6/86 Tota	11/1/1/1/1/	, To our land			
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYL	INDER TEST TAKEN	TIME ALLOWED C	TIME ALLOWED SHOTOtal 3	
			1. JOB NOT READY	6. TRUCK BROKE DOWN			581.00
			2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	7. ACCIDENT		1	36.60
LEFT PLANT	ARRIVED JOB	CTART UNI CARNIC	4. CONTRACTOR BROKE DOWN	A. CITATION AGENTO .0	<u></u>	\$ 1c t	617.60
LEFT PLANT	AARIVED JOB	START UNLCADING	5. ADDED WATER		TIME DUE ():	der \$	617,60
8.30	9:00					ADDITIONAL CHARGE 1	· · · · · · · · · · · · · · · · · · ·
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2	
		'	•				
						GRAND TOTAL	

11111233

RECEIVED JUN 09 2011 KCC WICHITA

CONDITIONS
Concrete to be delivered to the nearest excessible point over passable road, under truckly own power. Due to delivery a owner's or intermediary's direction, saller assumes no responsibility the damages in 'any manner to aidevalle, roadways, drinways, buildings, trees, shipbery, ich, which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per year. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix includated two to me assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER 802 N. Industrial Rd. P.O. Box 664 Payless Con Iola, Kansas 66749 Phone: (620) 365-5588 Fallure of this contractor to pay those parents supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract. SOLD TO: SHIP TO: BOOGT 排放 计多 B & B COOPERATIVE VENTURES B & D COME, VENTURES/BIPK OI 900'S. FOURTH ST. '50 H TO MAYSIDE RD N 1 MT TO 전TH RD 보 172 MI **PURLINGTON KS** WELL & PARMOLY A #25 HE ROY KS 66857 66839 TIME **FORMULA** LOAD SIZE YARDS ORDERED DRIVER/TRUCK PLANT/TRANSACTION # CAL <del>/ AIR</del> 11 **0**B:11:21a WEI\_I 6.00 vd 12.00 yd 0.00 0.00 31 DATE LQAD# YARDS DEL. BATCH# WATER TRIM SLUMP TICKET NUMBER Date ŤΕ 15053 4.00 h 03-22-11 12.00 vd oday ~28742 Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>O Added By Request Authorized By PROPERTY DAMAGE BEI FASE **WARNING** IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves: PRIMORGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin. Skin. In Case of
Contact (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) (TO BE SCANED IF DEUTCRY YTO BE MADE INSDE CURB LINE). Dear Customer The other of this truck in pregning this RELEASE to you to your signature is of the governor that the size and weight of his truck may possibly scales demalls, to the primitive stand of the truck may possibly scales demalls, the size of the primitive stands of the size of GAL X CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of CRISINAL RISTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable stigrings fees, incurred in collecting any sums owed. NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE TEAD THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE All accounts not paid within 30 days of delivery will bear inter Not Responsible for Reactive Aggregate or Color Quality. Material is Delivered. A \$25 Service Cherne and Loss of the Casts Discount will be Excess Delay Time Charged @ \$50/HR. QUANTITY CODE DESCRIPTION **EXTENDED PRICE** 6.00 12.00 WELL PK WELL (10 SACKS PER UNIT) 76.00 456.00 PINISH UNLOADING LEFT JOB DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED 456.00

RETURNED TO PLANT 1. JOB NOT READY TRUCK BROKE DOWN 28.73 SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN ACCIDENT CITATION CITATION 484.73 START UNLOADING LEFT PLANT ARRIVED JOB TIME DUE 1102.33 ADDED WATER 230 BA TOTAL ROUND TRIP TOTAL AT JOB. UNLOADING TIME DELAY TIME CHARGE 2 į. GRAND TOTAL

RECEIVED
JUN 0 9 2011
KCC WICHITA