For KCC Use: District # SGA?

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed

NOTICE OF INTENT TO DOLL

Firm MAANA A A TO THE APPROVED BY NCC 11	ve (5) days prior to commencing well
Expected Spud Date: September 1, 2011	s Surface Owner Notification Act, MUST be submitted with this form. Spot Description:
month day year	
OPERATOR: License# 33971	(avoravo) - SW - NE - SW sec. 16 Twp. 24S S. R. 5 X E W 1732 feet from N / X S. Line of Section 1732 feet from E / X W. Line of Section
Name: TriPower Resources, LLC	feet from E / X W Line of Section
Address 1: P.O. Box 849 Address 2:	is SECTION: X Regular Irregular?
City: Ardmore State: Ole Zip: /3402 +	(Note: Locate well on the Section Plet on reverse side)
Contact Person: W.B. Curry	County:
Phone: 580-226-6700	Lease Name: Bluestem Unit Well # 10-A Field Name: Joseph SE
CONTRACTOR: License# 30141	
Name: Summit Drilling Co.	Is this a Prorated / Spaced Field? Target Formation(s): Mississippi Chert
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1732
Xoil Enh Rec X Infield X Mud Rotary	Ground Surface Elevation: 1422.2feet MSL
XIGas Storage Papi Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable Seismic # of Holes Other	Public water supply well within one mile: Depth to bottom of fresh water: 150 '
Other:	Depth to bottom of usable water: 180 *
	Surface Pipe by Alternate: X
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200
Operator:	Length of Conductor Pipe (If any): None
Well Name;	Projected Total Depth: 2700 '
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond X Other: To haul purchased water
If Yes, true vertical depth:	DWR Pormit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #;	1A771 C
	Will Coles be taken?
	If Yes, proposed zone:
	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual p	FIDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to soudding of well-	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG () 8, 2011
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set.	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG () 8: 2011 h drilling rig; KCC WICHITA
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG () 8: 2011 KCC WICHITA by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the distriction of the well is dry hole, an agreement between the operator and the distriction.	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG () 8: 2011 KCC WICHITA by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of Intent to drill shall be posted on each and the internal management and the second all unconsolidated materials plus a minimum of 20 feet into the internal second and it is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented.	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG () 8: 2011 KCC WICHITA by circulating cement to the top; in all cases surface pipe shall be set underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ad from below any usable water in surface within 420 DAYS of your date.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG () 8: 2011 KCC WICHITA by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of Intent to drill shall be posted on each and the interprited below shall be set through all unconsolidated materials plus a minimum of 20 feet into the fitten well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kanses surface casing order # must be completed within 30 days of the spud date or the well shall be	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. **RECEIVED** AUG () 8: 2011 **RECEIVED** AUG () 8: 2011
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. **RECEIVED** AUG () 8: 2011 **RECEIVED** AUG () 8: 2011
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of Intent to drill shall be posted on each and the interprited below shall be set through all unconsolidated materials plus a minimum of 20 feet into the fitten well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kanses surface casing order # must be completed within 30 days of the spud date or the well shall be	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. **RECEIVED** AUG () 8: 2011 **RECEIVED** AUG () 8: 2011
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of Intent to drill shall be posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district of the spud date or the well shall be appropriate to appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be appropriate the statements made herein are true and to the best of the case of the spud date or the well shall be appropriated. Signature of Operator or Agent:	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG () 8: 2011 KCC WICHITA by circulating cement to the top; in all cases surface pipe shall be set underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent W.B. Curry
The undersigned hereby affirms that the drilling, completion and eventual pilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of Intent to drill shall be posted on each and the approved notice of Intent to drill shall be posted on each and the district of the well is dry hole, an agreement petween the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the complete of the complete of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG () 8: 2011 KCC WICHITA by circulating cement to the top; in all cases surface pipe shall be set underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent W.B. Culty Remember to:
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of Intent to drill shall be posted on each of the approved notice of Intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the complete case of the complete c	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG () 8: 2011 KCC WICHITA by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; at from below any usable water to surface within 120 DAYS of spud date. 133.891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing, my knowledge and bellef. W.B. CUITY Remember to: - File Certification of Compliance with the Kanses Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of Intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the complete of the complete of Operator or Agent: Date:8=4=11	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG () 8' 2011 KCC WICHITA the drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133.891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent W.B. Cully Remember to: File Certification of Compliance with the Kanses Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completes Form COP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of Intent to drill shall be posted on each and the district of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district of the well is dry hole, an agreement between the operator and the district of the well be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the district office will be notified before well is either plug of the district office will be notified before well is either plug of the district office will be notified before and the district office will be notified be	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG () 8: 2011 KCC WICHITA by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date. 133.891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing, my knowledge and bellef. W.B. CULTY Remember to: - File Certification of Compliance with the Kanses Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of Intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the complete of the complete of Operator or Agent: Date:8=4=11	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG () 8: 2011 KCC WICHITA by circulating cement to the top; in all cases surface pipe shall be set it by circulating cement to the top; in all cases surface pipe shall be set it office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ad from below any usable water to surface within 120 DAYS of spud date. 133.891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent W.B. Curry Remember to: File Certification of Compliance with the Kanses Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual p it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of Intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug in the surface cashing order that the appropriate district office will be notified before well is either plug in the surface cashing order that the surface cashing order that the surface cashing order that the statements made herein are true and to the best of the set of th	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG 8: 2011 KCC WICHITA to y circulating cement to the top; in all cases surface pipe shall be set to y circulating formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133.891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent W.B. Curry Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of Intent to drill shall be posted on each and the approved notice of Intent to drill shall be posted on each and the district office will be mainimum of 20 feet into the district office will be notified before well is either plug for appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the conductor place in the district office will be required the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 . Or S - 2 - 3 9/2 - 00 - 00 - 10 - 10 - 10 - 10 - 10 - 1	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG () 8: 2011 KCC WICHTA the underlying formation. thict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133.891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing, my knowledge and bellef. W.B. CHTTY Remember to: File Certification of Compliance with the Kanses Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual p it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of Intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug in the surface cashing order that the appropriate district office will be notified before well is either plug in the surface cashing order that the surface cashing order that the surface cashing order that the statements made herein are true and to the best of the set of th	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG 8: 2011 KCC WICHITA to y circulating cement to the top; in all cases surface pipe shall be set to y circulating formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133.891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent W.B. Curry Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for intensive the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plug certify that the statements made herein are true and to the best of the plug certify that the statements made herein are true and to the best of the plug certify that the statements made herein are true and to the best of the plug certify that the statements made herein are true and to the best of the plug certify that the statements made herein are true and to the best of the plug certify that the statements made herein are true and to the best of the plug certify that the statements made herein are true and to the best of the plug certify that the statements made herein are true and to the best of the plug certify that the statements made herein are true and to the best of the plug certify that the statements made herein are true and to the best of the plug certify that the statements are true and to the plug certification of the plug certification to the plug certification of the plug certification to the pl	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG () 8: 2011 KCC WICHITA the underlying formation to the top; in all cases surface pipe shall be set to underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133.891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing, my knowledge and bellef. W.B. CUTTY Remember to: - File Certification of Compliance with the Kanses Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If well will not be drilled or permit has expired (Sec. authorized expiration date)

130 S. Market - Room 2078, Wichita, Kansas 67202

For KCC Use ONLY API #15-015 23912-00-00

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

in all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

r: TriPower Resources, Bluestem Unit	LLC Location of \	Well: County: Butler
mber: 10-A		1732 feet from N/X S Line of Section 1732 feet from E / X W Line of Section
Joseph, SE	Sec. 16	
of Acres attributable to well:160	-	
FR/QTR/QTR of acreage:SW	NE SW is Section:	X Regular or Irregular
- - -	If Pacific 1	Service A. J.
	Section corn	er used: NE NW SE SW
		2. 1000; [] NE
Show location of the new Observe	PLAT	
lease roads, lank batteries, nipelines and	olage to the nearest lease or unit bound	dary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032).
and the second of pipelines and	You may attach a separate plat if des	sas Surrace Owner Notice Act (House BIII 2032). Gred
		.
		LEGEND
<u> </u>	2 5 5	Well Location
		Tank Battery Location
		Pipeline Location
		Electric Line Location
		Lease Road Location

: : : : : : : : : : : : : : : : : : : :	<u> </u>	EXAMPLE
	6	
The state of the s	1 1	
		0=3 1980 FSL
1 1 /1 7/1	Note: Tank Battery is	
	located in Sec. 20	SEWARD CO. 3390' FEL
	2/C_CE	
The second the spot of the	hishing locator.	RECEIVED
g the proposed location of the well, y	rou must shour	AUG 0 8 2011
- , ,		- V U ZUII

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding section. WICHITA
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in factage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached; (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease-roads, tank batteries, pipalines, and electrical lines.

15-015-23912-00-00

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

KCC WICHITA

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 33971	Mark Lands
Name: TriPower Resources, LLC	Well Location:
Address 1:P.O. Box 849	SW-NE-SW- Sec. 16 Twp. 24 S. R. 5 Eas West
Address 2:	County: Butler Lease Name: Bluestem Unit Well #: 10-A
City: Ardmore State: Ok. Zip: 73402 +	
Contact Person: W.B. Curry	If filing a Form T-1 for multiple wells on a lease, enter the legal description o the lease below:
Phone: (580) 226-6700 Fax: (580) 223-1570	
Email Address;	
Surface Owner Information:	
Name: Haw, C.L. William, Rev. Tr.	When filing a Form T1 involving multiple
Address 1: 1600 Genessee St. Ste . 846	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface
Address 2:	owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
City: Kansas C1ty State: MO. Zip: 64102 + 1079	
	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat
	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
are preliminary non-binding estimates. The locations may be entered or Select one of the following:	the form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. It (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1. Form CB-1, Form T-1, or Form eight filed is a Form C-1 or Form CB-1.
are preliminary non-binding estimates. The locations may be entered or Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice Adowner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form beform; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). Lac	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1. Form CB-1, the plat(s) required by this id email address.
are preliminary non-binding estimates. The locations may be entered or Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice Acowner(s) of the land upon which the subject well is or will be locep-1 that I am filing in connection with this form; 2) if the form beform; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I acknowledge that I am being charged a \$30.00 handling the surface of the surface owner(s).	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1. Form CB-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this indemail address. Eknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.
are preliminary non-binding estimates. The locations may be entered or Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice Acowner(s) of the land upon which the subject well is or will be locentry; 2) if the form beform; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I acknowledge that I am being charged a \$30.00 handling of choosing the second option, submit payment of the \$30.00 handling of the second option, submit payment of the \$30.00 handling of the second option, submit payment of the \$30.00 handling of the second option, submit payment of the \$30.00 handling of the second option, submit payment of the \$30.00 handling of the second option.	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1. Form CB-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this ad email address. Eknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form, the KSONA-1 will be returned.
Are preliminary non-binding estimates. The locations may be entered or Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice Acowner(s) of the land upon which the subject well is or will be loced that I am filing in connection with this form; 2) if the form beform; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I acknowledge that I am being charged a \$30.00 handling of the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 thereby certify that the statements made herein are true and correct to the surface of Operator or Agent: Signature of Operator or Agent:	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1. Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this ad email address. Eknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form, the KSONA-1 will be returned.

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

APPLICATION FOR SURFACE PIT

Submit in Duplicate					
Operator Name: TriPower Resources, LLC		License Number: 33971			
Operator Address: p.O. Box 849, Ardmore, Ok. 73402					
Contact Person: W.B. Curry		Phone Number: 580-226-6700			
Lease Name & Well No.: Bluestem Unit A-10			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SW</u> - <u>NE</u> - <u>SW</u> .		
Emergency Pit Burn Pit	Proposed Existing		Sec. 16 Twp.24S R. 5 X East West		
Settling Pit X Drilling Pit	If Existing, date con	structed:	1732 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drillod)	Pit capacity: (bbis)		1732 Feet from East / West Line of Section Butler County		
Is the plt located in a Sensitive Ground Water A	urea? ☐ Yes 🔼 t	No	Chloride concentration: NA mg/l (For Emergency Pits and Sottling Pits only)		
is the bottom below ground level? XYes No	Artificial Liner?	o	How is the pit lined if a plastic liner is not used? Native Clay & Drilling Mud		
Pit dimensions (all but working pits): 60 Length (feet) 6 Width (feet) N/A: Steel Pits					
Depth fro	om ground level to dee				
		edures for periodic maintenance and determining noluding any special monitoring.			
Not Required in Area					
1 Digitaling to House Maior Main Min and Min and Min Ma		Depth to shallo Source of info	25		
고역의 feet Depth of water well <u>/05</u> feet		measured	well owner electric log & KDWR		
Emergency, Settling and Burn Pits ONLY: Drilling, Wor		Drilling, Work	over and Hevi-Off Pits ONLY:		
1. Coddsing 1 String		ai utilized in drilling/workover: Water Base Mud			
Number of producing wells on lease: Number of wo		rking pits to be utilized:			
Barrels of fluid produced daily! Abandonment					
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		restore surface be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED					
·			AUG 0 8: 2011		
8-4-11	all bound				
Date Signature of Applicant or Agent W.B. KGG WICHITA					
KCC OFFICE USE ONLY					
Date Received: 8-8-! Permit Nui	Date Received; 8-8-11 Permit Number: Permit Date; 8-9-11 Lease Inspection: Yes X No				