#### 

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form

If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to the propriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS or Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any or the completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any or the completed within 30 days of the spud date or the well shall be plugged. The plugged is the KCC District office prior to any or the completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any or the completed within 30 days of the spud date or the well shall be plugged. The plugged is the complete or the completed within 30 days of the spud date or the well shall be plugged. The plugged is the complete or the complete	S Line of Section W Line of Section  Well # 1-12  Yes No  feet MSL  Yes No
OPERATOR: License# 344.32 feet from   N / 330 feet from   N / 340	S Line of Section W Line of Section  Well # 1-12  Yes No  feet MSL  Yes No
Section   Sect	Well # 1-12  Yes No  feet MSL
Address 2:	well # 1-12  Yes No feet MSL
Address 2.  City: Oklahomo City. Contact Person: Jim D. Hill, Director of Operations Phone: 405-748-9487 Phone: Summit Drilling Co.  Well Drilled For:  Well Class:  Well Drilled For:  Well Class:  Well Drilled For:  Well Class:  Well Class Windows  Well Class:  Well Class:  Well Class:  Well Class Windows  Well Class Windows  Well Class Windows  Well will one quarter mile:  Public water supply well within one quarter  Public water supply well within one mile:  Depth to bottom of fresh water:  Well Class Pipe by Alternate:  Well water Supply well within one mile:  Depth to bottom of fresh water:  Well Class Pipe by Alternate:  Well Class Pipe by Alternate:  Length of Conductor Pipe (if any):  None:  Projected Total Depth:  Well Class Pipe Pipe Intend to be set:  Well Class Pipe by Alternate:  Well Class Pipe Pipe Intend to be set:  Well Class Pipe By Alternate:  Well Class Pipe Pipe Intend to be set:  Well Class Pipe Pipe Intended to be set:  Well Class Pipe	Well # 1-12  Yes No  feet MSL  Yes No
Colly. Oklahoma City. Contact Person: Jim D. Hill, Director of Operations  Lease Name. Diggs Field Name: Summit Drilling Co.  Well Critics: Jim D. Hill, Director of Operations  Well Critics: Jim D. Hill, Director of Operations  Well Critics: Jim D. Hill, Director of Operations  Lease Name. Diggs Field Name: Jim D. Hill College 30141  Is this a Prorated / Spaced Field?  Target Formation(s); Viola/Simpson  Nearest Lease or unit boundary line (in footage): 330' Well Poiled For: Jim D. Hill College Storage Jim D. Hill College Jim D. Hill College Jim D. Hill College Storage Jim D. Hill Co	Well # 1-12  Yes No  feet MSL  Yes No
Context Person: Jim D, Hill, Director of Operations Phone: 405-748-9487  CONTRACTOR: License# 30141  Name: Summit Drilling Co.  Well Drilled For: Well Class: Type Equipment:  Gas Storage Pool Ext. Minded Pool Ext. Food Ext. Well Class: Type Equipment:  Gas Storage Pool Ext. Well Cable  Disposal Storage Pool Ext. Well Class: Type Equipment:  Gas Storage Pool Ext. Well Cable  Disposal Pool Ext. Well Class: Type Equipment:  Gas Storage Pool Ext. Well Class: Type Equipment:  Gas Storage Pool Ext. Well Class: Type Equipment:  Gas Storage Pool Ext. Well Cable  Disposal Pool Ext. Well Cable  Disposal Pool Ext. Well Cable  Depth to bottom of usable water: 200 Depth to bottom of fresh water: 200 Depth to bottom of	Yes No
Contract Person: 3HTPL Filling Direction of Operations Pione: 4057-489-987  CONTRACTOR: License# 30141  Name: Summit Drilling Co.  Well Drilled For: Well Class: Type Equipment:  Selsmic: # of Holes Other Obter: Good Ext. Will Cast Obter Obter: # of Holes Other Obter: # of Surface Pipe by Alternate: # of United For Well Class: # of Holes Other Obter: # of Surface Pipe by Alternate: # of United For Well Class of United For Well Well Completed Well Information as follows: United For Well Class of United Fo	Yes No
CONTRACTOR: License#_30141  Name: Summit Drilling Co.  Well Orilled For: Well Class: Type Equipment:  Gas Storage Pool Ext. Mild Rotary Cable  Seismic: # of Holes Other  Other  Other  Well Name: Summit Drilling Co.  Well Orilled For: Well Class: Type Equipment:  Seismic: # of Holes Other  Other  Other  Other  Other  Well Name: Seismic   # of Holes Other  Other  Other  Well Name: Original Completion Date: Original Total Depth: Solidad Proceeding Of Surface Pipe by Alternate: Office Properties of Surface Pipe by Alternate: Office Properties Other  Well Name: Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Other Properties of Surface Pipe by Alternate: Other Other: Other Properties Other	Yes No
Is this a Prorated / Spaced Field?	feet MSL
Name: Summit Drilling Co.  Well Drilled For: Well Class: Type Equipment:  Seismic : # of Holes Other Obler  Operator:  Operator:  Well Name:  Original Completion Date:  Original Total Depth:  Original Completion Date:  Original Completion Date:  Original Completion Date:  Original Completion Date:  Original Total Depth:  Original Completion Date:  Original Completion Date:  Original Completion Date:  Original Completion Date:  Original Total Depth:  Water Source for Drilling Operations:  Water Source for Drilling Operations:  (Nate: Apply for Permit with DWR  Will Cores be taken?  If Yes, proposed zone:  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig:  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be cemented from below any usable water to surface within 120 DAYS of Or pursuant to Appendate "Br	feet MSL
Nearest Lesse or unit boundary line (in footage): 330'	Yes No
Ground Surface Elevation: 1332' Water well within one-quarter mile.    Seismic   # of Holes	Yes No
Water well within one-quarter mile:   Seismic	Yes No
Gas   Storage   Pool Ext   Air Rotary   Wildcare   Poblic water supply well within one mile:   Depth to bottom of fresh water: 200'   Depth to bottom of usable water: 200'   Depth to bottom of fresh water: 200'   Depth to bottom of usable water: 200'   Depth to bottom of fresh water: 200'   Depth to bottom of usable water: 200'   Depth to bottom of fresh water: 200'   Depth to bottom of Compliance with the Kansas Surface Over   Depth to bottom of fresh water: 200'   Depth to b	
Disposal   Disposal   Other	
Depth to bottom of fresh water: 200   Depth to bottom of fresh water: 200   Depth to bottom of usable water to underlying formation.    Directional, Deviated or Horizontal wellbore?	Yes No
Surface Pipe by Alternate: Length of Surface Pipe Planned to be set: 300'  Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore?  Original Completion: Water Source for Drilling Operations: Water Sour	
Surface Pipe by Alternate: Length of Surface Pipe Planned to be set: 300'  Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore?  Original Completion: Water Source for Drilling Operations: Water Sour	
Directional, Deviated or Horizontal wellbore?  Water Source for Drilling Operations:  DWR Permit #:  Note: Apply for Permit with DWR  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS or Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternatum us to completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any or the post of the spud date or the well shall be plugged. In all cases, NOTIFY district offic	
Operator: Well Name: Original Completion Date: Original Total Depth: Original Completion Date: O	
Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #:  Water Source for Drilling Operations:  Water Source for Prival Down In Conception Cash Operation Supplements with DWR  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  Water Source for Prival Down In Conception Cash Operation Cash O	
Original Completion Date:  Original Total Depth:  Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Water Source for Drilling Operations:    Water Source for Drilling Operations:   Water Source for Details with DWR   Will Cores be taken?   Water Source for Details with DWR   Will Cores be taken?   Water Source for Details with DWR   Will Cores be taken?   Water Source for Details with DWR   Will Cores be taken?   Water Source for Details with DWR   Will Cores be taken?   Water Source for Details with DWR   Will Cores be taken?   Water Sou	
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to the appropriate district office will be notified before well is either plugged or production casing is cemented in;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYs or Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any of the plugged. Signature of Operator or Agent:  For KCC Use ONLY  API#15 - OSS - 200 7 Production of Compliance with the Kansas Surface Ov Act (KSONA-1) with Intent to Drill;	
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to the appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS or Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any of the provided prior of the completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any of the provided prior of the completed within 50 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any of the prior to any of the statements made herein are true and to the best of my knowledge and belief.  For KCC Use ONLY  API #15 - ORS - 200 7 Provided Prior Prior to any of the complete with the Kansas Surface Ow Act (KSONA-1) with Intent to Drill;	
If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  DWR Permit #:  (Note: Apply for Permit with DWR)  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS or Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any of the plugged. In all cases, NOTIFY district office prior to any of the plugged. The statements made herein are true and to the best of my knowledge and belief  For KCC Use ONLY  API #15 - O83 - 200 78 - 00 78 - 00 File Certification of Compliance with the Kansas Surface Ov Act (KSONA-1) with Intent to Drill;	
Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior too 15. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS or Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternation must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any of the hereby certify that the statements made herein are true and to the best of my knowledge and belief  Title: Director, Production of Compliance with the Kansas Surface Ov Act (KSONA-1) with Intent to Drill;	
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to the superior of the appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any of the hereby certify that the statements made herein are true and to the best of my knowledge and belief  For KCC Use ONLY  API #15 - O85 - 200 78 - File Certification of Compliance with the Kansas Surface Ov Act (KSONA-1) with Intent to Drill;	
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be remarked in the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to the appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE If COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS or Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternated must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any or the production of the statements made herein are true and to the best of my knowledge and belief  For KCC Use ONLY  API #15 - Q85 - 200 78 - Title:  Signature of Operator or Agent:  Proceedings of this well will longing with the Kansas Surface Ovact (KSONA-1) with Intent to Drill;	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior t</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> or Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any or the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any or the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any or the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any or the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any or the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any or the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any or the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any or the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to a	Yes No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior</i> to 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS or Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any of the plugged. Signature of Operator or Agent:    Director, Production of Compliance with the Kansas Surface Ov Act (KSONA-1) with Intent to Drill;	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior</i> to 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE I! COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS or Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any of the hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Title: Director, Production of Compliance with the Kansas Surface Ov Act (KSONA-1) with Intent to Drill;	ECEIVED
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe shall unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to</i>.</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS or Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any or the prior to applied to the statements made herein are true and to the best of my knowledge and belief.</li> </ol> Por KCC Use ONLY API # 15 - O85 - 200 78 - Which applies to the Kansas Surface ov Act (KSONA-1) with Intent to Drill;	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe shall unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to</i>.</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS or Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any or the prior to applied to the statements made herein are true and to the best of my knowledge and belief.</li> </ol> Por KCC Use ONLY API # 15 - O85 - 200 78 - Which applies to the Kansas Surface ov Act (KSONA-1) with Intent to Drill;	UG 2 6 2011
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to the superior of the properties of the surface within the set of production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS or Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any of the properties.</li> </ol> I hereby certify that the statements made herein are true and to the best of my knowledge and belief Date: 8-24-11 Signature of Operator or Agent: File Certification of Compliance with the Kansas Surface Ov Act (KSONA-1) with Intent to Drill;	
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS or Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any of the length of the statements made herein are true and to the best of my knowledge and belief  Date: 8-24-11 Signature of Operator or Agent:  Remember to:  For KCC Use ONLY  API # 15 - 085-200 78-000  Reference on plug length and placement is necessary prior to a plug length and placement is necessary prior to a plug length and placement is necessary prior to a plug length and placement is necessary prior to a plug length and placement is necessary prior to a plug length and placement is necessary prior to a plug length and placement is necessary prior to a plug length and placement is necessary prior to a plug length and placement is necessary prior to a plug length and placement is necessary prior to a plug length and placement is necessary prior to a plug length and placement is necessary prior to a plug length and placement is necessary prior to a plug length and placement is necessary prior to a plug length and placement is necessary prior to a plug length and placement is necessary prior to a plug length and placement is necessary prior to a plug length and placement in plug length and plug length and placement in plug length and plug length and	A.WICHITA
<ul> <li>4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to the appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS or Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any of the length of the statements made herein are true and to the best of my knowledge and belief.</li> <li>Date: 8-24-11 Signature of Operator or Agent: Title: Director, Production of Compliance with the Kansas Surface Ov Act (KSONA-1) with Intent to Drill;</li> </ul>	
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS or Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any of the left of my knowledge and belief.  Date: 8-24-11 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 085-200 78-000 Act (KSONA-1) with Intent to Drill;	plugging;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any of the left of my knowledge and belief.  Date: 8-24-11 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 085-200 78-000  Remember to:  - File Certification of Compliance with the Kansas Surface Ov Act (KSONA-1) with Intent to Drill;	
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any of the hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 8-24-// Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 085-200 78-000  Remember to:  - File Certification of Compliance with the Kansas Surface Ov Act (KSONA-1) with Intent to Drill;	
For KCC Use ONLY API # 15 - 085 - 200 78 - 000 Act (KSONA-1) with Intent to Drill;  Director, Product Remember to:  ACT (KSONA-1) with Intent to Drill;	II cementing
For KCC Use ONLY API # 15 - 085 - 200 78 - 000  API # 15 - 085 - 200 78 - 000  ACT (KSONA-1) with Intent to Drill;	
For KCC Use ONLY  API # 15 - 085 - 200 78 - OV  API # 15 - 085 - 200 78 - OV  Act (KSONA-1) with Intent to Drill;	ementing.
For KCC Use ONLY  API # 15 - 085 - 200 78 - OV  API # 15 - 085 - 200 78 - OV  Act (KSONA-1) with Intent to Drill;	ementing.
API # 15 - 085 - 200 78 - OOO Act (KSONA-1) with Intent to Drill;	ementing.
API # 15 - 085 - 200 78 - 000   File Certification of Compliance with the Kansas Surface Ov Act (KSONA-1) with Intent to Drill;	ementing.
API # 15 - Act (KSONA-1) with Intent to Drill;	ementing.
	uction Operations
Conductor pipe required	ementing. uction Operations
2 - File Completion Form ACO-1 within 120 days of sould date:	uction Operations
Minimum surface pipe required	uction Operations
Approved by: Yun 8-29-2011 - Notify appropriate district office 48 hours prior to workover of	uction Operations  ner Notification
This authorization expires: 8-29-2012 - Submit plugging report (CP-4) after plugging is completed (	ner Notification
(This authorization void if drilling not started within 12 months of approval date.)	uction Operations  ner Notification  s; re-entry; ithin 60 days);
- If well will not be drilled or permit has expired (See: authorize	ner Notification  s; re-entry; ithin 60 days); er.
Spud date: Agent: please check the box below and return to the address below	uction Operations  ner Notification  s; re-entry; ithin 60 days); er.
Well will not be drilled or Permit Expired Date:	uction Operations  ner Notification  s; re-entry; ithin 60 days); er.  l expiration date)
Mail to: KCC - Conservation Division,  Signature of Operator or Agent:	uction Operations  ner Notification  s; re-entry; ithin 60 days); er.
130 S. Market - Room 2078, Wichita, Kansas 67202	uction Operations  ner Notification  s; re-entry; ithin 60 days); er.  l expiration date)

For KCC Use ONLY
API # 15 - 085 - 200 78 - 000

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Mustang Fuel Corporation	Location of Well: County: Jackson			
Lease: Diggs	1,320 feet from N / S Line of Section			
Well Number: 1-12				
Field:	Sec. 12 Twp. 6 S. R. 12 Z E W			
Number of Acres attributable to well:	Is Section: Regular or Irregular			
QTR/QTR/QTR/QTR of acreage: E2 E2 NE				
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW			

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.

		•	132	0' FNL	
	:	:	•		LEGEND
 					O Well Location Tank Battery Location Pipeline Location
 					Electric Line Location Lease Road Location
		:		<u>:</u> :	EXAMPLE
 			,		
 ······	·		,		1980' FSL
 				,,,,,,,,,	RECEIVED
 	•	:			SEWARD CO. 3390' FEL AUG 2 6 201

NOTE: In all cases locate the spot of the proposed drilling locaton.

KCC WICHITA

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# 15-085-20078-00-00

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License # 34232  Name: Mustang Fuel Corporation  Address 1: 13439 Broadway Extension	Well Location: E2_E2_NE_Sec12_Twp6_SR12_XEasWest County: Jackson
Address 2:  City: Oklahoma City  State: OK  Zip: 73114  Contact Person: Jim D. Hill, Director of Operations  Phone: (405) 748-9487  Fax: (405) 748-9290  Email Address: jim.hill@mustangfuel.com	Lease Name: Diggs Well #: 1-12  If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Surface Owner Information:  Name: Ralph L. Diggs & Diana M. Diggs, H/W  Address 1: 27231 B Road  Address 2:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
	ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form ceing filed is a Form C-1 or Form CB-1, the plat(s) required by this
	cknowledge that, because I have not provided this information, the rer(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
I hereby certify that the statements made herein are true and correct to	the best of my knowledge and belief. AUG 2 6 2011
Date: 8.24-1   Signature of Operator or Agent:	Title: Director, Production Operation A

# Kansas Corporation Commission Oil & Gas Conservation Division

Form COP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Mustang Fuel Corp	poration	License Number: 34232				
Operator Address: 13439 Broady	vay Extens	Oklahoma City OK	73114			
Contact Person: Jim D. Hill, Direct	ctor of Oper	Phone Number: 405-748-9487				
Lease Name & Well No.: Diggs 1-12			Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>E2 E2 NE</u>			
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 12 Twp. 6 R. 12 🗶 East	West		
Settling Pit Drilling Pit	If Existing, date constructed:		1,320 Feet from X North / South Line	eet from X North / South Line of Section		
Workover Pit → Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:	<u>.                                    </u>	330 Feet from 🗷 East / 🗌 West Line	of Section		
		(bbls)	<u>Jackson</u> County			
Is the pit located in a Sensitive Ground Water A	urea? ☐ Yes 🔀	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?			How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Pit dimensions (all but working pits):  Length (feet)  N/A: Steel Pits					
Depth fro	om ground level to de	epest point:	(feet) No Pit			
If the pit is lined give a brief description of the liming material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.			
•						
				j		
		Depth to shallor Source of inforr	west fresh water 26 feet.			
3694 0 feet Depth of water well 140 feet		measured	well owner electric log	DWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Works	ver and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	Type of material utilized in drilling/workover: fresh water mud			
Number of producing wells on lease:		Number of work	king pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	haul off/disposal	]		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No			Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  RECEIVED						
8.24-11 Jin 8 26 2011						
Date Signature of Applicant or Agent KCC WICHITA						
KCC OFFICE USE ONLY  Liner X Steel Pit X RFAC RFAS						
Date Received: 8/26/// Permit Numb	per:	Permi		; ⊠ No		