RECEIVED

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUN 2 8 2011

WELL COMPLETION FORM

Form Must Be Typed
Form must be Signed blanks must be Filled

WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15
Name: Birk Petroleum	Spot Description:
Address 1: _874 12th Rd SW	SE_SE_NE_SE Sec. 14 Twp. 22 S. R. 16 V East West
Address 2:	
City: Burlington State: Ks Zip: 66839 +	Feet from 🗸 East / 🗌 West Line of Section
Contact Person: Brian L Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-1311 - office	□NE □NW ☑SE □SW
CONTRACTOR: License #31280	County: Coffey
Pirk Potmloum	Lease Name: Rolf Well #: 20
(14)(10).	Field Name: Neosho Falls-LeRoy
Wellsite Geologist: None Purchaser: Coffeyville Resources	Producing Formation: Squirrel
	Elevation: Ground: 1043 est. Kelly Bushing:
Designate Type of Completion:	
New Well Re-Entry Workover	Total Depth: 1024' Plug Back Total Depth: 1024'
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Amount of Surface Pipe Set and Cemented at: 42' Feet
☐ Gas ☐ D&A ☑ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? Yes V No
OG GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 1001
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	
ENHR Permit #:	
GSW Permit #:	County: Permit #:
06/22/2011 06/23/2011 06/23/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date	
Kansas 67202, within 120 days of the spud date, recompletion, workover or of side two of this form will be held confidential for a period of 12 months if re	n the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidenell report shall be attached with this form. ALL CEMENTING TICKETS MUST orm with all temporarily abandoned wells.
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and lations promulgated to regulate the oil and gas industry have been fully complie and the statements herein are complete and correct to the best of my knowled	regu- d with Letter of Confidentiality Received
Signature:	Geologist Report Received
Title: Agent Date: 06/27/2011	Olic Distribution ALT VII III Approved by: Description Date: 7

Side Two

Operator Name: Birk	: Petroleum			Lease N	Name: _	Rolf		Well #:20		
Sec. 14 Twp.22		✓ East		County						
INSTRUCTIONS: She time tool open and clo recovery, and flow rate line Logs surveyed. A	sed, flowing and shu es if gas to surface te	t-in pressu st, along v	res, whether s vith final chart(hut-in press	sure rea	ched static level	, hydrostatic pre	ssures, bottom	nole tempe	erature, fluid
Drill Stem Tests Taken (Attach Additional S		Ye	es 🗸 No	···		og Formatio	on (Top), Depth a	and Datum	 ✓ s	Sample
Samples Sent to Geological Survey		☐ Yes ☑ No			Name Squirrel			Top Da 1005		Datum
Cores Taken Electric Log Run		∐ Y∈ □ Y∈							RECE	IVED
Electric Log Submitted (If no, Submit Copy)	Ye								8 2011
List All E. Logs Run:	ن دستار مستشورتینین	<u> </u>						K	CC W	ICHITA
		Repo		RECORD	No	ew Used ermediate, produc	tion, etc.		·	
Purpose of String	Size Hole Drilled	Siz	e Casing (In O.D.)	Weig	ght	Setting Depth	Type of Cement	# Sacks Used		and Percent dditives
Surface Casing	9 7/8"	7"		17#		42'	Portland	15	Calciun	n
Long String	6 1/8"	2 7/8"		6.5#		1001'	Portland	d 120		
			ADDITIONAL	CEMENTIN	NG / SQL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Туре	# Sacks Used		Type and Percent Additives					
Protect Casing Plug Back TD								······································	÷	
Plug Off Zone							,			 .
Shots Per Foot			tD - Bridge Plug Each interval Per				acture, Shot, Ceme	ent Squeeze Reco Material Used)	rd	Depth
None Open hole completion 1001-1024'										
	· · · · · · · · · · · · · · · · · · ·							Advantage of the control of the cont		
	A			5-2	4.	Line				
TUBING RECORD:	Size:	Set At:		Packer A	l:	Liner Run:	Yes 1	No		
Date of First, Resumed Pending Inj. Appli		IHR.	Producing Met	hod: Pumpin	g [Gas Lift	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbis.	Gas	Mcf	Wat	ter E	Bbis.	Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:			METHOD OF	COMPL	ETION:		PRODUCT	ON INTERV	√AL:
Vented Sold	_			Perf.		y Comp. 🔲 Co	mmingled omit ACO-4)			
(If vented Suit	bmit ACO-18.)		Dth == (0===16=1		ເວນນາກາແ	, (301	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			

SOLD TO: BBWW1 ...



CONDITIONS:
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owners or Intermediary's direction, seller, assumes, no responsibility, for damages in, any, manner, to sidewalks, roadways, studied the rot unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete, contains correct water, contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at clustomer's request.

NOTICE TO CONNER!
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic silen on the property which is the subject of this contract.

	CONFERENTIVE FOURTH ST.	VENTURES JRLINGTON KS 66839		HWY SE GEHETE TOHIN T IV SO	H DR, COS GNO	ON FOT () E MELOUT OF V E 175 NI. L			
TIME	FORMULA 1	LOAD SIZE	YARDS ORDERED	7. UNL	DRIVER/TRUCK : +	V 418	PLANT/TRANSACTION #		
01:49:12p	WELL	12.00 yd	12.00 yd	0.00	***	0.00	corco		
DATE		LOAD#	YARDS DEL:	BATCH#	WATER TRIM	SLÜMP	TIGKET NUMBER		
Ø6-25-11 - -	o pare		180.00 ya 12.00 ya	17834	13/70 =70 .1 0	4.00 in	79405		
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement: Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid. Contact With Eyes, and Prolonged Contact With Skin no Eyes, Plush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. The PROPERTY DAMAGE RELEASE TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE; Dear Customer The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and or adjacent or to the size of the property of it places the material in this load where you desire it. It is our wish to help you in every way that we can, but no role to to this the driver of the size and the property of it places the material in this load where you desire it. It is our wish to help you in every way that we can, but no role to to this the driver of the size and the property of the premises are role and the property of the premises and the property of the premises and the property of the size and weight of his truck in presenting this RELEASE to you for your signature is of, the opinion that the size and weight of his truck in presenting this RELEASE to you for your signature is of, the opinion that the size and weight of his truck in presenting this RELEASE to you for your signature is of, the opinion that the size and weight of his truck in presenting this RELEASE to you for your signature is of, the opinion that the size and weight of his truck in presenting the property of the size and weight of his truck in presenting the property of the size and weight of his truck in presenting the property of the premise.					Excessive Water is Detrimental to Concrete Performance H ₂ 0 Added By Request/Authorized By GAL X WEIGHMASTER				
THE UNITED TO THE OFFICE The undersigned promises to any sums owed. All accounts not paid within 30 Not Responsible for Reactive Material is Delivered. A \$25 Service Charge and I Excess Delay Time Charged (6)	the second se	néys fees, incurred in collecting of 24% per ainsum. Allowed Unless Made at Time ted on all Returned Checks.	this supplier from any responsibility to the premises and/or sediace of cheways, churls, etc., by, the delivation agree to help, him remove much that he will not litter the public streets on, the undersigned agrees to inde of this frück and this supplier for an and/or adjacent property which ma arisin out of delivery of this order. SIGNED	from any damage that mey occur it property, buildings, sidewalks, rey of this material, and that you throm the wheels of his vehicle so at Further, as additional considera- munity and hold harmless the driver iv and all damage to the premises	NOTICE: MY SIGNATURE BEI NOTICE AND SUPPLIER W WHEN DELIVERING INSIDE C LOAD RECEIVED BY:	OW INDICATES THAT I HAVE RE LL NOT BE RESPONSIBLE FO JRB LINE.	<u> </u>		
QUANTITY)	CODE TO THE	DESCRIPTION:			i nga	VUNIT PRICE	EXTENDED PRICE		
12.00	WELL TRUCKING	WELL (10 S/ TRUCKING C	ACKS PER UNIT		12.00 2.50	76.00 50.00	912.00 125.00		
RETURNED TO PLANT	LEFTJOB	FINISH UNLOADING	DELAY EXPLANATION/C	LINDER TEST TAKEN	TIME ALLOWED		The second way the second		
			J. JOB NOT ŘEADY 6. TRÚCK BROKÉ DOWN SLOW PÔUR OR PUMP 7. A CCIDENT TRÚCK ÁHÉAD ON JOB 8. CITÁTION			(bTotal) ar % 6.300 otal (1037,00 65/33 1102:33		
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 5: ADDED WATER	9. OTHER	TIME DUE 7 10	der t	1105.32		
2:10	245					ADDITIONAL CHARGE 1			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2	S. S. Marie Control		
						GRAND TOTAL ▶			

RECEIVED JUN 2 8 2011 **KCC WICHITA**