RECEIVEDORIGINAL

KANSAS CORPORATION COMMISSION OIL,& GAS CONSERVATION DIVISION

JUN 2 8 2011

Form ACO-1 June 2009 Form Must Be Typed

KCC WICHITAL Form must be Signed blanks must be Filled

WELL COMPLETION FORM K(WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #31280	API No. 15 - 031-22933-00-00			
Name: Birk Petroleum	Spot Description:			
Address 1: 874 12th Rd SW	NW_NE_NE_SE Sec. 14 Twp. 22 S. R. 16 ▼ East West			
Address 2:				
City: Burlington State: Ks Zip: 66839 +	495 Feet from ✓ East / ☐ West Line of Section			
Contact Person: Brian L Birk	Footages Calculated from Nearest Outside Section Corner:			
Phone: (620) 364-1311	□NE □NW ☑ SE □SW			
CONTRACTOR: License #31280	County: Coffey			
Name: Birk Petroleum	Lease Name: Well #:			
Wellsite Geologist: None	Field Name: Neosho Falls-LeRoy			
Purchaser: Coffeyville Resources	Producing Formation Squirrel			
Designate Type of Completion:	Elevation: Ground: 1054 est Kelly Bushing:			
✓ New Well Re-Entry Workover	Total Depth: 1030 Plug Back Total Depth: 1030			
	Amount of Surface Pipe Set and Cemented at: 42 Feet			
☐ Oil ☐ WSW ☐ SWD ☐ SIOW ☐ Gas ☐ D&A ☑ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? Yes No			
OG GSW Temp. Abd.	If yes, show depth set: Feet			
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 1009			
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ sx cmt.			
If Workover/Re-entry: Old Well Info as follows:	feet depth to: sx cmt.			
Operator:	Drilling Fluid Management Plan			
Well Name:	(Data must be collected from the Reserve Pit)			
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls			
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD ☐ Conv. to GSW	Dewatering method used:			
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:			
Commingled Permit #:	Operator Name:			
Dual Completion Permit #:	Lease Name: License #:			
SWD Permit #:	Quarter Sec TwpS. R East West			
Permit#:	County: Permit #:			
GSW Permit #:	County: Permit #:			
06/09/2011 06/13/2011 06/14/2011				
Spud Date or Date Reached TD Completion Date or Recompletion Date				
Kansas 67202, within 120 days of the spud date, recompletion, workover or of side two of this form will be held confidential for a period of 12 months if re	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidencell report shall be attached with this form. ALL CEMENTING TICKETS MUST orm with all temporarily abandoned wells.			
AFFIDAVIT	KCC Office Use ONLY			
I am the affiant and I hereby certify that all requirements of the statutes, rules and	I letter of Confidentiality Received			

Confidential Release Date:
Wireline Log Received

☐ Geologist Report Received

UIC Distribution

and the statements berein are complete and correct to the best of my knowledge.

Date: 06/27/2011

Signature:

Title: Agent

Side Two

Operator Name: Birk Petroleum Lease Name:			Rolf		Well#:31	T			
Sec. 14 Twp.22		✓ East ☐ West County: Coffey							
time tool open and clos	ed, flowing and shu s if gas to surface te	nd base of formations pen nt-in pressures, whether s est, along with final chart(well site report.	hut-in press	ure read	ched static level,	hydrostatic p	ressures, bottom h	nole temperature, fluid	
Drill Stem Tests Taken ☐ Yes ✓ No			Log Formation (Top), De			h and Datum	✓ Sample		
(Attach Additional Sheets) Samples Sent to Geological Survey		☐ Yes ☑ No		Nam Squim	ame uirrel Sand		Top 1010	Datum	
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		Yes No Yes No Yes No					. 6	RECEIVED	
		. —					Ĵ	JUN 2 8 2011	
List All E. Logs Run:	والمريوس يبيس فيبسو ويستسم		~		منسمه بالاستهامي		KC	C WICHITA	
		CASING Report all strings set-	RECORD	Ne		ion. etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weig	ht	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface Casing	9 7/8"	7"	17#	.,	42'	Portland	16	Calcium	
Long String	6 1/8"	2 7/8"	6.5#		1009'	Portland	120		
		ADDITIONAL	CEMENTIN	IG / SQL	JEEZE RECORD				
Purpose: Perforate	Depth Top Bottom	Type of Cement		s Used Type		Туре а	e and Percent Additives		
Protect Casing Plug Back TD Plug Off Zone									
	DEDEGRATI	0) 550000	0.45		Add 5-	atura Shat Car	ment Causene Descri		
Shots Per Foot	ots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
None	Open hole comple	etion 1009-1030'					······································		
,									
		,, 							
TUBING RECORD:	Size:	Set At:	Packer At	:	Liner Run:	Yes [] No	1	
Date of First, Resumed F Pending Inj. Applic		IHR. Producing Met	hod:	g 🗀	Gas Lift [] (Other (Explain)			
Estimated Production Per 24 Hours		Bbls. Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity	
DISPOSITIO	_		METHOD OF	_	_	mminglad	PRODUCTION	ON INTERVAL:	
Vented Sold	Used on Lease	Other (Specific)	Perf.	Dually (Submit		mmingled mit ACO-4)			

802 N. Industrial Rd. P.O. Box 664 Payless Concrete Products, Inc. Iola, Kansas 66749 Phone: (620) 365-5588 SHIP TO: SOLD TO: e cooperative ventures sevio verdyan on, f st Action EDURITEST. CHARLETTO STEEP PROSTURES EST. 2 TIME A %-AIR O. DO -0.00 34 12.00 yd COFCO 12.00 yd 12:19:420 TICKET NUMBER DATE 102.00 yd o Date _=70.0 oday PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSDE CURB LINE).

Dear Customer-The other of this fruck in-presenting this RELEASE to you for your signature is of the opinion jailed the size and weight of this truck may possibly cause damage jupither premises and/or, adjacent, property if it places the material if in this 30dd where you desire it. It is out-avail to help yould seen in the material if in this 30dd where you desire it. It is out-avail to help yould seen in the premises and/or adjacent, purposerly buildings, sidewakes, the other is requesting that you sign this TRELEASE releasing himmand this supplier from any responsibility from any damage that may could to the premises and/or adjacent property buildings, sidewakes, driveways carbs, rice, by the delivery of this finisterial and that you also agree to help him remove mud from the wherebed of his visibile so that the will not little the public street, further, as additional, considera-is on the undersigned agrees to indernify and hold halmless. The other of this truck and this supplier for any end all damage to the premises and/or adjacent, property which may be claimed by anyone to have arise and or adjacent, property which may be claimed by anyone to have arise and or adjacent, property which may be claimed by anyone to have arise and or adjacent. WARNING
IRRITATING TO THE SKIN AND EVES
Contains Portland Cemerit. Wear Bubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact. With Eyes and Prolonged Contact With Skin. In Case of
Contact. With, Skin. of Eyes, Flush Thoroughly. With Water, Il firitation Persists, Gel' Médical
Altention.* KEEP, CHILDREN AWAY. 58 Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT ANY, CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE ery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered. Excess Delay, Time Charged @ \$50/HR. EXTENDED PRICE QUANTITY, ... CODE . 12:00 WELL (10 SACKS PER UNIT) 375.00 12.00 125,00 2.50 50,00 TRUCKING TRUCKING CHARGE 2.50

- Lorent Land

TIME ALLOWED FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN RETURNED TO PLANT 1037.00 inTotal \$ W. 4: 6.300 SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN 8. CITATION 9. OTHER 1102233 TIME DUE LEFT PLANT_ ARRIVED JOB START UNLOADING. 1102.33 ADDITIONAL CHARGE UNLOADING TIME ADDITIONAL CHARGE 2 TOTAL ROUND TRIP TOTAL AT JOB GRAND TOTAL

JUN 2 8 2011
KCC WICHITA