KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL Form Must Be Typed Form must be Signed Form must be Filled

Form ACO-1

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32710	API No. 15 - 15-001-30187-00-00
Name: Laymon OII II LLC	Spot Description:
Address 1: 1998 Squirrel Rd	SE_SW_NW_NE_Sec 12_Twp 24_S. R 18
Address 2:	4,120 Feet from North / South Line of Section
City: Neosho Falls State: KS Zip: 66758 + 7124	1,985 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Michael Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 963-2495 RECEIVED	□ NE □ NW □ SE □ SW
CONTRACTOR: License # 32710	County: Allen
Name: Company Tools JUN 2 7 2011	Lease Name: East JR Lewis Well #: 9-11
Modella to Complete to DODE	l · · · · · · · lolo
Wellsite Geologist: none Purchaser: Coffeyville Resources KCC WICHITA	
	Producing Formation: Barlesville
Designate Type of Completion:	Elevation: Ground: 986 Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 980 Plug Back Total Depth: 971
☑ Oil ☐ WSW ☐ SWD ☐ SIOW	Amount of Surface Pipe Set and Cemented at: 20 Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used?
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 20
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 10 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	the second secon
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD ☐ Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	
☐ ENHR Permit #:	Quarter Sec TwpS. R East West
GSW Permit #:	County: Permit #:
04-20-2011 04-21-20141 04-21-2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date	
of side two of this form will be held confidential for a period of 12 months if req	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidensil report shall be attached with this form. ALL CEMENTING TICKETS MUST
APPINAUT	KCC Office Use ONLY
AFFIDAVIT I am the affiant and I hereby certify that all requirements of the statutes, rules and it	regu-
lations promulgated to regulate the oil and gas industry have been fully complied	with Letter of Confidentiality Received
and the statements herein are complete and correct to the best of my knowledge	ge. Date:
	V Mark I and December

Date: 06-17-2011

Title: Owner

Geologist Report Received

ALT 🔲 I 🕅 III Approved by: 🖺 🛕

UIC Distribution

Side Two

Operator Name: Layr	mon OII II LLC		Lease Na	me: _t	ast JR Lewi	<u> </u>	Well #: <u>9-1</u>	<u> 1</u>	
Sec. 12 Twp.24	s. R. <u>18</u>	✓ East West	County: _	Allen					
INSTRUCTIONS: Sho time tool open and clos recovery, and flow rate line Logs surveyed. At	sed, flowing and shu s if gas to surface te	tt-in pressures, whether est, along with final char	shut-in pressu	re reac	hed static level,	hydrostatic pr	essures, bottom h	ole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional S	heets)	☐ Yes 🗸 No		√Lo	g Formatio	n (Top), Depth	and Datum		Sample
Samples Sent to Geolo		Name	e lached log	٠	Тор	-	Datum		
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	•	Yes No Yes No Yes No			iadhed log		,		
List All E. Logs Run: Gamma Ray N	eutron								
		CASIN Report all strings se	G RECORD	Ne		on, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft		Setting Depth	Type of Cement	# Sacks Used		and Percent Additives
Surface	10 1/4"	8 5/8"	24#		20'	common	10		
Production	6 1/8"	4 1/2"	9.5#		971	portland	160		
Tubing	open hote completion				*				
F****		ADDITION	AL CEMENTING	s / SQU	EEZE RECORD	•			
Purpose: —— Perforate —— Protect Casing —— Plug Back TD	Depth Top Bottom	Type of Cement	# Sacks Us	# Sacks Used Type and Percent Additives					
Plug Off Zone		,			.				
Shots Per Foot		ON RECORD - Bridge Pi Footage of Each Interval P				mount and Kind o		đ	Depth
3	910 - 939			500 gal HCL acid; frac w sacks sand				920-940	
						RE	CEIVED		
						JUN	2 7 2011	····	
						1400	ATU LANA		
TURING RECORD	Cizo	Cot At:	Docker At:		Lines Pres	KUU	WICHITA	·	
TUBING RECORD:	Size:	Set At:	Packer At:		Liner Run:	Yes	No		
Date of First, Resumed F	Production, SWD or EN - るの川	HR. Producing M	ethod: Pumping		Gas Lift 🔲 🤇	Other (Explain)		···	
Estimated Production Per 24 Hours	Oil 2	Bbls. Gas	Mcf	Wate	er B	bis.	Gas-Oil Ratio		Gravity
DISPOSITIO	Used on Lease	Open Hole	METHOD OF C	OMPLE Dually Submit A	Comp. Cor	mmingled mit ACO-4)	PRODUCTIO	ON INTER	VAL:

Laymon Oil II LLC 1998 Squirrel Rd Neosho Falls, KS 66758

620-963-2495

fax 620-963-2921

Lease: East JR Lewis Well 9-11 API: 15-001-30187-00-00 Spud date: 04-20-2011 Completion date: 04-21-2011

12-24-18 Allen County

Formation	From	То
Soil	0	12
Lime	12	53
Shale	53	62
Lime	62	100
Shale	100	120
Lime	120	320
Shale	320	346
Lime & Shale	346	500
Lime	500	618
Shale	618	720
Lime	720	758
Shale	758	763
Lime	763	825
Upper Bartlesville Sand	825	890
Shale	890	915
Tucker Sand	915	970
Shale	970	980
Total Depth		980

Set 20' of 8 5/8" surface, cemented w/ 10 sacks Ran 971' of 4 1/2" casing

RECEIVED
JUN 2 7 2011
KCC WICHITA

Locally Owned and Operated "Courtesy" - "Quality" - "Service"

Since 1903

THE NEW KLEIN LUMBER CO., INC.

#	MADISON & WALNUT IOLA, KANSAS, BILLING ADDRESS Loaded By	M	arch	19 20 11
livered To	Loaded By	Ha	uled By	
(UANTITY	DESCRIPTION	FEET	PRICE	TOTAL
			0.16	
200	Sarty Antland Cement	200	945	1890 00
			101	137 97
				The state of the company of the state of the
				2027 97
	<u> </u>			
		,	<u> </u>	
		 	 	
CEIVED ABO	VE IN GOOD ORDER			Ravin 3958
	7 2 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			

7-10 East JR Lewis 10 sks. 4-10 7-11 East JR Lewis 10 sks. 8-11 East JR Lewis 10 sks REC 7-11 East JR Lewis 10 sks JUN

RECEIVED
JUN 2 7 2011

KCC WICHITA

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

4 (2) 163

Payless Consecte Products, Inc. TO PROCEIVED

JUN 27 2011

LAC/2 KCC WICHITAMON DIL 169 N TO SOUTH DAKOTA EAST 100 YARDS SOUTH IN GATE

LEWIS WELL# 9-11

TOLA, KS 66749

LAYMON OIL II, L.L.C. 1998 SQUIRREL RD. NEOSHO FALLS KS 66758

POST 1	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	% ATR	PLANT/THANSACTION #
TIME	TOTAL	3128		% CAL 0.00	4 to 1353	0.00	
04:24:06p	IELL	8.00 yd	16.00 yd			SLUMP	TICKET NUMBER
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	OLOMII .	
	o Date	/	56.WV ya 8.00 ya	~ 16465		4.00 in	28958
04-21-11	oday:	1	0.00 90		Excessive Water	is Detrimental to Concre	ete Performance

WARNING

Contains Portland Cement. Wear Rubber Boots and Gloves: PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, It Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IS a PERISHABLE COMMODITY and BECOMES IND PROPERTY of the PURCHASER UPON LEANING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED IN the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reason any sums owed. ...

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Material is Delivered.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED # DELIVERY TO BE MADE INSIDE CURB LINE)

TO BE SIGNED & DELIVERY TO BE MADE INSIDE CURB LINE)

Deer Customer-The driver of this bruck in presenting this RELEASE to you for your signature is of the operion that this size and weight of list bruck may possibly cause damage to the premises and/or adjacent property if it places the material in this lead-where you destre it. It is our wish to help you, in... proxy... when the way but in order to did his supplier form any responsibility from any damage that may occur to the permises and/or adjacent property, buildings, sidewalls, otherways, cutus, etc... by the delivery of this material, and that you have been appreciated to the premises and/or adjacent property, buildings, sidewalls, otherways, cutus, etc... by the delivery of this material, and that said agree to help him remove mud from the wheels of his vehicle so that he will not their the public street. Further, as additional consideration, the undestigned agrees to indemnity and hard harmless the driver of this inuck and this supplier for any and all damage to the premises and/or adjacent property which and be claimed by anyone to have arisin out of deficery of this order.

SIGNED

H₂0 Added By Request/Authorized By

WEIGHMASTER

Excess Delay Time Charged @ \$50/HR.				/ UNIT PRICE	EXTENDED PRICE
8.00 WELL 1.00 TRUCKING	WELL (10 TRUCKING	SACKS PER UNIT) CHARGE	8.00 1.00	76.00 50.00	508.00 50.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLIN	IDER TEST TAKEN	TIME ALLOWED	bTotal 1	658.00
LEFT PLANT	ARRIVED JOB	START UNLOADING	JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN ADDED WATER	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	TIME DUE ()	ox % 7,550 otal *	49.68 707.68 707.68
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 1 ADDITIONAL CHARGE 2 GRAND TOTAL	

KCC WICHITA JUN 27 2011 **BECEINED**

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588 Payless Cone

oducts, Inc.

LA005 LAYMON OIL II, E.L.C. 1998 SQUIRREL RD.

NEOSHO FALLS KS

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge with be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LAE/2. LAYMON DIL 169 N TO SOUTH DAKOTA EAST. 100 YARDS SOUTH IN GATE . LEWIS WELL# 9-11 TOLA, KS 66749

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	w (20)	DRIVERZRUCK	× AIR	PLANT/TRANSACTION #
Ø4:28:55p	WELL.	e.00 yd	16.00 yd	Ø. ØØ	35	0.00	
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
04-21-11	oday	2	16.00 yd	16466		4.00 in	28959

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves: PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin. or Eyes, Flush Thoroughly With Water, if Intiation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURBILINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature to of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
property if it places the material in this bead where you despire it. It is
our wish to help you in every way that we can, but in order to do this
he driver is requesting that you sign that RELEASE relativing thim and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewells,
driveneys, curbs, etc., by the delivery of this material, and that you
also agree to help him remove much from the wheels of his helicle so
that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnly and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
arise not of delivery of this order.

SIGNED.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

15,25 WEIGHMASTER

LOAD RECEIVED BY

UNIT PRICE EXTENDED PRICE

QUANTITY

WELL 8.00

WELL (10 SACKS; PER UNIT)

16.00

76.00

608.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYL	INDER TEST TAKEN	TIME ALLOWED	LubTotal \$	608.00
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER		ax % 7.550 atal #	45, 90 653, 90
LEFT PLANT	ARRIVED JOB	. START UNLOADING	5. ADDED WATER	G. OHLEN	TIME DUE	irder \$	1361.58
4:43	w/: 45	15:05				ADDITIONAL CHARGE 1 _	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2	<u> </u>
			,			GRAND TOTAL	