# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32710	API No. 15 - 15-001-30185-00-00
Name: Laymon OII II LLC	Spot Description:
Address 1: 1998 Squirrel Rd	NE_NE_NW_NE Sec. 12 Twp. 24 S. R. 18 ▼ East West
Address 2:	5,095 Feet from North / South Line of Section
City: Neosho Falls State: KS Zip: 66758 + 7124	1,485 Feet from ✓ East / ☐ West Line of Section
Contact Person: Michael Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 963-2495	· □ NE □ NW □ SE □ SW
CONTRACTOR: License #_ 32710 RECEIVED	County: Allen
Name: Company Tools	Lease Name:East JR Lewis Well #:
	Field Name: lola
Purchaser: Coffeyville Resources KCC WICHITA	Producing Formation: Barlesville
Designate Type of Completion:	Elevation: Ground: 971 Kelly Bushing:
✓ New Well	Total Depth: 980 Plug Back Total Depth: 970
7 oil ☐ wsw ☐ swp ☐ slow	Amount of Surface Pipe Set and Cemented at: 20 Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 20
Cathodic Other (Core, Expl., etc.):	feet depth to: sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD ☐ Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	·
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec TwpS. R
GSW Permit #:	County: Permit #:
<u>04-12-2011</u>	
Spud Date or Date Reached TD Completion Date or Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover or confused two of this form will be held confidential for a period of 12 months if requitality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form	nversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confident report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIRALUT	KCC Office Use ONLY
AFFIDAVIT  I am the affiant and I hereby certify that all requirements of the statutes, rules and re	
lations promulgated to regulate the oil and gas industry have been fully complied	with Letter of Confidentiality Received
and the statements herein are complete and correct to the best of my knowledge	e. Date:
	Wireline Log Received
Signature: ////////////////////////////////////	Geologist Report Received

UIC Distribution

ALT | I VII | III Approved by:

Date: 06-17-2011

Title: Owner

#### Side Two

Operator Name: <u>Lay</u> i	mon Oll II LLC			Lease	Name: _	East JR Lewi	s	Well #:7-1	1	
Sec. 12 Twp.24	s. r. <u>18</u>	✓ East	West	County	y: <u>Allen</u>					
NSTRUCTIONS: Sho ime tool open and close ecovery, and flow rate ine Logs surveyed. At	sed, flowing and shu s if gas to surface te	ıt-in pressur est, along wi	es, whether si th final chart(s	hut-in pres	sure rea	ched static level	hydrostatic press	ures, bottom h	ole temp	erature, flui
Orill Stem Tests Taken	heets)	Yes	s ✓ No		<b>✓</b> L	og Formatio	n (Top), Depth and	d Datum		Sample
Samples Sent to Geole	ogical Survey	☐ Yes	s ✓ No		Nam	-		Тор		Datum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	•	☐ Yes ☑ Yes ☐ Yes	No No		See a	ttached log	RECE	IVED		
List All E. Logs Run:							JUN 2	7 2011		
Gamma Ray N	eutron						- "			
		Report		RECORD	Ne urface, inte	ew Used ermediate, product	ion, etc.	ICHITA	<del> i ' .'</del>	
Purpose of String	Size Hole Drilled		Casing In O.D.)	Wei	ight / Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent Additives
Surface	10 1/4"	8 5/8"		24#		20'	common	10		
Production	6 1/8"	4 1/2"		9.5#		970'	portland	160		
Tubing	open hole completion									
	***		ADDITIONAL	CEMENT	NG / SQL	JEEZE RECORD				
Purpose:  —— Perforate  —— Protect Casing  —— Plug Back TD  —— Plug Off Zone	Depth Top Bottom	Туре о	f Cement	# Sacks	s Used		Type and Pe	ercent Additives		
Shots Per Foot			) - Bridge Plug ach Interval Perf				cture, Shot, Cement mount and Kind of Mat		d	Depth
4	920-940					100 gal HCL	acid; frac w 27	sacks sand		920-940
	1, 11, 11, 11, 11, 11, 11, 11, 11, 11,		,							
TUBING RECORD:	Size:	Set At:		Packer A	At:	Liner Run:	Yes No			
Date of First, Resumed F 04-21-2011	Production, SWD or EN	IHR.	Producing Meth	nod: Pumpir	ng 🗌	Gas Lift (	Other (Explain)			
Estimated Production Per 24 Hours	0il 2	Bbls.	Gas	Mcf	Wat	er B	bls. G	as-Oil Ratio		Gravity
DISPOSITIO	Used on Lease		_	METHOD OF		Comp. : Cor	mmingled mit ACO-4)	PRODUCTIO	ON INTER	VAL:

### Laymon Oil II LLC 1998 Squirrel Rd Neosho Falls, KS 66758

#### 620-963-2495

fax 620-963-2921

Lease: East JR Lewis #7-11 API: 15-001-30185-00-00 Spud date: 04-12-2011

Completion date: 04-14-2011

12-24-18 Allen County

Formation	From	То
Soil	0 -	10
Lime	10	55
Shale	55	105
Lime	105	230
Shale	230	410
Lime & Shale	410	590
Shale	590	612
Black Shale	612	614
Shale	614	660
Lime	660	700
Lime & Shale	700	800
Lime	800	818
<b>Upper Bartlesville Sand</b>	818	830
Shale	830	850
<b>Lower Bartlesville Sand</b>	850	896
Shale	896	915
Tucker Sand	915	968
Shale	968	980
	and the second s	

Total Depth

980

Set 20' of 8 5/8" surface, cemented w/ 10 sacks Ran 970' of 4 ½" casing

RECEIVED

JUN 27 2011

KCC WICHITA

## Locally Owned and Operated "Courtesy" - "Quality" - "Service"

Since 1903

## THE NEW KLEIN LUMBER CO., INC.

)# )LD TO	MADISON & WALNUT  IOLA, KANSAS,  BILLING ADDRESS	M	arch	19	11:
livered To	Loaded By	Ha	uled By		
<b>YTITMAU</b>	DESCRIPTION	FEET	PRICE	TOTAL	
-2 m	Sarla. Attland Cement	200	945	/290 /31	00
				2 ná?	97
			·		
CEIVED ABO	VE IN GOOD ORDER	<u> </u>	1		Ravin 3958

4-10 East JR Lewis 10 sks. 4-10 7-11 East JR Lewis 10 sks.

JUN 2 7 2011
KCC WICHITA

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

# Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner his sidewalks, roadways, driveways, buildings, frees, shrubbery, etc., which are at customer's roadways, driveways, buildings, frees, shrubbery, etc., which are at customer's roadways, driveways, buildings, frees, shrubbery, etc., which are at customer's roadways in the made for holdings trucks longer. This conficient contains correct water contents for strength of mix included. We do not assume responsibility for water contents for strength to mix included. We do not assume responsibility for strength test when water is added at customer's request.

SHIP TO:

301210 A005 AYMON OTE II, LIL.C. 1998 STATERIEL ATT.

NEOSHO FREES KE

LAG/2 LAYMON DAL 169 N. TE SPOTH DAKETA COST 1000 YARRISE SCOTH IN CHIE LEDIS WELLS 7-31 TOLA, KS. 66789

3		66,758	YARDS ORDERED		DRIVER/TRUCK	10 mg 19 845	PLANT/TRANSACTION#
TIME	FORMULA	LOAD SIZE	YARDS UNDERED	74 ( ) ( ) ( )	20	6 7 MIN 0.00	
<b>12:17:0</b> 2p	VIELL	8.00 yd	16.00 yd	\$.00	WATER TRIM	SLUMP	TICKETINUMBER
DATE		LOAD #	YARDS DEL.	BATCH#	WAILH Hame by	4.00 in	28915
04-14-11	la base	À	32. <b>00</b> yd ]	16373	Evocacive Water	is Detrimental to Concr	ete Performance
	WARNING		OF SIGNED IF DELIVERY T	MAGE RELEASE TO BE MADE INSIDE CURB LINE)	H <sub>2</sub> 0 A	ided By Request/Author	ized By

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Deer Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and veight of this
you far your signature is of the opinion that the size and veight of this
you feel to be size of the opinion that the size and veight of the
your size of the pour in every way that vice an, but in order to do this
the driver is requesting that you spin this RELEASE relieving thin and
this supplier from any reproducibility from any damage that may occur
of the primities and/or adjacent property, buddings, distinction
to "the "primities" and/or adjacent property, buddings, distinction
of the relieve the put of the triver, as additional consideration, the undestigated agrees to indemnify and hald harmless the driver
of this truck and this supplier for any and all damage to the premises
ental'or adjacent property within may be claimed by anyone to have
again out of dishery of this order.

WARNING

IRRITATING TO THE SKIN AND EYES

Comains Portland Cement: West Rubber Boots and Gloves PROLONGED CONTACT MAY

CAUSE BURNS, Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of

Contact With Skin of Eyes, Flush Thoroughly With Water, It Irritation Persists, Get Medical

Attention: KEEP CHILDREN AWAY.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the FUNCHASER UPON SECURITY OF THE PROPERTY OF

The undersigned promises to pay all costs, including reasonable attor any sums owed

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Tene Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collect Excess Delay Time Charged @ \$50/HR. DESCRIPTION CODE

WEIGHMASTER

EXTENDED PRICE

UNIT PRICE

QUANTITY 8.00

HELL

LIM SACKS PER

32.00

76.00

COM . ON

JUN 27 2011

## KCC WICHITA

		FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	ibTotal \$ 608.00
TO PLANT	LEFT JOB	, morraneones	1 JOB NOT READY 6. TRUCK BROKE DOWN		7,550 45.90 14.1 4 653.96
			2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION 4. CONTRACTOR BROKE DOWN 9. OTHER		Plant Party Dr
Ť	ARRIVED JOB	START UNLOADING	5. ADDED WATER		1,1,2,1
•				<u> </u>	ADDITIONAL CHARGE 1
	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
	TOTAL AT JOB			4	GRAND TOTAL
				<u> </u>	والمراكب والمنطوع مراجعون والمراكب

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

SOLD TO:



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk: The maximum allotted time for unloading trucks is \$5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER.

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP TO

LAMOS LAYMON DIL II. L.L.C. 1998 SOUTHREL RD.

> NEOSHO FALLS KS 6.675A

A6/2 **LAMON OIL** 

169 N. JO SOUTH DOKOTA EAST

100 YANGS SOUTH IN GATE LEWIS WINN 4-11 TOLD, HS 8-000

	v To the second	APAR S SPEC				45 45 5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
TIME	FORMULA	LOAD SIZE	YARDS ORDERED	142.50	DRIVER/TRUCK		PLANT/TRANSACTION #
				* CHL ; 量	. "5th,	为5H1K.	
12:14:07p	JEL.L	8.00 yd	15, W yo	0.00	34	, Q. DB	
DATE /	MARIE VIII	LOAD#	YARDS DEL*	** BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	o Date		24. 80 Yel				
04-14-11	oday :		24. <b>00</b> yd	16378		4.00 in	28915

WARNING

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact. With Eyes and Protonged Contact With Skin of Eyes, Shush, Thoroughly With Water, It Infliation Pensies; Get Medical

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay ell costs, including reasonable attorneys' fees, incurred in collecting any sums owned.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Meterial is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to you for your signeture is of the opinion that the size and weight of his truck may possibly cause damage to the premises endfor adjacent property if it pleases the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this technic it is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent, property, plustdings, sideriality, every distinguish and that you also agree to help him remove must form the wheels of his sychicle so that the will not filter the public street. Further, as additional consideration, the undersigned agrees to indemy and hold harmless the driver of this truck and this auxplier for may and that damage to the premises and/or adjacent property which may be claimed by anyone to have assist not of delivery of this order.

**Excessive Water is Detrimental to Concrete Performance** H<sub>2</sub>0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

and a series of the series of		Villation .				
QUANTITY	CODE	DESCRIPTION	46.7	THE STREET STREET	UNITPRICE	EXTENDED PRICE
8.00 1.00	LENCKING METT	WELL (10 SACKS PER TRUCKING CHARGE	UNTT) RECEIVED	24.00 2.50	76.00 50.00	608.00 50.00
	•		JUN 2 7 2011			

٠,			KC	ATHOIM ?		_	
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CY	INDER TEST TAKEN	TIME ALLOWED _	ubTotal *	658.00
	·		1. JOB NOT READY 2. SLOW POUR OR FUMP	6. TRUCK BROKE DOWN 7. ACCIDENT	Ŧ	4× % 7.550	49.68
LEFT PLANT	ARRIVED JOB	START UNLOADING	TRUCK AHEAD ON JOB     CONTRACTOR BROKE DOWN     ADDED WATER	8. CITATION 9. OTHER	TIME DUE ·	otal \$ .	707.60 2092.92
12'30	12:40			:		ADDITIONAL CHARGE 1 _	Total Visit Col Property and Marga
TAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2 _	
						GRAND TOTAL	
	1	.1	<u> </u>				