STATE OF KANSAS
, STATE CORPORATION COMMISSION
Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division

19-189-00004-00-00

WELL PLUGGING RECORD

State Corporation Commissi 212 North Market, Insuranc Wichita, Kansas	e piag.	Logan		Count			
NORTH			E/CNW%SW%"	or footage fro	m lines	CNWNW	(E) 36 (W
		Lease Owner_	Sc	nafer Oil	Corporat	ion	
1	i	Lease Name	Fo	topoulos			_ Well No1
!		Office Address_	404 Loc	<u>al Feder</u>	al Bldg.,	Okla. City	, Okla.
		Character of W	Vell (completed	as Oil, Gas o	r Dry Hole)	Dry H	
i .	i	Date well com	pleted			June 2	
!	!	Application for	plugging filed	·		June 3	19 <u>.6</u> 0
			plugging appro			<u> June 3</u>	19.60
			nencéd				19 <u>6</u> (
	! !	Plugging comp	leted	<u> </u>	H P Wa		19
		. Reason for aba	ndonment of we	l or producing	g formation	Dry	Hole ·
i	i '		·	·			
1		If a producing	well is abandon	ed, date of la	st production_		19
I costo wall compative	- shows				ation Division o	or its agents befo	ore plugging was con
Locate well correctly o Section Plat	n above	menced?	· ·	<u> Yes</u>			
me of Conservation Ager	nt who supervise	ed plugging of th	is well	Mr. Gi	lbert P. L	eiker	F100
oducing formation				Botton	1	Total Depth of	Well 5103 Fe
ow depth and thickness o	of all water, oil a	and gas formation	ns.			•	
OIL, GAS OR WATER	RECORDS	,				(CASING RECORD
OIL, GIS ON WITE			 	 	F	1	
FORMATION		CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
and the second s	'	·	<u> </u>		8-5/8"	250 '	None
		·····			<u> </u>	<u> </u>	
				 			
		·		1			ļ
							
				1			
				<u> </u>		ļ	
feet for e	ole. If cement each plug set. I of 51 Vis pany as fol	sc. mud ar	ere used, state t	he character o		th placed, from_	feet
feet for e	ole. If cement each plug set. 1 of 51 Vis	sc. mud ar llows:	ere used, state t	he character o	f same and depo otted by H	th placed, from_	feet
feet for e lole was left ful Cementing Comp	ole. If cement each plug set. 1 of 51 Vis pany as fol 20 Sacks	sc. mud ar llows:	ere used, state to the dement 600°	plugs sponsor of sur	of same and deposited by H	th placed, from_	feet
feet for e lole was left ful Cementing Comp	ole. If cement each plug set. 1 of 51 Vis pany as fol 20 Sacks 20 Sacks	sc. mud ar llows:	ere used, state to ad cement 500° 260° (Botto	plugs sponsor of sur	of same and deposited by H	th placed, from_	feet
feet for e Hole was left ful Cementing Comp	ole. If cement each plug set. 1 of 51 Vis pany as fol 20 Sacks 20 Sacks	sc. mud ar llows:	ere used, state to ad cement 500° 260° (Botto	plugs spon of suruface pip	of same and deposited by H	th placed, from_	feet
feet for e Hole was left ful Cementing Comp	ole. If cement each plug set. 1 of 51 Vis pany as fol 20 Sacks 20 Sacks	sc. mud ar llows:	ere used, state to ad cement 500° 260° (Botto	plugs spon of suruface pip	of same and depotent of the de	th placed, from alliburton	feet
feet for e Hole was left ful Cementing Comp	ole. If cement each plug set. 1 of 51 Vis pany as fol 20 Sacks 20 Sacks	sc. mud ar llows:	ere used, state to nd cement 500' (Botto) To top of s	plugs spender of surruface pip	of same and deprotted by H face pipe) be.	th placed, from_	feet
feet for e Hole was left ful Cementing Comp	ole. If cement each plug set. 1 of 51 Vis pany as fol 20 Sacks 20 Sacks	sc. mud ar llows:	ere used, state to nd cement 500' (Botto) To top of s	plugs spender of surruface pip	of same and depoted by H face pipe) De. ORATION COMM	th placed, from alliburton	feet
feet for e Hole was left ful Cementing Comp	ole. If cement each plug set. 1 of 51 Vis pany as fol 20 Sacks 20 Sacks	sc. mud ar llows:	ere used, state to nd cement 500' (Botto) To top of s	plugs spon of suruface pip	of same and depoted by H face pipe) De. ORATION COMM	th placed, from alliburton	feet
feet for e lole was left ful Cementing Comp	ole. If cement each plug set. 1 of 51 Vis pany as fol 20 Sacks 20 Sacks	sc. mud ar llows:	ere used, state to nd cement 500' (Botto) To top of s	plugs spender of surruface pip	of same and deprotted by H face pipe) oe. ORATION COMP	th placed, from alliburton	feet
feet for e lole was left ful Cementing Comp	ole. If cement each plug set. 1 of 51 Vis pany as fol 20 Sacks 20 Sacks	sc. mud ar llows:	ere used, state to nd cement 500' (Botto) To top of s	plugs spender of surruface pip	of same and deprotted by H face pipe) be.	th placed, from alliburton	feet
feet for e lole was left ful Cementing Comp	ole. If cement each plug set. 1 of 51 Vis pany as fol 20 Sacks 20 Sacks	sc. mud ar llows:	ere used, state to nd cement 500' (Botto) To top of s	plugs spender of surruface pip	of same and deprotted by H face pipe) oe. ORATION COMP	th placed, from alliburton	feet
feet for e lole was left ful Cementing Comp	ole. If cement each plug set. 1 of 51 Vis pany as fol 20 Sacks 20 Sacks	sc. mud ar llows:	ere used, state to nd cement 500' (Botto) To top of s	plugs spender of surruface pip	of same and deprotted by H face pipe) oe. ORATION COMP	th placed, from alliburton	feet
feet for e lole was left ful Cementing Comp	ole. If cement each plug set. 1 of 51 Vis pany as fol 20 Sacks 20 Sacks	sc. mud ar lows:	ere used, state to ad cement 500° 260° (Botto) To top of s	m of suruface pip	of same and deprotted by H face pipe) oe. ORATION COMM	th placed, from alliburton	feet
feet for e	ole. If cement each plug set. 1 of 51 Vis pany as fol 20 Sacks 20 Sacks 10 Sacks	sc. mud an lows:	ere used, state to nd cement 500' (Botto) To top of s	m of suruface pip	of same and deprotted by H face pipe) oe. ORATION COMM	th placed, from alliburton	feet
feet for each company to the feet feet for each company to the feet feet feet feet feet feet feet	ole. If cement each plug set. 1 of 51 Vis pany as fol 20 Sacks 20 Sacks 10 Sacks	sc. mud an lows:	ere used, state to ad cement 500° 260° (Botto) To top of s	m of suruface pip	of same and deprotted by H face pipe) oe. ORATION COMM	th placed, from alliburton	feet
feet for election feet for election de la left ful Cementing Comp	ole. If cement each plug set. 1 of 51 Vis pany as fol 20 Sacks 20 Sacks 10 Sacks	sc. mud an lows:	ere used, state to ad cement 500° 260° (Botto) To top of s	m of suruface pip	of same and deprotted by H face pipe) oe. ORATION COMM	th placed, from alliburton	feet
feet for elole was left ful Cementing Comp	ole. If cement each plug set. 1 of 51 Vispany as fol 20 Sacks 20 Sacks 10 Sacks	sc. mud an lows:	ere used, state to ad cement 600. Co top of some all description is necessarily and the state of	m of suruface pip	of same and deponent of same and deponent of the same and deponent of t	th placed, from alliburton	feet
feet for elole was left ful Cementing Companies ame of Plugging Contracted ddress CATE OF Okla	ole. If cement each plug set. 1 of 51 Vispany as fol 20 Sacks 20 Sacks 10 Sacks	sc. mud an lows:	ere used, state to ad cement 600. Co top of some of so	m of surruface pip STATE CORN CONSERVA OKlah	of same and deprotted by Hace pipe) oe. ORATION COMM	th placed, from alliburton Claration Claration	Oil Well
ame of Plugging Contracted ddress TATE OF Okla	ole. If cement each plug set. I of 51 Vispany as fol 20 Sacks 20 Sacks 10 Sacks the following set. I of 51 Vispany as fol 20 Sacks I of 51 Vispany as following set. I of 51 Vispany as following set	sc. mud ar lows:	ere used, state to ad cement 500° (Botto) To top of some state of the	m of suruface pigurace pigurac	of same and deprotted by H face pipe) De. ORATION COMP (N 2 1 1960 Cof this sheet) coma owner) or XXXX	th placed, from alliburton (alliburton) (Assign) (Assign) (Assign) (Assign) (Assign)	of the above-describ
feet for elole was left full Cementing Companies of Plugging Contraddress TATE OF Okla Glen Farell, being first duly swore sw	ole. If cement each plug set. 1 of 51 Vispany as fol 20 Sacks 20 Sacks 10 Sacks thoma Heald on on oath, says	(If additional CO): That I have ke	ere used, state to ad cement 1500° (Botto) To top of some all description is neconstructed to the control of th	m of suruface pip STATE CORY CONSERVA CONSE	of same and deprotted by H face pipe) ORATION COMM (N) 2 1 1960 TO THE STATE OF	th placed, from alliburton (alliburton) (Assign) (Assign) (Assign) (Assign) (Assign)	of the above-describ
feet for elole was left full Cementing Companies of Plugging Contraddress TATE OF Okla Glen Farell, being first duly swore sw	ole. If cement each plug set. 1 of 51 Vispany as fol 20 Sacks 20 Sacks 10 Sacks thoma Heald on on oath, says	(If additional CO): That I have ke	ere used, state to ad cement 1500° (Botto) To top of some all description is neconstructed to the control of th	m of suruface pip STATE CORY CONSERVA CONSE	of same and deprotted by H face pipe) ORATION COMM (N) 2 1 1960 TO THE STATE OF	th placed, from alliburton (alliburton) (Assign) (Assign) (Assign) (Assign) (Assign)	of the above-describ
feet for elole was left full Cementing Comp ame of Plugging Contraddress TATE OF Okla Glen Facel, being first duly swore	ole. If cement each plug set. 1 of 51 Vispany as fol 20 Sacks 20 Sacks 10 Sacks thoma Heald on on oath, says	(If additional CO): That I have ke	ere used, state to ad cement 500° Co top of selection is necessary to the content of the conte	m of suruface pip STATE CORY CONSERVA CONSE	of same and deprotted by H face pipe) ORATION COMM (N) 2 1 1960 TO THE STATE OF	th placed, from alliburton (alliburton) (Assign) (Assign) (Assign) (Assign) (Assign)	of the above-describ
TATE OF Okla Glen F. vell, being first duly sworbove-described well as fi	ole. If cement each plug set. 1 of 51 Vispany as fol 20 Sacks 20 Sacks 10 Sacks thoma Heald on on oath, says	(If additional CO): That I have ke	ere used, state to ad cement 1500° (Botto) To top of some all description is neconstructed to the control of th	m of suruface pip STATE CORY CONSERVA CONSE	of same and deprotted by H face pipe) ORATION COMP (N 2 1 1960 TO 10 10 10 10 10 10 10 10 10 10 10 10 10	Alliburton (alliburton (Alliburton)	of the above-describened and the log of the
TATE OF Okla Glen F. vell, being first duly sworbove-described well as fi	ole. If cement each plug set. 1 of 51 Vispany as fol 20 Sacks 20 Sacks 10 Sacks thoma Heald on on oath, says	(If additional CO): That I have ke	ere used, state to ad cement 500° Co top of selection is necessary to the content of the conte	m of suruface pip STATE CORY CONSERVA CONSE	of same and deprotted by H face pipe) ORATION COMP (N 2 1 1960 TO 10 10 10 10 10 10 10 10 10 10 10 10 10	Address Addres	of the above-described and the log of the Oklahoma Ci
ame of Plugging Contraddress TATE OF Okla Glen F. vell, being first duly swot bove-described well as fi	ctorhoma Heald m on oath, says led and that the	(If additional COV): That I have keeps are true a	ere used, state to ad cement 500. 500. Co top of section is necessary of the converge of th	on of surruface pipus special state of surruface pipus special state of surruface pipus surruf	of same and deprotted by H face pipe) ORATION COMP (N 2 1 1960 TO 10 10 10 10 10 10 10 10 10 10 10 10 10	Address Addres	of the above-described and the log of the Oklahoma Ci
ame of Plugging Contraddress TATE OF Okla Glen F. rell, being first duly sworbove-described well as fi	ole. If cement each plug set. 1 of 51 Vispany as fol 20 Sacks 20 Sacks 10 Sacks thoma Heald on on oath, says	(If additional COV): That I have keeps are true a	al description is nec	on of surruface pipus special state of surruface pipus special state of surruface pipus surruf	face pipe) ORATION COMP ORAT	Alliburton (alliburton (Allib	of the above-described and the log of the Oklahoma Ci
ame of Plugging Contraddress TATE OF Okla Glen F. rell, being first duly sworbove-described well as fi	ctorhoma Heald m on oath, says led and that the	(If additional COV): That I have keeps are true a	ere used, state to ad cement 500. 500. Co top of section is necessary of the converge of th	on of surruface pipus special state of surruface pipus special state of surruface pipus surruf	face pipe) ORATION COMP ORAT	Address Addres	of the above-described and the log of the Oklahoma Ci
ame of Plugging Contraddress TATE OF Okla Glen F. rell, being first duly sworbove-described well as fi	ctorhoma Heald m on oath, says led and that the	(If additional content of the conten	ere used, state to ad cement 500. 500. Co top of section is necessary of the converge of th	on of surruface pipus special state of surruface pipus special state of surruface pipus surruf	face pipe) ORATION COMP ORAT	Address Addres	of the above-described and the log of the Oklahoma Ci
ame of Plugging Contraddress TATE OF Okla Glen F. vell, being first duly sworbove-described well as file.	ctorhoma_Heald_m on oath, says:	(If additional content of the conten	ere used, state to ad cement 500. 500. Co top of section is necessary of the converge of th	on of surruface pipus special state of surruface pipus special state of surruface pipus surruf	face pipe) ORATION COMP ORAT	Address Addres	of the above-described and the log of the Oklahoma Ci

NECTED 399 TULEA 1, OKLAHOMA

15-109-00004-00-00 WELL RECORD

PLUG BACK RECORD					WELL LOG	
7	00	ð	9	Ξ	4	١
	ING RECORD	JCING METHOD	RECORD	DO RECORD	BING RECORD	

DONE BY

· ·				* *				.(1)			\A/ F	ELL NO	1
	 		ī						1 7	FASE		ELL NO Poulos	
			COMP	۸N۱	Y SCHAF	ER OIL	C	ORPOR					
					COMPILED_								
			l .		7 TWP. 14:							STATE	KANSAS
	++++		1		1 771	`	_						
	+			, Ti	. K.I								
			CTAKE	.u	BY	1	~~~	-	10	, E	FVATI	33	86 DF
			RIG CO	омі	MENCED_5	14 19	<u>60</u> ,	COMPLE	TED 6	-2	_1960	CONTR	
		<u> </u>	TOOL	s	STARTED	COMPLETE	ED	FROM		то		CONTRA	CTOR
	,	!	ROTARY	<u>/</u> **									
	<u></u>		CABLE					L			<u> </u>		
COMPLETION ME	THAD												
PRODUCTION ME													
RODUCTION DA	I A				**************************************			·					
GAS WELL SHUT	-IN PRES	SURE						VOLUM	IE			M. CU. FT	
(1)			CAS	311	NG AND T	TUBING	R	ECOF	₹D				-
SIZE HOLE DEPTH	CASING SIZE	wt.	THDS.	MAI	KE, TYPE, GRADE, NEW, USED	CASING POINT	PU	JLLED	LEFT IN		CEMENT ESTIMATE		REMARKS
IN.	OD								0 355 4565 4	635 - 1784 635 - 1784		FT.	
								6.1		l I	1		
	и							O #	Irrendi.	Starte	A. GUME	atoolust.	
				<u> </u>					J	UN 2	1 1960	J -	
	"								CONSE	71/AT	ALL DIV	elon -	
	44			Γ							Kaneas		
					,								
	"		•									•	
(2) ACIDI	ZING F	RECOR			(3)	<u> </u>	PR	ODUC	CING I	METI	HODS	<u> </u>	
DATE		T	<u>-</u>		#	WING NATU				19			19
QUANTITY (GALS.)			+		PRODUCEE	BY GAS LI	FT _	IN. TI	JBING FR	МОМ	19	9 TO	19
MAX. TUB. PR.			1										
MAX. CAS'G PR.			 		OTHER LIF	FTS							
BLANKET			+		 								
HOURS		1	1		PUT ON J	JACK/BEAM/	רואט	r					19
METHOD			+										
			+		(4)			SAN	D RE	COR	D		***************************************
		+	+		 			тор	вотт		HICKNESS	CONTENT	COLOR, HARD
		 	+		NAM	· E		10-		Om ,	TION.I.E		OR SOFT
OIL BEFORE			-							-			+
OIL AFTER		-	+					 					1
WATER BEFORE			-		-							 	
WATER AFTER													

(CONTINUED)

\5-\(09-00004-00-00\) WELL RECORD—(Continued)

WELL NO.__

JUN 2 1960

CONSERVATION DIVISION

Wichita, Kansas

		•			LEASE				
(12) ADDITIONAL II	NFORMA	TION							
			·····						
					•			<i></i>	
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·						·	
									
		,		7	· · · · · · · · · · · · · · · · · · ·				
	 				·	 			
				· · · · · · · · · · · · · · · · · · ·					
(13) MATERIAL LO	ST IN H	OLE							
									
				· · · · · · · · · · · · · · · · · · ·					
									
(14)			W	ELL	LOG				
FORMATION	FROM	то	NO, OF FEET	DRILL. TIME	FORMATION	FROM	то	NO. OF	DRILL.
SHALE	,	-20112				Enga	5046		
ANHYDRITE	2012	2069			SHALE, SAND	5046	5103		
SHALE	2069	2050	25		TO		5103		
RED BED, SHALE							J	'	
Lu Steas	2095	2370							
LINEY SHALE	2270	2615					,		
RED BED, SHALE	2370 2615	2715							
ANHYDRITE	2715	2734				,			
SHALE & ANNY	2734	2961			·				<u> </u>
SHALE, RED BED,									
	2961	2007				** Q ŞT** **			
SHALE & LIME	2007	3097 3260				,	,		
LIME	3097 3260	3363			3 to 15 to 1	IVED			
, 7.73. 7			1	1	\$ 1.0 1. 1.66	COMMISS	ICN		

3559

3643

3810

4900

5026

364

3810

4900

LINE & SHALE

SHALE, SAND

LIME, SHALE

LINC, SHALE

SHALE, LINE

LIME

LIME

SHALE