

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

ORIGINAL

Form ACO-1
June 2009

**Form Must Be Typed
Form must be Signed
All blanks must be Filled**

OPERATOR: License # 33786
Name: Double "D",s LLC
Address 1: 133 East 12th st
Address 2: _____
City: Hays State: Ks Zip: 67601 + _____
Contact Person: Duane Bieker
Phone: (785) 230-0113
CONTRACTOR: License # 31548
Name: Discovery Drilling
Wellsite Geologist: Alan Downing
Purchaser: Coffeerville Resources

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil WSW SWD SLOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: _____ Plug Back Total Depth
 Commingled Permit #: _____
 Dual Completion Permit #: _____
 SWD Permit #: _____
 ENHR Permit #: _____
 GSW Permit #: _____

<u>5/5/11</u>	<u>5/12/11</u>	<u>7/16/11</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 051-26128-0000
Spot Description: 1290'FNL & 1210'FWL
se se nw nw Sec. 22 Twp. 13 S. R. 20 East West
1,290 Feet from North / South Line of Section
1,210 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Ellis
Lease Name: Honas Well #: 1
Field Name: Pleasant
Producing Formation: Toronto
Elevation: Ground: 2208 Kelly Bushing: 2216
Total Depth: 3962' Plug Back Total Depth: 3610'
Amount of Surface Pipe Set and Cemented at: 221 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: 1524 Feet
If Alternate II completion, cement circulated from: 1524
feet depth to: surface w/ 250 Qmd sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content: _____ ppm Fluid volume: _____ bbls
Dewatering method used: _____
Location of fluid disposal if hauled offsite:
Operator Name: _____
Lease Name: _____ License #: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Permit #: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Duane Bieker
Title: Partner Date: 7/19/11

KCC Office Use ONLY

RECEIVED
JUL 21 2011
KCC WICHITA

Letter of Confidentiality Received
Date: _____
 Confidential Release Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
ALT I II III Approved by: Dlg Date: 7/27/11

Operator Name: Double "D",s LLC Lease Name: Honas Well #: 1
 Sec. 22 Twp. 13 S. R. 20 East West County: Ellis

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run: Dual Induction, Compensated Density/ Neutron Mirco log	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input checked="" type="checkbox"/> Sample <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Name</th> <th>Top</th> <th>Datum</th> </tr> </thead> <tbody> <tr> <td>Anhydrite 1541</td> <td>1541</td> <td>+672</td> </tr> <tr> <td>Base 1584</td> <td>1584</td> <td>+629</td> </tr> <tr> <td>Topeka 3220</td> <td>3221</td> <td>-1004</td> </tr> <tr> <td>Heebner 3452</td> <td>3450</td> <td>- 1236</td> </tr> <tr> <td>Toronto 3470</td> <td>3470</td> <td>-1254</td> </tr> <tr> <td>LKC 3490</td> <td>3490</td> <td>-1274</td> </tr> <tr> <td>Arbuckle 3880</td> <td>3880</td> <td>-1664</td> </tr> </tbody> </table>	Name	Top	Datum	Anhydrite 1541	1541	+672	Base 1584	1584	+629	Topeka 3220	3221	-1004	Heebner 3452	3450	- 1236	Toronto 3470	3470	-1254	LKC 3490	3490	-1274	Arbuckle 3880	3880	-1664
Name	Top	Datum																							
Anhydrite 1541	1541	+672																							
Base 1584	1584	+629																							
Topeka 3220	3221	-1004																							
Heebner 3452	3450	- 1236																							
Toronto 3470	3470	-1254																							
LKC 3490	3490	-1274																							
Arbuckle 3880	3880	-1664																							

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Pipe	12 1/4"	8 5/8"	23lb	221'	Common	150	2% Gel, 3% Cal
long string	7 7/8"	5 1/2"	14#	3964'	Common	200	10% Salt, 5% Gil
port collar				1524'	SMD	250	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input checked="" type="checkbox"/> Perforate	3574,3524,	common	300sx	common
<input checked="" type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD	1524/surface	smd	250sx	smd circ to surface
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4spf	3862'-68' cong sand	250gls 7% mud aci	3862'-68'
2spf	3653' "I" 3677' "J"	750gls 15% mud acid	3653,3677
4spf	3472'-75' Toronto	250gls 15% mud acid	3472'-75'
CIBP	3610'		

TUBING RECORD: Size: <u>23/8"</u> Set At: <u>3610'</u> Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumed Production, SWD or ENHR. _____		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____
Estimated Production Per 24 Hours	Oil Bbls. <u>10</u>	Gas Mcf _____ Water Bbls. <u>120</u> Gas-Oil Ratio _____ Gravity <u>40</u>

DISPOSITION OF GAS: <input checked="" type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5) (Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: <u>3472'-75'</u>
--	---	--

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED
JUL 21 2011
KCC WICHITA



QUALITY OILWELL CEMENTING, INC.
 PO Box 32 - 740 West Wichita Ave, Russell KS 67665
 Phone: 785-324-1041 fax: 785-483-1087
 Email: cementing@ruraltel.net

Date: 6/20/2011
 Invoice # 4853
 P.O.#:
 Due Date: 7/20/2011
 Division: Russell

Invoice

Contact:
 DOUBLE D'S
Address/Job Location:
 DOUBLE D'S
 133 E 12TH
 HAYS KS 67601

Reference:
 HONAS 1

Description of Work:
 PORT COLLAR

Services / Items Included:	Quantity	Price	Taxable	Item	Quantity	Price	Taxable
Labor		\$ 963.85	Yes				
non, MetsoBeads, Plater, Gel, FloSeal, Calcium)	160	\$ 3,229.16	Yes				
Bulk Truck Matl-Material Service Charge	250	\$ 527.78	Yes				
Pump Truck Mileage-Job to Nearest Camp	19	\$ 200.15	Yes				
Flo Seal	62	\$ 130.89	Yes				
Bulk Truck Mileage-Job to Nearest Bulk Plant	19	\$ 117.12	Yes				

Invoice Terms:

Net 30

SubTotal: \$ 5,168.95
 Discount Available ONLY if Invoice is Paid & Received within listed terms of invoice: \$ (775.34)

SubTotal for Taxable Items: \$ 4,393.61
 SubTotal for Non-Taxable Items: \$ -


6.30% Ellis County Sales Tax

Total: \$ 4,393.61
 Tax: \$ 276.80
Amount Due: \$ 4,670.40
Applied Payments:
Balance Due: \$ 4,670.40

Thank You For Your Business!

Past Due Invoices are subject to a service charge (annual rate of 24%)
 This does not include any applicable taxes unless it is listed.
 ©2008-2013 Straker Investments, LLC. All rights reserved.

RECEIVED
 JUL 21 2011
 KCC WICHITA



QUALITY OILWELL CEMENTING, INC.

PO Box 32 - 740 West Wichita Ave, Russell KS 67665

Phone: 785-324-1041 fax: 785-483-1087

Email: cementing@ruraltel.net

Date: 6/15/2011

Invoice # 4959

P.O.#:

Due Date: 7/15/2011

Division: Russell

Invoice

Contact:

DOUBLE D'S

Address/Job Location:

DOUBLE D'S

133 E 12TH

HAYS KS 67601

Reference:

HONAS 1

Description of Work:

SQUEEZ JOB

Services / Items Included:

	Quantity	Price	Taxable	Item	Quantity	Price	Taxable
Labor		\$ 1,982.77	Yes				
Common-Class A	100	\$ 1,324.57	Yes				
Bulk Truck Matl-Material Service Charge	158	\$ 343.09	Yes				
Pump Truck Mileage-Job to Nearest Camp	19	\$ 205.87	Yes				
Sand	8	\$ 146.44	Yes				
Bulk Truck Mileage-Job to Nearest Bulk Plant	19	\$ 120.47	Yes				

Invoice Terms:

Net 30

SubTotal: \$ 4,123.22

Discount Available ONLY if Invoice is Paid & Received within listed terms of invoice: \$ (618.48)

SubTotal for Taxable Items: \$ 3,504.73

SubTotal for Non-Taxable Items: \$ -

Total: \$ 3,504.73

Tax: \$ 290.89

8.30% Russell County Sales Tax

Amount Due: \$ 3,795.63

Applied Payments:

Balance Due: \$ 3,795.63

Thank You For Your Business!

Past Due Invoices are subject to a service charge (annual rate of 24%)

This does not include any applicable taxes unless it is listed.

©2008-2013 Straker Investments, LLC. All rights reserved.

RECEIVED
JUL 21 2011
KCC WICHITA

QUALITY OILWELL CEMENTING, INC.

Phone 785-483-2025
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 4827

Date	5-6-11	Sec.	22	Twp.	13	Range	20	County	Ellis	State	KS	On Location		Finish	30 S. 15
Lease	Hovas		Well No.		1		Location Ellis 5 Fair Ground Rd 1/2 E 511 + 0								
Contractor	Discovery #3							Owner							
Type Job	Surface							To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.							
Hole Size	12 1/4		T.D.		221		Charge To Double D's								
Csg.	8 5/8		Depth		221		Street								
Tbg. Size			Depth				City								
Tool			Depth				State								
Cement Left in Csg.	15		Shoe Joint				The above was done to satisfaction and supervision of owner agent or contractor.								
Meas Line			Displace		1332		Cement Amount Ordered 150 Com 3 1/2 cc 2 1/2 gal								

EQUIPMENT

Pumptrk	1	No.	Cement Helper	Caig	Common	150
Bulktrk		No.	Driver	Neal	Poz. Mix	^
Bulktrk	12	No.	Driver	Matt	Gel.	3

JOB SERVICES & REMARKS

Remarks:	Hulls
Rat Hole	Salt
Mouse Hole	Flowseal
Centralizers	Kol-Seal
Baskets	Mud CLR 48
D/V or Port Collar	CFL-117 or CD110 CAF 38
8 5/8 on bottom Est Circulation	Sand
Mix 150 SIC + Displace	Handling 158
Cement Circulated	Mileage

FLOAT EQUIPMENT

Guide Shoe	
Centralizer	
Baskets	
AFU Inserts	
Float Shoe	
Latch Down	

THANKS!

X Signature John Joubert

Pumptrk Charge Surface
Mileage 19

RECEIVED
JUL 21 2011
KCC WICHITA
Tax
Discount
Total Charge

QUALITY OILWELL CEMENTING, INC.

Phone 785-483-2025
 Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 4638

Date	Sec.	Twp.	Range	County	State	On Location	Finish
5-12-11				Ellis	Kansas		10:00 AM
Lease	Well No.		Location				
Hours	1		Ellis 2E 1S 3W Sinto				
Contractor	Discovery Drilling Rig 3			Owner			
Type Job	Long string			To Quality Oilwell Cementing, Inc.			
Hole Size	7 7/8			You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.			
Csg.	5 1/2 14 1/2			Charge To			
	Depth			To Double Ds			
Tbg. Size	Depth			Street			
Tool Port Collar #58	Depth			City State			
Cement Left in Csg.	Shoe Joint			The above was done to satisfaction and supervision of owner agent or contractor.			
Meas Line	Displace			Cement Amount Ordered			
	24.50			200 Com 10% Self			
	97 Bbl			300 lbs concrete 500 gal Mud Clear 48 20 Bbl KCL			

EQUIPMENT

Pumptrk	No.	Cementor	
5		Helper	Steve
Bulktrk	No.	Driver	Bamba
8		Driver	Doug

Common	200
Poz. Mix	
Gel.	

JOB SERVICES & REMARKS

Remarks:	
Rat Hole	
Mouse Hole	
Centralizers	1 3 5 7 9 11 13 57
Baskets	2 14 58
D/V or Port Collar	58

Calcium	
Hulls	
Salt	17
Flowseal	KCL 2 Gal
Kol-Seal	1000#
Mud CLR 48	500 gal
CFL-117 or CD110 CAF	38
Sand	
Handling	227
Mileage	

FLOAT EQUIPMENT

Guide Shoe	
Centralizer	8
Baskets	3
AFU Inserts	
Float Shoe	1
Latch Down	1

RECEIVED
 JUL 21 2011
 KCC WICHITA

Signature: *John Embler*

Pumptrk Charge	prod Long String
Mileage	19
Tax	
Discount	
Total Charge	

QUALITY OILWELL CEMENTING, INC.

Phone 785-483-2025
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 4853

Date	Sec.	Twp.	Range	County	State	On Location	Finish
6-16-11				Ellis	KS		12:45pm
Lease <i>Honas</i>	Well No. <i>1</i>		Location <i>Ellis 1E 1S 1/2W S1T0</i>				
Contractor <i>Stewart</i>				Owner			
Type Job <i>Port Collar</i>				To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.			
Hole Size <i>7 7/8</i>		T.D.		Charge To <i>Double D's</i>			
Csg. <i>5 1/2</i>		Depth		Street			
Tbg. Size <i>2 3/8</i>		Depth		City			
Tool <i>Port Collar</i>		Depth <i>1524</i>		State			
Cement Left in Csg.		Shoe Joint		The above was done to satisfaction and supervision of owner agent or contractor.			
Meas Line		Displace		Cement Amount Ordered <i>250 QMDC 1/4 # F10</i>			
EQUIPMENT				<i>USED WADSIK</i>			
Pumptrk <i>9</i>	No.	Cementer <i>Craig</i>		Common			
		Helper					
Bulktrk	No.	Driver <i>Deate</i>		Poz. Mix			
		Driver					
Bulktrk <i>10</i>	No.	Driver <i>Mat</i>		Gel			
		Driver					
JOB SERVICES & REMARKS				Calcium			
Remarks:				Hulls			
Rat Hole				Salt			
Mouse Hole				Flowseal			
Centralizers				Kol-Seal			
Baskets				Mud CLR 48			
D/V of Port Collar				CFL-117 or CD110 CAF 38			
<i>Port Collar @ 1524 Plug @ 279.5 Test</i>				Sand			
<i>Plug to 1000' Open Tool Est (Production)</i>				Handling			
<i>Mix WADSIK & Cement (Circulator)</i>				Mileage			
<i>Close Tool Measure to 1000' Run</i>				FLOAT EQUIPMENT			
<i>5 joints wash clean.</i>				Guide Shoe			
				Centralizer			
				Baskets			
				AFU Inserts			
				Float Shoe			
				Latch Down			
				Pumptrk Charge			
				Mileage			
				Tax			
				Discount			
				Total Charge			
X Signature <i>D. PaeL</i>							

Quality Oilwell Cementing

RECEIVED

JUL 21 2011

KCC WICHITA

DEFINITIONS: In these terms and conditions, "Quality" shall mean Quality Oilwell Cementing, Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

- **TERMS:** Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "QUALITY" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "QUALITY," refunded directly to "CUSTOMER." For purposes of this paragraph, QUALITY and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

- **ATTORNEY FEES:** In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the term of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limit to, a reasonable sum as and attorney's fees.

- **PRICES AND TAXES:** All merchandise listed in "QUALITY'S" current price shall schedule are F.O.B. QUALITY'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by QUALITY shall be added to the quoted prices charged to CUSTOMER.

- **TOWING CHARGES:** QUALITY will make a reasonable attempt to get to and from each job site using its own equipment. Should QUALITY be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by QUALITY, will be charged to and paid by CUSTOMER.

- **PREPARATION CHARGES:** If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay QUALITY for the expenses incurred by QUALITY as a result of the cancellation.

- **DEADHAUL CHARGES:** Unless otherwise specified on the front of this Contract, a deadhaul charges as set forth in QUALITY'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

- **SERVICE CONDITIONS AND LIABILITIES:** 1. QUALITY carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond QUALITY'S control, QUALITY shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless QUALITY, its officers, agents and employees, from and against any and all claims or suits for:

(A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:

(B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with QUALITY'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of QUALITY or its employees.

2. With respect to any of QUALITY'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to QUALITY at the landing, CUSTOMER shall either recover the lost item without cost to QUALITY or reimburse QUALITY the current replacement cost of the item unless the loss or damage results from the sole negligence of QUALITY or its employees.

3. QUALITY does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES: 1. QUALITY warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. QUALITY'S obligation under this warranty is expressly limited to repair replacement, or allowance for credit, at its option, for any merchandise which is determined by QUALITY to be defective. THIS IS THE SOLE WARRANTY OF QUALITY AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and QUALITY shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be constructed as a warranty by QUALITY of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by QUALITY or any interpretation of test, meter readings, chart information, analysis or research, or recommendations made by QUALITY, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of QUALITY or its employees in the preparation or furnishing of such facts, information or data. (C) Work done by QUALITY shall be under the direct supervision and control of the CUSTOMER or his agent and QUALITY will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.