Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

APRILES 200

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD

K.A.R. 82-3-117

Form CP-4
December 2003
Type or Print on this Form
Form must be Signed
All blanks must be Filled

						5 - 015-23384 (00 00 .
Address: 14201 E. Centra	al, Wichita, KS 6723	30		· · · · · · · · · · · · · · · · · · ·	Lease Name: Kei	nt
Phone: (316) 733 - 50	600 Opera	otor License #: 44	19 - =	242	#2 Well Number:	·
					Spot Location (Q0	aga): SW - NW - NE -S
Type of Well: Oil (Oil, Gas D&A, SWD, ENHR, I		Docke	t #: <i>(If S</i> I	ND or ENHR	2,200 2209	m North South Section I
The plugging proposal was	anaroved on:					m East Section L
by: Jeff Klock						
		(F	_			29 S. R. 8 ✓ East
Is ACO-1 filed? ✓ Yes	No If not, is	well log attached?	Yes	No (County:	
Producing Formation(s): List	•	•		(Date Well Comple	ted:
	Depth to Top:	Bottom:		T.D	– Plugging Commer	12/23/09
	Depth to Top:			1.0.	Plugging Complet	12/28/09 4/13/10
	Depth to Top:	Bottom:		T.D	-lugging Complet	ви
Show depth and thickness	of all water, oil and g	as formations.				
RECEIVED REC	ater Records			Casing Record (Surf.	ace Conductor & Pi	roduction)
SESSORIALION	Content	From	То	Size	Put In	Pulled Out
NPR 29 LUIU						
ISIVISI	Q _M					
CONSERVATION CONSE				8.625"	210'	
nole. If cement or other plu	ugs were used, state t	the character of sa	me depth p	placed from (bottom)	, to (top) for each	
hole. If cement or other plu Tried to wash bridge out a tubing with tongs, tagg	ugs were used, state t at 75'; Couldn't get th ged bridge plug at	the character of sa hrough it. Had to 2,790'. Bailed	me depth p cut inside 5 sacks	e mud fluid was plac placed from (bottom) ring out of head. V cement with bail	ed and the metho , to (top) for each Vashed out bridg er. Ripped cas	d or methods used in introducing it in plug set. le with water truck. While turning sing at 1,000'. Pulled casing o
hole. If cement or other plu Tried to wash bridge out a tubing with tongs, tagg	ugs were used, state t at 75'; Couldn't get th ged bridge plug at	the character of sa hrough it. Had to 2,790'. Bailed	me depth p cut inside 5 sacks	e mud fluid was plac placed from (bottom) ring out of head. V cement with bail	ed and the metho , to (top) for each Vashed out bridg er. Ripped cas	d or methods used in introducing it in plug set. se with water truck. While turning
nole. If cement or other plu Tried to wash bridge out a tubing with tongs, tagg Plug at later date. R	ugs were used, state t at 75'; Couldn't get th ged bridge plug at lan in hole w	the character of sa hrough it. Had to 2,790'. Bailed ith coiled	me depth point cut inside to the sacks tubing and off	e mud fluid was place placed from (bottom) ring out of head. Vocement with bail to 262 Mi	ed and the metho, to (top) for each Vashed out bridger. Ripped cases and ci	d or methods used in introducing it in plug set. le with water truck. While turning sing at 1,000'. Pulled casing o
tubing with tongs, tage Plug at later date. R with 82 sx 60/4	ugs were used, state that 75'; Couldn't get the ged bridge plug at the in hole was 0 Poz on 4/8	the character of sa hrough it. Had to 2,790'. Bailed ith coiled /10. Koppe	me depth pour cut inside sacks tubing ed off	e mud fluid was place placed from (bottom) ring out of head. Vocement with bail to 262 Mi with 30 sx	ed and the metho, to (top) for each Vashed out bridger. Ripped cases and ci	d or methods used in introducing it in plug set. He with water truck. While turning sing at 1,000'. Pulled casing or rculated cement to su on 4/13/10. Plugging
tubing with tongs, tage Plug at later date. With 82 sx 60/4 Name of Plugging Contractors	at 75'; Couldn't get the ged bridge plug at the land in hole we on 4/8 or: Quality Well Serv	the character of sa hrough it. Had to 2,790'. Bailed ith coiled /10. Koppe ice, Inc.	me depth pour cut inside sacks tubing ed off	e mud fluid was place placed from (bottom) ring out of head. Vocement with bail to 262 Mi with 30 sx	ed and the metho, to (top) for each Vashed out bridger. Ripped cases and ci	d or methods used in introducing it in plug set. He with water truck. While turning sing at 1,000'. Pulled casing or rculated cement to su on 4/13/10. Plugging
tubing with tongs, tage Plug at later date. R with 82 sx 60/4 Name of Plugging Contractors Address: 190 US Highw	ugs were used, state that 75'; Couldn't get the ged bridge plug at the in hole was 0 Poz on 4/8 or: Quality Well Serveray 56, Ellinwood	the character of sa hrough it. Had to 2,790'. Bailed ith coiled /10. Koppe ice, Inc.	me depth p cut inside 5 sacks tubing ed off	e mud fluid was place placed from (bottom) ring out of head. Vocement with bail to 262 Mi with 30 sx	ed and the metho, to (top) for each Vashed out bridger. Ripped cases and ci	d or methods used in introducing it in plug set. He with water truck. While turning sing at 1,000'. Pulled casing or rculated cement to su on 4/13/10. Plugging
Tried to wash bridge out a tubing with tongs, tage Plug at later date. With 82 sx 60/4 Name of Plugging Contractor Address: 190 US Highwalame of Party Responsible	at 75'; Couldn't get the ged bridge plug at the ged bridge plug bridge pl	the character of sa hrough it. Had to 2,790'. Bailed ith coiled /10. Koppe ice, Inc. , KS 67526 Petroleum	me depth p cut inside 5 sacks tubing ed off	e mud fluid was place placed from (bottom) ring out of head. Vocement with bail to 262 Mi with 30 sx	ed and the metho, to (top) for each Vashed out bridger. Ripped cases and ci	d or methods used in introducing it in plug set. He with water truck. While turning sing at 1,000'. Pulled casing or rculated cement to su on 4/13/10. Plugging
Tried to wash bridge out a tubing with tongs, tage Plug at later date. R with 82 sx 60/4 Name of Plugging Contractor Address: 190 US Highw Name of Party Responsible State of Kansas	ugs were used, state to at 75'; Couldn't get the ged bridge plug at the lan in hole with the lan in hole with the lan in hole with the land on 4/8 or: Quality Well Servery 24y 56, Ellinwood for Plugging Fees: County,	the character of sa hrough it. Had to 2,790'. Bailed ith coiled /10. Koppe ice, Inc.	me depth p cut inside 5 sacks tubing ed off	e mud fluid was place placed from (bottom) ring out of head. Vicement with bail to 262' Mi with 30 sx	ed and the metho, to (top) for each Vashed out bridger. Ripped cased and cife 60/40 Poz License #: 31	d or methods used in introducing it in plug set. ge with water truck. While turning sing at 1,000'. Pulled casing or rculated cement to su on 4/13/10. Plugging 925
Tried to wash bridge out a tubing with tongs, tagg Plug at later date. R with 82 sx 60/4 Name of Plugging Contractor Address: 190 US Highw Name of Party Responsible State of Kansas Gary L. Ree	ugs were used, state to at 75'; Couldn't get the ged bridge plug at the annin hole was to Poz on 4/8 or: Quality Well Serveyay 56, Ellinwood for Plugging Fees: County, ed, as agent	the character of sa hrough it. Had to 2,790'. Bailed ith coiled /10. Ropperice, Inc. , KS 67526 Petroleum Sedgwick	me depth pour inside to the following to	e mud fluid was place placed from (bottom) ring out of head. Vicement with bail to 262' Mi with 30 sx	ed and the metho, to (top) for each Vashed out bridger. Ripped cased and ci 60/40 Poz License #: 31	d or methods used in introducing it in plug set. ge with water truck. While turning sing at 1,000'. Pulled casing or rculated cement to sure on 4/13/10. Plugging 925
riced to wash bridge out a tubing with tongs, tage Plug at later date. R with 82 sx 60/4 Name of Plugging Contractor Address: 190 US Highw Name of Party Responsible State of Kansas Gary L. Reeseworn on oath, says: That I	at 75'; Couldn't get the ged bridge plug at the lan in hole was 10 Poz on 4/8 or: Quality Well Serveyay 56, Ellinwood for Plugging Fees: County, as agent have knowledge of the	the character of sa hrough it. Had to 2,790'. Bailed ith coiled /10. Roppedice, Inc. , KS 67526 Petroleum Sedgwick	me depth pour inside to the following to	e mud fluid was place placed from (bottom) ring out of head. Vicement with bail to 262' Mi with 30 sx	ed and the metho, to (top) for each Vashed out bridger. Ripped cased and ci 60/40 Poz License #: 31	d or methods used in introducing it in plug set. ge with water truck. While turning sing at 1,000'. Pulled casing or rculated cement to su on 4/13/10. Plugging 925
ried to wash bridge out a tubing with tongs, tage Plug at later date. R with 82 sx 60/4 Name of Plugging Contractor Address: 190 US Highw Name of Party Responsible State of Kansas Gary L. Reeseworn on oath, says: That I	at 75'; Couldn't get the ged bridge plug at the lan in hole was 10 Poz on 4/8 or: Quality Well Serveyay 56, Ellinwood for Plugging Fees: County, as agent have knowledge of the	the character of sa hrough it. Had to 2,790'. Bailed ith coiled /10. Roppedice, Inc. KS 67526 Petroleum Sedgwick de facts statements (Signature)	me depth pour cut inside stacks tubing and off Manage	e mud fluid was place placed from (bottom) ring out of head. Vicement with bail to 262' Mi with 30 sx ement, Inc. , ss.	ed and the metho, to (top) for each Vashed out bridger. Ripped cased and cine and cine and cine and cine and the log of the control of the control of the cine and the log of the cine and the cin	d or methods used in introducing it in plug set. The with water truck. While turning sing at 1,000'. Pulled casing our culated cement to sure on 4/13/10. Plugging 925 The property of the property of the property of the property of the plugging of the property of the property of the property of the plugging of the property of the property of the property of the plugging of the p
tubing with tongs, tagg Plug at later date. R with 82 sx 60/4 Name of Plugging Contractor Address: 190 US Highw Name of Party Responsible State of Kansas Gary L. Ree	at 75'; Couldn't get the ged bridge plug at t	the character of sa hrough it. Had to 2,790'. Bailed ith coiled /10. Koppedice, Inc. KS 67526 Petroleum Sedgwick Gignature) (Address) 14	me depth pour cut inside stacks tubing and off matter and matter 201 E.	e mud fluid was place placed from (bottom) ring out of head. Vicement with bail to 262' Mi with 30 sx ement, Inc. , ss.	ed and the metho, to (top) for each Vashed out bridger. Ripped case and ci 60/40 Poz License #: 31	d or methods used in introducing it in plug set. ge with water truck. While turning sing at 1,000'. Pulled casing our culated cement to su on 4/13/10. Plugging 925 gr) on above-described well, being first above-described well is as filed, and 67230
ried to wash bridge out a tubing with tongs, tage Plug at later date. R with 82 sx 60/4 Name of Plugging Contractor Address: 190 US Highw Name of Party Responsible State of Kansas Gary L. Reeseworn on oath, says: That I	at 75'; Couldn't get the ged bridge plug at t	the character of sa hrough it. Had to 2,790'. Bailed ith coiled /10. Koppedice, Inc. KS 67526 Petroleum Sedgwick Gignature) (Address) 14	me depth pour cut inside stacks tubing and off matter and matter 201 E.	e mud fluid was place placed from (bottom) ring out of head. Vicement with bail to 262' Mi with 30 sx ement, Inc. , ss.	ed and the metho, to (top) for each Vashed out bridger. Ripped cased and ci 60/40 Poz License #: 31	d or methods used in introducing it in plug set. we with water truck. While turning sing at 1,000'. Pulled casing or reulated cement to su on 4/13/10. Plugging 925 ar) on above-described well, being first e above-described well is as filed, and 67230
riced to wash bridge out a tubing with tongs, tage Plug at later date. R with 82 sx 60/4 Name of Plugging Contractor Address: 190 US Highw Name of Party Responsible State of Kansas Gary L. Reeseworn on oath, says: That I	at 75'; Couldn't get the ged bridge plug at t	the character of sa hrough it. Had to 2,790'. Bailed ith coiled /10. Koppedice, Inc. KS 67526 Petroleum Sedgwick Gignature) (Address) 14	me depth pour cut inside to sacks tubing ed off Manago	e mud fluid was place placed from (bottom) ring out of head. Vicement with bail to 262' Mi with 30 sx ement, Inc. , ss.	ed and the metho, to (top) for each Vashed out bridger. Ripped case and ci 60/40 Poz License #: 31	d or methods used in introducing it in plug set. we with water truck. While turning sing at 1,000'. Pulled casing or reulated cement to su on 4/13/10. Plugging 925 ar) on above-described well, being first e above-described well is as filed, and 67230



FIELD ORDER № C 34635

BOX 438 • HAYSVILLE, KANSAS 67060 316-524-1225

		V.	316-524-	·1225	DATE A	8 15	20_10_
IS AUTHORI	ZED BY:	Parcelow 1 king	O SOL	VINC.			
			₹			State	
· · · · · · · · ·		and the second					
Sec. Twp. Range							¥
ot to be held I mplied, and no reatment is pay our invoicing de	iable for any dan representations yable. There will epartment in acc	consideration hereof it is agreed that Copnage that may accrue in connection with have been relied on, as to what may be be no discount allowed subsequent to sordance with latest published price sche himself to be duly authorized to sign thi	said service the results o uch date. 6% dules.	e or treatment. C or effect of the se 6 interest will be	opeland Acid Service rvicing or treating s charged after 60 da	ce has made no repre aid well. The conside	esentation, expressed eration of said service of
	JST BE SIGNED IS COMMENCED	Well Owner o	r Operator	14. 18. 18. 18. 18. 18. 18. 18. 18. 18. 18	By	Agent	
CODE	CHANTITY					UNIT	AMOUNT
CODE	QUANTITY	^	DESCRI	PHON		COST	AMOUNT
4100		Purp chay to pl	in Sur	ilace			600°
ACCY		Holy Tracked Renta	165/_	,			58
	Same.	103-40-43 Poz	1 / Sec 2 / 2 /	11			777
11()1	Vices	That wiles	<u> 5 / 195</u>	, /e			a () (0 =
· · · · · · · · · · · · · · · · · · ·							
				·			
					· · · · · · · · · · · · · · · · · · ·		
			MANO	RECEIVE	D		
				AS CORPORATION			
				APR 29 2	010		
			cc	NSERVATION I	DIVISION		
4200	Elich	Bulk Charge 3 105/500	۷	WICHITA, H	Some de		102 50
4201	33184	Bulk Truck Miles				(265
		Process License Fee or	1 <u> </u>	(Salions		365-13
					TOTAL BILLIN	IG	12188.21
manner u	inder the dire	material has been accepted an ction, supervision and control of	d used; the the	at the above r, operator or	service was per his agent, who	formed in a good se signature appe	and workmanlike ears below.
	Representativ	o The of					
Station	0018	2-1-0x \ .		 	Well Owner, (Operator or Agent	
Remarks_			NET 30	DAYS			



FIELD ORDER № C 34607

BOX 438 • HAYSVILLE, KANSAS 67060 316-524-1225

			J10-J24-1225	DATE April	13	2010
AUTHORIZ	ZED BY:	Pereleum Mary	(NAME OF CUSTOMER)		·····	
dress		0			State	
	<i>χ</i>		·		Order No	
c. Twp.	Lease					.7
nge			_ County Butlec			
to be held li lied, and no itment is pay invoicing de The undersi	iable for any dai representations yable. There will epartment in acc	consideration hereof it is agreed that on mage that may accrue in connection we have been relied on, as to what may be no discount allowed subsequent to ordance with latest published price so himself to be duly authorized to sign	rith said service or treatment. be the results or effect of the so such date. 6% interest will b hedules.	Copeland Acid Service has servicing or treating said we e charged after 60 days. To	made no repre II. The conside	sentation, expresse ration of said service
	IS COMMENCED	Well Owne	er or Operator	By	Agent	
CODE	QUANTITY		DESCRIPTION		UNIT COST	AMOUNT
	\ \	Programme To	a off subsection		0001	600
	30 selv	(a) 40.44 Poz	g col			290 29
	92 min	- Twen Own They	k risks @3	ew/ mile		276
		1 1	<u> </u>			
			· ·			
				Kansa	RECEIVEL CORPORATION O	OMMISSIS
		Mile -			PR 29 20	10
				CONS	EPI	(0
					WICHITA, KS	ISION
					-	
	:					
		C3 ,007		· · · · · · · · · · · · · · · · · · ·		
	30sad	Bulk Charge	ma ch	η		150
	120000	Bulk Truck Miles / / >	En Male Mi			150
			on \	_Gallons [/]	1	1111
		Process License Fee		TOTAL BILLING		1. 141/10
				TOTAL BILLING		1460
I certify t	that the abov	Process License Fee e material has been accepted ection, supervision and contro	and used; that the abov	e service was perform or his agent, whose si	gnature appe	and workmanli ears below.
manner	that the abov	e material has been accepted ection, supervision and contro	and used; that the abov	e service was perform or his agent, whose si	gnature appe	and workmanl ears below.
manner	that the abov under the dir d Representati	e material has been accepted ection, supervision and contro	and used; that the abov	e service was perform or his agent, whose si	gnature appo	and workmanli ears below.
Copeland Station	that the abov under the dir d Representati	e material has been accepted ection, supervision and contro	and used; that the abov	e service was perform or his agent, whose si	gnature appo	ears below.