

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1058372

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	4028		API No. 15 - 15-059-25622-00-00
Name: Triple T Oil, LL	.c		Spot Description:
Address 1: PO Box 339			S2_S2_NW_SE_Sec32_Twp15_s. R21_
Address 2:			
City: LOUISBURG	State: KS Zip	66053 + 0339	1980 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Lori Drisi			Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 837-8	400		□ne □nw Øse □sw
CONTRACTOR: License #.	33715		County: Franklin
Name: Town Oilfield Ser			Lease Name: Beckmeyer Well #: 1-8
Wellsite Geologist: NA			Field Name: Paola-Rantoul
Purchaser:			Producing Formation: Squirrel
Designate Type of Completic			Elevation: Ground: 1023 Kelly Bushing: 0
✓ New Weti	Re-Entry [Workover	Total Depth: 818 Plug Back Total Depth: 12
Oil WSW	_	☐ slow ☐ slgw	Amount of Surface Pipe Set and Cemented at: 21 Multiple Stage Cementing Collar Used? Yes No
□ oc	☐ GSW	Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methan	e)		If Alternate II completion, cement circulated from:
Cathodic Dothe	r (Core, Expl., etc.):		feet depth to: 21 w/ 3 sx cmt
If Workover/Re-entry: Old W	/eli Info as follows:		
Operator:			Drilling Flyid Monagement Plan
Well Name:			Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date:	Original To:	al Depth:	Chloride content: 1500 ppm Fluid volume: 80 bbls
Deepening R	e-perf. Conv. to i	ENHR Conv. to SWD	Dewatering method used: Evaporated
	Conv. to	G\$W	Dewatering method dised.
Plug Back:	Plug	Back Total Depth	Location of fluid disposat if hauled offsite:
Commingled	Permit #:		Operator Name:
Dual Completion			Lease Name: License #:
SWD			Quarter Sec TwpS. R
ENHR			County: Permit #:
GSW			County Ferrini #
	/9/2011	6/13/2011	
Spud Date or Da Recompletion Date	te Reached TD	Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
✓ UIC Distribution
ALT I I II Approved by: Deans Garrison Date: (106/28/2011)

Side Two



Operator Name: Triple	T Oil, LLC			_ Lease	Name: _E	3eckmeyer		Well #:I-8			
Sec. 32 Twp.15	_s. R. <u>21</u>	✓ East			_{y:} <u>Frank</u>		<u> </u>				
INSTRUCTIONS: Show time tool open and close recovery, and flow rates line Logs surveyed. Atta	ed, flowing and shu if gas to surface te	t-in pressu st, along v	res, whether sh vith final chart(s	nut-in pres	ssure read	hed static level,	hydrostatic pressi	ures, bottom h	iole tempi	erature, fluid	
Drill Stem Tests Taken Yes No (Attach Additional Sheets)			Log Formation (Top), Dep		n (Top), Depth and	th and Datum		Sample			
Samples Sent to Geological Survey Cores Taken Electric Log Run Yes Yes Yes		_	Open		-		Тор		Datum		
		□ Ye	Yes 🗹 No								
List All E. Logs Run:											
				RECORD	_						
	Size Hole		rt all strings set-c		surface, inte	rmediate, producti Setting	on, etc. Type of	# Sacks	Type and Percent		
Purpose of String	Drilled	Set	(In O.D.)	Lbs	.ĬFt.	Depth	Cement	Used		Additives	
Surface	9	6.2500		10		21	Portland	3	50/50 POZ		
Completion	5.6250	2.8750		8		806	Portland	100	50/50 POZ		
	1		ADDITIONAL	CEMENT	ING / SOL	JEEZE RECORD	<u> </u>	<u> </u>	<u>.</u>		
Purpose:	Depth	Туре	of Cement		# Sacks Used Type and Percent Additives						
Perforate Top Bottom Protect Casing											
Plug Back TD - Plug Off Zone -											
Shots Per Foot PERFORATION RECORD - Bridge Plugs Specify Footage of Each Interval Perform					3	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Dept			Depth		
						_		-			
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:	Yes No		·		
Date of First, Resumed P	roduction, SWD or El	NHR.	Producing Meti	hod:	oing (Gas Lift 🔲 C	Other (Explain)				
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat		<u> </u>	Gas-Oil Ratio		Gravity	
DISPOSITION	N OF GAS:			METHOD (OF COMPL	ETION;		PRODUCTI	ON INTER	VAL:	
Vented Sold	Used on Lease		Open Hole	Perf.	Dually (Submit		mmingled mit ACO-4)				



LOCATION OXTAMA FOREMAN Fred Mader

Ravin 3737

FIELD TICKET & TREATMENT REPORT

DATE (O Box 884, Chanute, RS 66720 20-431-9210 or 800-487-8678 CEMENT							
	CUSTOMER#	WELL	NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY		
1/-/-	7841	Beckmoyer # 27		56 32	15	21	FR		
CUSTOMER	1011	D € CK WA	751	ALC: U.S.					
	Constru	ction		TRUCK#	DRIVER	TRUCK#	DRIVER		
MAILING ADDRESS	S			506	Fred	Safety	huy		
B ox	(339			.368	Ken	KR A	•		
CITY		STATE	ZIP CODE	₹ 2					
Louisbur		KS	6605	510	Aylen	ARM	<u> </u>		
HOLE DEPTH 800 CASING SIZE & WEIGHT									
	<i>U</i> (17		3 1/0 @ TUBING_			OTHER 3/ +	Plug		
CASING DEPTH		SLURRY VOL	WATER ga		CEMENT LEFT In				
SLURRY WEIGHT		DISPLACEMENT			RATE 48PT	хх			
DISPLACEMENT_	<u> </u>	DISPLACEMEN		1 00 0 H			sh.		
REMARKS: E.			on. Mix + P	mix Cem	1 22 (sal	5 % Sa 1st			
<u></u>			52 20/20 hor	Mix Cem	and and	14.00	2011		
<u>5*</u>	Kol Seal	ISK. Cen	neux to Sorta	ce, Flush	pumpx	10013 619			
Displace B'z" Robber alva: to Buffle in cashe w/ 4.4 BBL									
Fresh water Prassure to 750 PSI. Release pressure to sex									
floot value. Shut measing.									
	<u> </u>	-	7		·				
Rig Supplied H20									
Tos Deilling Fuel Made									
103 0411117									
ACCOUNT	QUANITY	f or UNITS	DESCRIPTION	of SERVICES or PR	ODUCT	UNIT PRICE	TOTAL		
470L		1	PUMP CHARGE			<u> </u>	97500		
54076		20	MILEAGE Truck on	lease			N/C		
5402		87	casing Foot			<u> </u>	N/C		
			Ton miles 3				3302		
5407	minim	Y-Y-Y-	,						
 			 						
						 			
	<u> </u>		 	->		 	1546		
<u></u>		483 45	50/50 Por 17	nix Cemus	<u>* </u>		1 /3 79 -		
1124			` I 🔺						
1124		349#	fremum (<u></u>			698		
1118-13		786	Francisco C	Salt			698		
1118-13		786	Granulated	5.14			100 10		
1118-13 1111		286# 740#	Granulated	5.14			6982		
1118-13		786	Granulated	5.14			100 10		
111873 1111		286# 740#	Granulated	5.14			100 10		

TOTAL TITLE_

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

7.8%

SALES TAX ESTIMATED Franklin County, KS Well: Beckmeyer I-8 Lease Owner: TTT Oil

Town Oilfield Service, Inc. (913) 837-8400

Commenced Spudding: 6/6/2011

WELL LOG

hickness of Strata	Formation	Total Depth
26	Soil/Clay	26
27	Shale	53-Brown
4	Lime	57
5	Shale	62
15	Lime	77
7	Shale	84
10	Lime	94
23	Shale/Shells	117
29	Shale	136
5	Lime .	141
19	Shale	160
21	Lime	181
76	Shale	257
22	Lime	279
24	Shale	303
8	Lime	311
20	Shale	331
4	Lime	335
34	Shale	369
21	Lime	390
9	Shale	399
24	Lime	423
2	Shale	425
6	Lime	431
2	Shale	433
4	Lime	437-Hertha
125	Shale	562
6	Sand	568-Slight Bleed
150	Shale	718
19	Sand	737-Oil, Good
10	Sand	747-Grey
71	Shale	818-TD
		
· · · · · · · · · · · · · · · · · · ·		

Franklin County, KS Well: Beckmeyer I-8 Lease Owner: TTT Oil

Town Oilfield Service, Inc. (913) 837-8400

Commenced Spudding: 6/6/2011

· ·		
		
. ,	<u> </u>	
		
		
	<u> </u>	