



KANSAS CORPORATION COMMISSION 1056912  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
June 2009  
Form Must Be Typed  
Form must be Signed  
All blanks must be Filled

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 3895  
Name: Bobcat Oilfield Services, Inc.  
Address 1: 30805 COLD WATER RD  
Address 2: \_\_\_\_\_  
City: LOUISBURG State: KS Zip: 66053 + 8108  
Contact Person: Bob Eberhart  
Phone: ( 913 ) 285-0873  
CONTRACTOR: License # 4339  
Name: Jackson, Dale E & Sue Ellen dba Dale E. Jackson Production Co.  
Wellsite Geologist: N/A  
Purchaser: High Sierra Crude Oil

Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     WSW     SWD     SIOW  
 Gas     D&A     ENHR     SIGW  
 OG     GSW     Temp. Abd.  
 CM (Coal Bed Methane)  
 Cathodic     Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to ENHR     Conv. to SWD  
 Conv. to GSW  
 Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled    Permit #: \_\_\_\_\_  
 Dual Completion    Permit #: \_\_\_\_\_  
 SWD    Permit #: \_\_\_\_\_  
 ENHR    Permit #: \_\_\_\_\_  
 GSW    Permit #: \_\_\_\_\_

<u>5/2/2011</u>	<u>5/3/2011</u>	<u>6/24/2011</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-107-24382-00-00  
Spot Description: \_\_\_\_\_  
NW SW NW SE Sec. 5 Twp. 20 S. R. 23  East  West  
1673 Feet from  North /  South Line of Section  
2641 Feet from  East /  West Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
 NE     NW     SE     SW  
County: Linn  
Lease Name: NE Baker Well #: G-9  
Field Name: LaCygne-Cadmus  
Producing Formation: Peru  
Elevation: Ground: 933 Kelly Bushing: 0  
Total Depth: 343 Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at: 20 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set: \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from: 338  
feet depth to: 0 w/ 50 sx cmt.

**Drilling Fluid Management Plan**  
(Data must be collected from the Reserve Pit)  
Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls  
Dewatering method used: \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Permit #: \_\_\_\_\_

**AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

**KCC Office Use ONLY**

Letter of Confidentiality Received  
Date: \_\_\_\_\_  
 Confidential Release Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
ALT  I  II  III Approved by: Deanna Garcia Date: 06/28/2011



1056912

Operator Name: Bobcat Oilfield Services, Inc. Lease Name: NE Baker Well #: G-9  
 Sec. 5 Twp. 20 S. R. 23  East  West County: Linn

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i>  List All E. Logs Run:  Gamma Ray/Neutron/CCL	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Peru</td> <td>266</td> <td>GL</td> </tr> </table>	Name	Top	Datum	Peru	266	GL
Name	Top	Datum					
Peru	266	GL					

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface casing	8.75	6.25	8	20	Portland	5	
Production casing	5.625	2.875	6	338	Portland/Fly Ast	50	60/40 Poz Mix

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	-			
	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
4	279-289	Acid 500 gal 7.5% HCL	
4	293-299		

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or ENHR. _____		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--

Lease:	NORTH EAST BAKER	
Owner:	BOBCAT OILFIELD SERVICES INC.	
OPR #:	3895	
Contractor:	DALE JACKSON PRODUCTION CO.	
OPR #:	4339	
Surface:	Cemented:	Hole Size:
20FT, 6IN	5 SACKS	8 3/4
Longstring	Cemented:	Hole Size:
338' 2 7/8 8RD	50	5 5/8

Dale Jackson Production Co.  
Box 266, Mound City, Ks 66056  
Cell # 620-363-2683  
Office # 913-795-2991

Well #: G-9 NW
Location: W2, SW, NW, SE, S5, T20, SR23, E
County: LINN
FSL: 1,650-1673
FEL: 2,630-2641
API#: 15-107-24382-00-00
Started: 5-2-11
Completed: 5-3-11

SN: NONE	Packer:
Plugged:	Bottom Plug:

TD: 343

### Well Log

TKN	BTM Depth	Formation	TKN	BTM Depth	Formation
1	1	TOPSOIL			
24	25	LIME			
4	29	SHALE			
2	31	BLACKSHALE			
18	49	LIME			
5	54	SHALE			
1	55	BLACKSHALE			
4	59	LIME			
4	63	SHALE			
5	68	LIME			
1	69	BLACKSHALE			
4	73	SHALE (FLOW)			
7	80	SHALE (LIMEY)			
31	111	SHALE			
10	121	SANDY SHALE (DRY SAND)			
92	213	SHALE			
1	214	BLACKSHALE			
12	226	SHALE			
8	234	LIME			
19	253	SHALE			
10	263	LIME (ODOR)			
1	264	SHALE			
1.5	265.5	SANDY SHALE (OIL SAND STK)			
3	268.5	OIL SAND (SHALEY) (LIMEY) (POOR BLEED) (WATER)			
8.5	277	OIL SAND (POOR BLEED) (WATER) (VERY LITTLE OIL)			
1.5	278.5	OIL SAND (OIL & WATER) (GOOD BLEED)			
4.5	283	OIL SAND (GOOD BLEED) (SOME SHALE)			
1	284	SANDY SHALE (SOME OIL SAND STEAKS) (POOR BLEED)			
1.5	285.5	OIL SAND (GOOD BLEED) (SOME SHALE)			
1.5	287	SANDY SHALE (SOME OIL SAND STEAKS) (POOR BLEED)			
1.5	288.5	OIL SAND (GOOD BLEED) (SOME SHALE)			
1	289.5	OIL SAND (SHALEY) (GOOD BLEED)			
2	291.5	SANDY SHALE (SOME OIL SAND STEAKS) (POOR BLEED)			
7.5	294	OIL SAND (SOME SHALE) (GOOD BLEED)			
12	311	SHALE			
2	313	COAL			
6	319	SHALE			
11	330	LIME			
8	338	SHALE			
TD	343	LIME (ODOR)			

SURFACE: 5-2-11  
SET TIME: 4:00 P.M. -JUDY  
CALLED: 12:00 P.M.

LONGSTRING: 338' 2 7/8 8RD PIPE  
TD: 343'  
SET TIME: 2:00 P.M. 5-3-11  
CALLED: 11:15 A.M. -JUDY



Dale Jackson Production Co.  
 Box 266, Mound City, Ks 66056  
 Cell # 620-363-2683  
 Office # 913-795-2991

Well #: G-9 NW
Location: W2, SW, NW, SE, S5, T20, SR23, E
County: LINN
FSL: 3,650 11673
FEL: 3,630 2641
API#: 15-107-24382-00-00
Started: 5-2-11
Completed: 5-3-11

Lease :	NORTH EAST BAKER
Owner:	BOBCAT OILFIELD SERVICES INC.
OPR #:	3895
Contractor:	DALE JACKSON PRODUCTION CO.
OPR #:	4339

# Core Run #1

FT	Depth	Clock	Time	Formation/Remarks	Depth
0	272				
1	273		1.5		
2	274		2	OIL SAND ("WATER") (VERY LITTLE OIL)	
3	275		1.5		
4	276		1		277
5	277		2.5	OIL SAND (WATER & OIL) (GOOD BLEED)	278
6	278		1.5		
7	279		1.5		
8	280			OIL SAND (GOOD BLEED) (SOME SHALE)	
9	281				
10	282		1.5		283
11	283		1.5	SANDY SHALE (SOME OIL SAND STREAKS) (POOR BLEED)	284
12	284		1.5	OIL SAND (GOOD BLEED) (SOME SHALE)	
13	285		3		285.5
14	286		2.5	SANDY SHALE (SOME OIL SAND STREAKS) (POOR BLEED)	
15	287		1	OIL SAND (GOOD BLEED) (SOME SHALE)	287
16	288		5		288.5
17	289		1.5	OIL SAND (SHALEY) (GOOD BLEED)	289.5
18	290		2.5	SANDY SHALE (SOME OIL SAND STREAKS) (POOR BLEED)	
19	291		3.5		291.5
20	292		5	OIL SAND SOME SHALE (GOOD BLEED)	

**Avery Lumber**  
 P.O. BOX 68  
 MOUND CITY, KS 66056  
 (913) 795-2210 FAX (913) 795-2194

Merchant Copy  
**INVOICE**  
 THIS COPY MUST REMAIN AT  
 MERCHANT AT ALL TIMES!

Page: 1	Invoice: 10030661
Special :	Time: 10:18:53
Instructions :	Ship Date: 05/02/11
	Invoice Date: 05/08/11
Sale rep #: SCOLEMAN STEVE	Acct rep code:
	Due Date: 06/05/11
Sold To: BOBCAT OILFIELD SRVC, INC C/O BOB EBERHART 30805 COLDWATER RD LOUISBURG, KS 66053	Ship To: BOBCAT OILFIELD SRVC, INC (913) 837-2823 (913) 837-2823
Customer #: 3570021	Customer PO: Order By:

ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
280.00	280.00	L	BAG	CPPC	PORTLAND CEMENT	8.2900 BAG	8.2900	2321.20
240.00	240.00	L	BAG	CPPM	POST SET FLY ASH 75#	5.1000 BAG	5.1000	1224.00
14.00	14.00	L	EA	CPQP	QUIKRETE PALLETS	17.0000 EA	17.0000	238.00
DIRECT DELIVERY ORDERED BY TERRY FRIDAY THE 6TH, 1ST THING								

*OK Rtz  
 NE Baker  
 6-9  
 5-3-11*

**INVOICE**

FILLED BY	CHECKED BY	DATE SHIPPED	DRIVER	Sales total	\$3783.20
SHIP VIA LINN COUNTY				Taxable	3783.20
RECEIVED COMPLETE AND IN GOOD CONDITION				Non-taxable	0.00
X				Sales tax	238.34
				<b>TOTAL</b>	<b>\$4021.54</b>

1 - Merchant Copy

