

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1057168

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #3	895		APi No. 15 - 15-107-24362-00-00	
Name: Bobcat Oilfield			Spot Description:	
Address 1: 30805 COLD V	VATER RD		NE_NW_NE_SE_Sec. 5 Twp. 20 S. R. 23 F East	West
Address 2:			2333 Feet from North / South Line of S	ection
City: LOUISBURG	State: KS Zip	66053 + 8108	702 Feet from ▼ East / West Line of So	ection
Contact Person: Bob Eber	hart		Footages Calculated from Nearest Outside Section Corner:	
Phone: (913) 285-08	373		□ne □nw Øse □sw	
CONTRACTOR: License #_	4339		County: Linn	
Name: Jackson, Dale E &	Sue Ellen dba Dale E	. Jackson Production Co.	Lease Name: NE Baker Well #: C-15	
Wellsite Geologist; N/A	<u> </u>		Field Name: LaCygne-Cadmus	
Purchaser: High Sierra Cr	ude Oil		Producing Formation: Peru	
Designate Type of Completic	ın:		Elevation: Ground: 884 Kelly Bushing: 0	
✓ New Well	Re-Entry	Workover	Total Depth: 323 Plug Back Total Depth:	
□ oii □ wsw		 □ slow	Amount of Surface Pipe Set and Cemented at: 20	
☐ Gas ☐ D&A	☑ SND	☐ siGw	Multiple Stage Cementing Collar Used? Yes No	
□ oG	☐ GSW	Temp. Abd.	If yes, show depth set:	Feet
CM (Coal Bed Methane			If Alternate II completion, cement circulated from: 316	
Cathodic Other	(Core, Expl., etc.):		feet depth to: 0 w/ 50	ex cmt
If Workover/Re-entry: Old W	'ell Info as follows:		Total Copul (c).	,x
Operator:				
Well Name:			Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)	
Original Comp. Date:	Original To	tal Depth:	Chloride content:ppm Fluid volume:	<b>LL1</b> _
Deepening R	e-perf. Conv. to	ENHR Conv. to SWD	The state of the s	
	Conv. to	GSW	Dewatering method used:	
Plug Back:	Plug	g Back Total Depth	Location of fluid disposal if hauled offsite:	
☐ Commingled	Permit #:	<u>.</u>	Operator Name:	
Dual Completion	Permit #:	<del></del>	Lease Name: License #:	
SWD	Permit #:			
☐ ENHR	Permit #:	····	Quarter Sec TwpS. R East	] Wes
☐ GSW	Permit #:		County: Permit #:	
·5/10/2011 5/	12/2011	6/24/2011		
Spud Date or Date	te Reached TD	Completion Date or Recompletion Date	<u> </u>	

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY					
Letter of Confidentiality Received					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
☑ UIC Distribution					
ALT I I II III Approved by: Deserte Garrior Date: 06/28/2011					

\$ide Two



Operator Name: Bobo	Lease I	Name: _	NE Baker		Well #:C-	15			
Sec. 5 Twp.20 S. R. 23									
time tool open and clos	ed, flowing and shu s if gas to surface te	d base of formations pen t-in pressures, whether s st, along with final chart( well site report.	hut-in press	sure read	ched static level,	hydrostatic pressu	ıres, bottom f	nole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional St	heets)	Yes 📝 No		<b>⊘</b> L		n (Top), Depth and			Sample
Samples Sent to Geolo	gical Survey	Yes No		Nam Peru	е	2	Тор 252	C Gl	Datum L
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	✓ Yes No ✓ Yes No ✓ Yes No								
List All E. Logs Run:									
Gamma Ray/Neutror	VCCL								
	• • •		RECORD	Ne	_				
Purpose of String	Size Hole Drilled	Report all strings set- Size Casing Set (In O.D.)	Wels	ght	Setting Depth	Type of Cement	# Sacks Used		and Percent
Surface casing	8.75	6.25	8		20	Portland	5		
Production casing	5.625	2.875	6	-	316	Portland/Fly Ash	50	60/40 F	Poz Mix
	<del>,                                      </del>	ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD		<del></del>		
Purpose:  —— Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Percent Additives				
Protect Casing Plug Back TD Plug Off Zone	-						•		
Fidg On 20:16	-		<u> </u>		<u> </u>				
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Per				cture, Shot, Cement nount and Kind of Mat		rd	Depth
4	252-262			Acid 500 gal 7.5% HCL					
							<u></u>	-	
			<u>.</u>	<u>.</u>					
TUBING RECORD:	Size:	Set At:	Packer A	ıt:	Liner Run:	Yes No			
Date of First, Resumed F	Production, SWD or EN	IHR. Producing Met	hod:	ıg 🗆	Gas Lift 0	ther (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wat		• • •	as-Oil Ratio		Gravity
DISPOSITIO	DISPOSITION OF GAS:  METHOD OF COMPLETION:  PRODUCTION INTERVAL:  Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled								
(If vented, Subr	Used on Lease			(Submit		nit ACO-4)			

Lease:	NORTH EAST	BAKER
Owner:	BOBCAT OIL	FIE DAERVICES
OPR#:	3895	18. CO NO.
Contractor	DALE JACKS	ON PRODUCTION CO.
OPR#:	4339	1000
Surface: 20FT, 6IN	Cemented: 5 SACKS	Hole Size: 8 3/4
Longstring 316' 27/8 8RD	Cemented: 50	Hole Size: 5 5/8

Dale Jackson Production Co. Box 266, Mound City, Ks 66056 ( Cell # 620-363-2683 Office # 913-795-2991

Well #: C-15 Arar	
Location: N2-N2,NE-SE-S5-T20-R2	3E
County: LINN	
FSL: 2325 ,2333	
FEL 560 702	
API#: 15-107-24362-00-00	
Started: 5-10-11	
Completed: 5-12-11	
TD: 323'	

Well Log

SN: NONE Packer:
Plugged: Bottom Plug:

TKN	BTM Depth	Formation	TION	BTM Depth	Formation
2	2 0	TOP SOIL			
8	10	CIAY	· ·		
16	25	UME	<b>—</b>		
2	28	SHALE		<del> </del>	
3	31	BLACK SHALE			SURFACE 5-6-11
14	45	UME			SET TIME 4:30P.M. BECKY
1	46	BLACK SHALE			CALLED 12:30P.M.
20	56	SHALE (LIMEY)		<del></del>	<del>"                                    </del>
32	88	SHALE			LONGSTRING 338' 2 7/8 BRD PIPE TD 343'
27	115	SANDY SHALE			SET TIME 1:30P.M. 5-9-11 MIKE
83	198	SHALE	<del>                                     </del>		CALLED 12:30P.M.
1	199	BLACK SHALE			<del></del>
5	204	SHALE			
7	211	LIME			
22	233	SHALE		<del>                                     </del>	
13	246	LIME (OIL SHALE)	<del>                                     </del>		
4	250	SHALE (LIMEY)	_		<del></del>
1	251	SANDY SHALE (OIL SAND STRK)	<u> </u>		
1	252	OIL SAND (SHALEY )(GOOD BLEED)		<del>                                     </del>	
6	258.5	OIL SAND SOME SHALE (GOOD BLEED)			
6.5	264.5	SANDY SHALE (SOME OIL AND STREAKS)(POOR BLEED)			
2	266.5	OIL SAND (VERY SHALEY) (FAIR BLEED)	<del>                                     </del>		
8.5	275	SANDY SHALE (SOME OIL SAND STREAKS ) (POOR BLEED)			
13	288	SHALE			
1	289	COAL			
7	296	SHALE		l	
12	308	LIME		<del> </del>	
8	316	SHALE			
TO	323	UMES		İ	
	-				
		- · · · · · · · · · · · · · · · · · · ·			
		<del></del>	<u> </u>		,
	-				
				ľ	
				`	· · · · · · · · · · · · · · · · · · ·





### Dale Jackson Production Co. Box 266, Mound City, Ks 66056 Cell # 620-363-2683 Office # 913-795-2991

lease :	NORTH EAST BAKER	]
Owner:	BOBCAT OILFIELD SERVICES INC.	†
OPR #:	3895	Core R
Contractor:	DALE JACKSON PRODUCTION CO.	1
Ann A.	4330	1

 $\subset$ 

Well #: C-1	5.WW
Location: A	12,N2,NE-SE-SS-T20-R231
County: LI	VN .
FSL: - <del>232</del> 5	2333
FEL: <del>660</del>	762
ADI#: 15.1	07-24362-00-00

# łun <u>#1</u> sta

ocation: <del>N2,N2</del> ,NE-SE-SS-720-R23E	
ounty: LINN	
St. <del>2325</del> ,2333	
EL: <b>660</b> 70ス	
PH: 15-107-24362-00-00	
tarted5-10-11	
ompleted: 5-12-11	
<u> </u>	

FT	Depth	Clock	Time	Formation/Remarks	Depth
0	251			OIL SAND (SHALEY )(GOOD BLEED)	
					252
1	252		1		
2	253		1	OIL SAND (SOME SHALE) (GOOD BLEED)	258
3	254		1		
4	255		1		
5	256		1		
6	257	<u> </u>	2		
7	258		1.5		
<del>'</del>	136		1.3		
8	259	ļ <u> </u>	3	SANDY SHALE (SOME OIL SAND STREAKS) (POOR BLEED)	264.5
9	260		1.5	,,	
10	261		1.5		[
10	261		1.5		ļ
11	262		1		
12	263		1.5		l
<del>  **</del>	1 203	<del> </del>	1.5		
13	264				
14	265	ļ	2		<del>                                     </del>
	1 200		2	OIL SAND (VERY SHALEY )(FAIR BLEED)	266.5
15	266		2.5		]
16	267		4		
				SANDY SHALE (SOME OIL SAND STREAKS )(POOR BLEED)	ĺ
17	268		3.5	2 SWAD SWATE COME OF 20AD 21 KEWS (LOOK PETER)	
1.8	269		4		
19	270	<del> </del>	5		
				j '	
20	271				
$\vdash$	+		<del>                                     </del>		
_	1				

Avery Lumber P.O. BOX 66 MOUND CITY, KS 66056 (913) 795-2210 FAX (913) 795-2194

Merchant Copy INVOICE THIS COPY MUST REMAIN AT MERCHANT AT ALL TIMES!

TOTAL

Customer #: 3570021	Customer PO:	~	der Sur	
LOUISBURG, KS 86053	(913) 837-2	123		
C/O BOB EBERHART 30805 COLDWATER RD	(913) 837-21	28		
SOUTO: BOBCAT OILFIELD SRVC	•	Ta: BOBCAT GILFU	eld savclinc	
Sale rap 4: SCOLEMAN STEVE		Acct rep code:	Due Date:	06/05/11
:			bwolce Date	: 05/08/11
Instructions :			Ship Date:	05/02/11
Special :			Time:	10:18:53
Page: 1			Invoice: 10	030661

EXTENSION ITEM# ORDER SHIP L UM DESCRIPTION Alt Price/Uom PRICE 280.00 280.00 BAG CPPC PORTLAND CEMENT 8,2900 pus 8.2900 2321.20 1224.00 240.00 240.00 L BAG CPPM POST SET FLY ASH 75# 5.1000 Mg 5.1000 238.00 CPOP 17,0000 14.00 14.00 L EΑ **QUIKRETE PALLETS** 17.0000 EA DIRECT DELIVERY ORDERED BY TERRY FRIDAY THE 6TH, 1ST THING DATE SHIPPED \$3789.20 FILLED BY CHECKED BY Sales total SHIP VIA LININ COUNTY RECEIVED COMPLETE AND BY GOOD CONCITION 3783.20 Taxable 0.00 Sales tax Non-texable 238.34 X Tex# \$4021.54

1 - Merchant Copy

 $\bigcirc$ 

