

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1054628

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #_	3895		API No. 15
	eld Services, Inc.		Spot Description:
Address 1: 30805 COL	D WATER RD		NE_SW_NW_SE_Sec. 5 Twp. 20 S. R. 23 F East Wes
Address 2:			
City: LOUISBURG	State: KS z	ip: 66053 + 8108 _	
Contact Person: Bob E			Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 285	-0873		□ NE □ NW ☑ SE □ SW
CONTRACTOR: License	#_4339		County: Linn
		E. Jackson Production Co.	Lease Name: NE Baker Well #: G-10
Wellsite Geologist: N/A			Field Name: LaCygne-Cadmus
Purchaser: High Sierra			Producing Formation: Peru
Designate Type of Comple		_	Elevation: Ground: 942 Kelly Bushing: 0
New Well	Re-Entry	Workover	Total Depth: 340 Plug Back Total Depth:
	<u> </u>	□ slow	Amount of Surface Pipe Set and Cemented at: 20 Fee
Gas D8	_	☐ sigw	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
og	☐ GSW	Temp. Abd.	If yes, show depth set:Fee
CM (Coal Bed Meth	ane)		If Alternate II completion, cement circulated from: 335
Cathodic Ot	her (Core, Expl., etc.):		feet depth to: 0 w/ 50 sx cm
If Workover/Re-entry: Ok	Well Info as follows:		100. GOPH 101
Operator:			Belling Sheld Manager A She
Well Name:			Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date:	Original 1	Total Depth:	Chloride content: ppm Fluid volume: bb
Deepening	Re-perf. Conv. t	o ENHR Conv. to SWD	Dewatering method used:
	Conv. t		Dewatering method dised.
Plug Back:	Pi	=	Location of fluid disposal if hauled offsite:
Commingled	Permit #:	 _	Operator Name:
Dual Completion	Permit #:		Lease Name: License #:
SWD	Permit #:		
■ ENHR	Permit #:		QuarterSecTwpS. R East We
GSW	Permit #:		County: Permit #:
3/18/2011	3/21/2011	6/24/2011	
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
☑ Wireline Log Received
Geologist Report Received
☑ UIC Distribution
ALT I I III Approved by: Dearns Garrison Date: 06/27/2011

Side Two

1054628

Operator Name: Bot	Lease Name: NE Baker Well #: G-10			10					
Sec. 5 Twp.20	S. R. <u>23</u>	✓ East	County: Linn)		· · · -			
time tool open and clo	sed, flowing and shu es if gas to surface te	nd base of formations pen ut-in pressures, whether s est, along with final chart(s I well site report.	hut-in pressure rea	ached static level,	hydrostatic pressu	ures, bottom h	note temperature, fluid		
Drill Stem Tests Taken Yes I No Log Formation (Top), Depth and Datum Sample (Attach Additional Sheets)									
Samples Sent to Geol	logical Survey	Yes 📝 No	Nar Peru	ne	,	Тор 272	Datum GL		
Cores Taken		☑ Yes ☐ No	10.0		•				
Electric Log Run Electric Log Submitted (If no, Submit Copy									
List All E. Logs Run:									
Gamma Ray/Neutro	on/CCL								
			RECORD N						
Purpose of String	Size Hole	Report all strings set-	Weight	Setting	Type of	# Sacks	Type and Percent		
Surface casing	8.75	Set (In O.D.) 6.25	Lbs. / Ft.	Depth 20	Portland	Used 5	Additives		
Production casing	5.625	2.875	6	335	Portland/Fly Ash	50	60/40 Poz Mix		
	0.020					, 7.50 00/40 F 02 IVII.			
		ADDITIONAL	. CEMENTING / SC	UEEZE RECORD	<u> </u>	L	<u> </u>		
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives					
Protect Casing Plug Back TD	-								
Plug Off Zone	-		ļ		_				
Shots Per Foot	Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Dep								
3	279-283 & 284-2	94		Acid 500 gal 7.5% HCL					
4	295-298								
3	300-304								
TUBING RECORD: Size: Set At: Packer At: Liner Run:									
Date of First, Resumed Production, SWD or ENHR. Producing Method: Flowing Pumping Gas Lift Other (Explain)									
Estimated Production Per 24 Hours	Oil	Bbis. Gas	Mcf Wa	ater · B	bls. G	as-Oil Ratio	Gravity		
DISPOSITIO	ON OF GAS:		METHOD OF COMPI	ETION:		PRODUCTION	ON INTERVAL:		
Vented Sold		Open Hole			mmingled mit ACO-4)				

Lease:	NORTH EAST BAKER				
Owner:	BOBCAT OILFIELD SERVICES INC.				
OPR#:	3895	7 7 7			
Contractor:	DALE JACKS	ON PRODUCTION CO.			
OPR#:	4339				
Surface: 20FT, GIN	Cemented: 5 SACKS	Hole Size: 8 3/4			
Longstring 335' 2 7/8 HYDRILL	Cemented: 50	Hole Size: 5 5/8			

Box 266, Mound City, Ks 66056 Cell # 620-363-2683 Office # 913-795-2991

Dale Jackson Production Co.

	/ell 4 ; G-1 0
u	ocation! SW,NW,SE,S5,T20,SR23,E
Ţ.	ounty: LINN
	51:1,650 /687
F	L: 2310 2315
A	PI#: 15-107-24383-00-00
SI	tarted: 3-18-11
C	ompleted: 3-21-11
Т	TD: 340'

Well Log

SN: NONE Packer:
Plugged: Bottom Plug:

TICN	BTM Depth	Formation	TKN	BTM Depth	Formation
1	1	TOPSOIL	1	i vepui	
27	28	UME	 	 	1
5	33	SHALE	┪		SURFACE: 3-18-11 -ALAN
4	37	BLACKSHALE	-	┝	SET TIME: 3:30 P.M.
70	57	UME	† 	 	CALLED: 12:30 P.M.
4	61	BLACKSHALE	┪		
13	74	LIME BLACKSHALE (GAS)(FLOW)	 	 	1
1	75	BLACKSHALE (GAS)(FLOW	+	 	LONGSTRING: 335' 2 7/8 HYDRILL
10	85	SHALE (LIMEY) - (GAS) (FLOW)	+-	 	TD: 340'
33	118	SHALE	 	-	SET TIME: 2:00 P.M. 3-21-11-JUDY
14	132	SANDY SHALE (DRY SAND)	+-	 	CALLED: 12:30 P.M.
1	226	BLACKSHALE	┪	 	CALLED: 12:50 P.M.
6	232	SHALE	+-		†
7	239	LIME	1		i
70	259	SHALE	1	 	
11	270	LIME	1-	 	
1.5	271.5	SANDY SHALE			
3.5	275	OIL SAND (SHALEY) (POOR BLEED) (WATER)	1		
3	278	OIL SAND (SHALEY)(POOR BLEED)(WATER)	1		
6	284	OIL SAND (FAIR BLEED)(SOME WATER)			
4.5	288.5	OIL SAND (SOME SHALE)(GOOD BLEED)	1		
5	284	LIME	1		
3	Z92	OIL SAND (HEAVY BLEED)(SOME SHALE)	1		"
1.5	293.5	OIL SAND (SHALEY)(GOOD BLEED)	1		
1.5	295	SANDY SHALE (SOME OIL SAND STREAKS)(POOR BLEED)			
3.5	298.5	OIL SAND (SHALEY)(GOOD BLEED)	\top		<u> </u>
1.5	300	SANDY SHALE (SOME OIL SAND STEAKS) (POOR BLEED)		i	
1	301	OIL SAND (SHALEY)(GOOD BLEED)	1		
3	309	OIL SAND (SOME SHALE) (GOOD BLEED)	\top	i —	
1	305	DRY SAND (ODOR)			
14	319	SHALE	1		
2	321	COAL	T		
3	324	SHALE			
10	334	LIME	1		
TD	340	SHALE			
	 		+	 	ļ
	ļ	_	┥—	 	<u> </u>
	<u> </u>		 	 	
		 	┿	 	
			+	<u> </u>	ļ
	<u> </u>			<u> </u>	<u> </u>





Dale Jackson Production Co.

Box 266, Mound City, Ks 66056

Cell # 620-363-2683

Office # 913-795-2991

Lease :	NORTH EAST BAKER
Owner:	BOBCAT OILFIELD SERVICES INC.
OPR#:	3895
Contractor:	DALE JACKSON PRODUCTION CO.
OPR#:	4339

Core Run #1

Well #: G-10
Location: SW,NW,SE,S5,T20,SR23,E
County: LINN
FSL: 1,650- 1087
FEL: 2,310 ,23/5
API#: 15-107-24383-00-00
Started: 3-18-11
Completed: 3-21-11

FT	Depth	Clock	Time	Formation/Remarks	Depth
0	280				
1	281		.5		
<u> </u>		<u> </u>		OIL SAND (OIL & WATER) (FAIR BLEED)	
2	282	├──	1		
3	283	 	1		
<u> </u>	1				284
4	284		1		
5	285	!	1		1
6	286	ļ———	1.5		[
-	1200	! 		OIL SAND (SOME SHALE) (GOOD BLEED)	
7	287	 	1		
8	288		1		288.5
				UME	289
9	289	ļ	2		
10	290	 	1.5		
	 ~~			OIL SAND (HEAVY BLEED) (SOME SHALE)	
11	291		1.5		
	T			<u> </u>	292
12	292		1		
45			<u> </u>	OIL SAND (SHALEY)(GOOD BLEED)	293.5
13	293		2		1
14	294	! -	1.5	SANDY SHALE (SOME OIL SAND STEAKS) (POOR BLEED)	j
-	1	i			295
15	295		2		
				OIL SAND (SHALEY) (GOOD BLEED)	
16	296		1.5	or sure lance perrol	
17	297	· · · · · ·	1.5		
	 	 	 		
18	298		1.5		298.5
19	299		2.5	SANDY SHALE (SOME OIL SAND STREAKS)(POOR BLEED)	
			 	and the second second second second	1
20	300		2.5	OIL SAND (SHALEY)(GOOD BLEED)	
-	┼	 	5	or sure factors freeze	
\vdash	 	 -	 		
Щ.				1	

Avery Lumber
P.O. BOX 68
MOUND CITY, KB 66056
[913] 795-2210 FAX [913] 795-2194

Customer Copy INVOICE PLEASE REFER TO INVOICE NUMBER ON ALL CORRESPONDENCE

Invoice: 10029149 Page: 1 Special 03/17/11 Instituctions Ship Date: Invoice Date: 03/21/11 Sale rep #: MAVERY MIKE Oue Osts: 04/05/11 Acct mp code: Sold To: BOBCAT OILFIELD SRVC,INC Ship To: BOBCAT GILFIELD SRVC,INC C/O BOB EBERHART (913) 837-2823 30805 COLDWATER RD LOUISBURG, KS 68053 (913) 837-2829 Outtomer #: 3570021 Customar PO: Order By:TERRY

poptag01 ORDER SHIP L UM Alt Price/Usm PRICE EXTENSION TEM# DESCRIPTION 315.00 L BAG 2516.85 315.00 CPPC PORTLAND CEMENT 7.9900 Mg 7.9900 200.00 L BAC 14.00 L EA 200.00 BAG CPPM POST SET FLY ASH 75# 5.1000 ava 5.1000 1020.00 CPQP QUIKRETE PALLETS 17.0000 238.00 14.00 17.0000 EA NE BOYER DIRECT DELIVERY - 3.21 DEDELES BY TERRY 913 - 837 4155 77 FILLED BY CHECKED BY DATE SHIPPED DANEA \$3774.85 Sales total SHIP VIA LINN COUNTY RECEIVED COMPLETE AND IN GOOD CONDITION 9774.85 Yaxabis 0.00 Sales tax Non-taxable 237.82 Taxe \$4012.67 TOTAL

2 - Customer Copy

ांसर्थ सर्वे कर्न कर्न क्षेत्र क्षेत्र होता हैता वैसर्वे का वैसर्वे कर्न के अर्