

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1054432

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #_	3895		API No. 15 - 15-107-24372-00-00
	eld Services, Inc.		Spot Description:
Address 1: 30805 COLI	WATER RD		SE_NW_NW_SE_Sec. 5 Twp. 20 S. R. 23 V East West
Address 2:			2016 Feet from ☐ North / ☑ South Line of Section
City: LOUISBURG		66053 + 8108	1992 Feet from ☑ East / ☐ West Line of Section
Contact Person: Bob El	perhart		Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 285	-0873		□NE □NW Øse □sw
CONTRACTOR: License	#_4339		County: Linn
Name:Jackson, Dale E	& Sue Ellen dba Dale E.	Jackson Production Co.	Lease Name: NE Baker Well #: E-11
Wellsite Geologist: N/A			Field Name: LaCygne-Cadmus
Purchaser: High Sierra	Crude Oil		Producing Formation: Peru
Designate Type of Comple	etion:		Elevation: Ground: 924 Kelly Bushing: 0
New Well	Re-Entry	Workover	Total Depth: 343 Plug Back Total Depth:
Oii ws	sw □ swd	_ slow	Amount of Surface Pipe Set and Cemented at: 20 Feet
Gas D8	A 📝 ENHR	☐ sigw	Multiple Stage Cementing Collar Used? Yes 🕡 No
☐ og	☐ GSW	Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Meth	ane)		If Alternate II completion, cement circulated from: 340
Cathodic Ot	her (Core, Expl., etc.):		feet depth to: 0 w/ 50 sx cmt
If Workover/Re-entry: Old	l Well Info as follows:		
Operator:			Dallian Flyid Managaran Plan
Well Name:			Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date:	Original Tota	el Depth:	Chlorida acatacti anno Elvida alluma
Deepening	Re-perf. Conv. to E	NHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls
	Conv. to	GSW	Dewatering method used:
Plug Back:	Plug	Back Total Depth	Location of fluid disposal if hauled offsite:
☐ Commingled	Permit #:		Operator Name:
Dual Completion	Permit #:		Lease Name: License #:
SWD	Permit #:		Quarter Sec TwpS. R East _ Wes
ENHR	Permit #:		-
☐ GSW	Permit #:		County: Permit #:
4/12/2011	4/12/2011	6/24/2011	
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Letter of Confidentiality Received				
Date:				
Confidential Release Date:				
✓ Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I I III Approved by: December Date: 06/24/2011				

Side Two



Operator Name: Bobo	cat Oilfield Servi	<u>ces, Inc.</u>		Lease	Name: _	NE Baker		Well #:E-	11	
Sec. 5 Twp. 20	s. r. <u>23</u>	✓ East		County	_{/:} <u>Linn</u>		 			·
INSTRUCTIONS: Shortime tool open and clos recovery, and flow rates line Logs surveyed. Att	ed, flowing and shu if gas to surface to	t-in pressu st, along v	ires, whether st vith final chart(s	hut-in pres	sure read	ched static level,	hydrostatic pressi	ures, bottom l	nole temp	erature, fluid
Drill Stem Tests Taken					✓ Log Formation (Top), Depth and Datum Sam			•		
Samples Sent to Geolo	gical Survey	Ye	es 🗸 No		Nam Peru	ө	2	Тор 271	G	Datum L
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no. Submit Copy)		✓ Ye	✓ Yes ☐ No ✓ Yes ☐ No ✓ Yes ☐ No							
List All E. Logs Run:										
Gamma Ray/Neutron	/CCL									
			CASING	RECORD		w / Used	·			
				T		ermediate, producti	, 		1	
Purpose of String	Size Hole Drilled		e Casing (In O.D.)		ight /Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent additives
Surface casing	8.75	6.25	·····	8		20	Portland	5	<u> </u>	
Production casing	5.625	2.875		6	<u> </u>	340	Portland/Fly Ash	50	60/40	Poz Mix
	<u> </u>		ADDITIONAL	CEMENT	ING / SOL	JEEZE RECORD		l	<u> </u>	
Purpose:	Depth Top Bottom	Type of Cement			# Sacks Used Type and Percent Additives			3		
Protect Casing Plug Back TO Plug Off Zone	-						<u>.</u>			
	-	ļ		<u> </u>						.
Shots Per Foot			ID - Bridge Plug Each Interval Per				cture, Shot, Cement mount and Kind of Ma		rd	Depth
3	270-288					Acid 500 gal	7.5% HCL			
4	289-292									
4	295-299									
			-						_	
TUBING RECORD:	Size:	Set At:		Packer /	At:	Liner Run:	Yes No			
Date of First, Resumed F	Production, SWD or EN	IHR.	Producing Meti	hod: Pumpi	ng . 🔲	Gas Lift 🔲 C	other (Explain)	-		
Estimated Production Per 24 Hours	Off	Bbls.	Gas	Mcf	Wat	er Bl	bls. G	as-Oil Ratio		Gravity
DISPOSITIO	N OF GAS:		A	METHOD O	F COMPLI	ETION:		PRODUCTI	ON INTER	VAL:
Vented Sold	Used on Lease			Perf.	Dually	Comp. Con	nmingled			
(If vented, Subr	mit ACO-18.)		Other (Specify)		(Submit	MCC-D) (Subi	nit ACO-4)			

Lease:	NORTH EAST BAKER				
Owner:	BOBCAT OIL	FIELD SERVICES INC.			
OPR#:	3895	T			
Contractor:	DALE JACKS	ON PRODUCTION CO.			
OPR#:	4339	160 700			
Surface: 20FT, 6IN	Cemented: 5 SACKS	Hole Size: B 3/4			
Longstring 340 2 7/8 8RD	Cemented: 50	Hole Size: 5 5/8			

Dale Jackson Production Co. Box 266, Mound City, Ks 66056 Cell # 620-363-2683 Office # 913-795-2991

ſ	Well #: E-11 SE AW
T	Location: S2,NZ,NW,SE,SS,T20,SR23,E
Ţ	County: LINN
ľ	FSL: 2025 2016
Ì	FEL: 4,980 1992
I	API#: 15-107-24372-00-00
Γ	Started: 4-12-11
ľ	Completed: 4-12-11
_	TD: 343'

Well Log

SN: NONE Packer:
Plugged: Bottom Plug:

TKN	BTM Depth	Formation	TKN	BTM Depth	Formation
1	1	TOPSOIL			
22	23	UME	1.		1
3	26	SHALE	1		i
4	30	BLACKSHALE			SURFACE: 4-11-11-JUDY
18	48	LIME			SET TIME: 3:00 P.M.
2	50	SHALE			CALLED: 10:45 AM.
1	51	BLACKSHALE	1		CALLED. 10.45 AMI,
14	65	LIME			
1	66	BLACKSHALE			LONGSTRING: 340' 2 7/8 8 RD PIPE
10	76	SHALE (LIMEY)	Ī		TD: 343'
32	108	SHALE	1		CALLED: 3:00 P.M.
12	120	SANDY SHALE (DRY SAND)			GALLES. 5.50 1
96	216	SHALE			
1	217	BLACKSHALE			1
10	227	SHALE			
6	233	LIME			
5	238	SHALE			
2	240	REO BED	1		
14	254	SHALE			
12	266	LIME (ODOR)			
2	268	SANDY SHALE			
2	270	SANDY (SHALE) (OIL SAND 5TK) (FAIR BLEED)	Ì		
2	272	OIL SAND (SOME SHALE) (GOOD BLEED)			= · · · · · · · · · · · · · · · · · · ·
.5	272.5	OIL SAND (FRACTURED) (GOOD BLEED)			
2.5	275	OIL SAND (SOME SHALE) (GOOD BLEED)	1		
1	276	OIL SAND (FRACTURED) (GOOD BLEED)			
2	278	OIL SAND (SOME SHOW OF WATER)(GOOD BLEED)			
3	281	OIL SAND (SOME SHALE) (GOOD BLEED)			
4.5	285.5	OIL SAND (SHALEY) (GOOD BLEED)	1		
2.5	288	OIL SAND (VERY SHALEY) (GOOD BLEED)			
2	290	SANDY SHALE (SOME OIL SAND STREAKS) (POOR BLEED)			
1	291	OIL SAND (SHALEY) (GOOD BLEED)			
4	295	SANDY SHALE (SOME OIL SAND STEAKS)(POOR BLEED)			
2	297	OIL SAND (SHALEY)(FAIR BLEED)			
2	299	OIL SAND (GOOD BLEED)			
12	311	SHALE			
2	313	COAL			
4	317	SHALE			
11	328	UME			
9	337	SHALE			
5	342	LIME			
TO	343	SHALE			





Dale Jackson Production Co. Box 266, Mound City, Ks 66056 Cell # 620-363-2683 Office # 913-795-2991

Lease :	NORTH EAST BAKER
Owner:	BOBCAT OILFIELD SERVICES INC.
OPR#:	3895
Contractor:	DALE JACKSON PRODUCTION CO.
OPR#:	4339

Core	Run	#1
COIE	Nun	11 T

Well #: E-11 SE A/W	_
Location: \$2,942,NW,SE,S5,T20,SR23,E	
County: LINN	
FSL: 2,025 2016	
FEL: 1,080 1992	
API#: 15-107-24372-00-00	
Started: 4-12-11	
Completed: 4-12-11	

Orni	UPK #: 4339			Withheles, 4-12-12	
FT	Depth	Clock	Time	Formation/Remarks	Depth
0	272			GIL SAND (FRACTURED) (GOOD BLEED)	272.5
1	273	<u> </u>	1	Oil Sand (some shale) (good bleed)	
2	274		1		275
3	275		5	OIL SAND (FRACTURED) (GOOD BLEED)	276
4	276		1		
5	277		1	OIL SAND (SOME SHOW OF WATER) (GOOD BLEED)	
6	278		.5	· · · · · · · · · · · · · · · · · · ·	278
7	279		1	OIL SAND (SOME SHALE) (GOOD BLEED)	
8	280		1		281
9	281		1		101
10	282		1		
11	283		2	OIL SAND (SHALEY) (GOOD BLEED)	
12	Z84		1.5		
1.3	285		1		285.5
14	286		2	Oil SAND (VERY SHALEY) (FAIR BLEED)	
15	287		2		
16	288		2	· · · · · · · · · · · · · · · · · · ·	288
17	289		1.5	SANDY SHALE (SOME OIL SAND STREAKS) (POOR BLEED)	
18	290		3.5	OIL SAND (SHALEY) (GOOD BLEED)	290
19	291		2.5	SANDY SHALE (SOME OIL SAND STREAKS) (POOR BLEED)	—
20	292		2	,	
-		-			
	<u> </u>	<u> </u>		<u> </u>	1

Avery Lumber
P.O. BOX 66
MOUND CITY, KS 66056
[913] 795-2210 FAX (913) 795-2194

Merchant Copy INVOICE THE COPY MUST REMAIN AT MERCHANT AT ALL TIMES!

Page: 1		Involce: 10029555
Special :		Time: 15:16:56
Instructions :		Ship Data: 03/30/11
:		Invoice Date: 04/01/11
Bale rap #: MAVERY MIKE	Acct rep code:	Due Date: 05/05/11
Sale To: BOBCAT OILFIELD SRVC,INC	Ship To: BOBCAT O	LFIELD SRVC,INC
C/O BOS EBERHART	(913) 637-2823	•
30805 COLDWATER RD	, ,	
LOUISBURG, KB 66053	(913) 837-2823	
Customers: 3570021	Audamas Dr.	Onto Batters

ORDER SHIP L UM ITEM# EXTENSION DESCRIPTION Alt Price/Jom PRICE 280.00 280.00 L BAG CPPC PORTLAND CEMENT 7.9900 2237.20 7.9900 840 240.00 L BAG 14.00 L EA 240.00 BAG СРРМ POST SET FLY ASH 75# 5.1000 ava 5,1000 1224.00 14,00 CPOP QUIKRETE PALLETS 17.0000 EA 17.0000 238.00 913.837.4159 CHECKED BY DATE SHIPPED \$3699.20 Sales total SHIP VIA LININ COUNTY - RECEIVED COMPLETÉ AND IN GOOD CONDITION 3699,20 Texable 0.00 Non-taxable Sales tax 233.05 X Tax# TOTAL \$3932.25

1 · Merchant Copy