



KANSAS CORPORATION COMMISSION 1058365
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34028
Name: Triple T Oil, LLC
Address 1: PO Box 339
Address 2: _____
City: LOUISBURG State: KS Zip: 66053 + 0339
Contact Person: Lori Driskell
Phone: (913) 837-8400
CONTRACTOR: License # 33715
Name: Town Oilfield Service
Wellsite Geologist: NA
Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SLOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: _____ Plug Back Total Depth _____
 Commingled Permit #: _____
 Dual Completion Permit #: _____
 SWD Permit #: _____
 ENHR Permit #: _____
 GSW Permit #: _____

6/8/2011	6/10/2011	6/13/2011
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-059-25608-00-00
Spot Description: _____
SW NE NW SE Sec. 32 Twp. 15 S. R. 21 East West
2140 Feet from North / South Line of Section
1810 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Franklin
Lease Name: Beckmeyer Well #: 21
Field Name: Paola-Rantoul
Producing Formation: Squirrel
Elevation: Ground: 1028 Kelly Bushing: 0
Total Depth: 818 Plug Back Total Depth: 9
Amount of Surface Pipe Set and Cemented at: 24 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: 0
feet depth to: 24 w/ 4 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 1500 ppm Fluid volume: 80 bbls
Dewatering method used: Evaporated
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License #: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
 Confidential Release Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
ALT I II III Approved by: Deanne Gombor Date: 06/29/2011



1058365

Operator Name: Triple T Oil, LLC Lease Name: Beckmeyer Well #: 21
 Sec. 32 Twp. 15 S. R. 21 East West County: Franklin

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum Open Hole
---	--

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / FL	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9	6.2500	10	24	Portland	4	50/50 POZ
Completion	5.6250	2.8750	8	809	Portland	150	50/50 POZ

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing	-			
___ Plug Back TD				
___ Plug Off Zone	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or ENHR. _____		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	---	--



CONSOLIDATED
Oil Well Services, LLC

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-487-8676

TICKET NUMBER 31990

LOCATION Ottawa KS

FOREMAN Fred Mader

FIELD TICKET & TREATMENT REPORT
CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
6/3/11	7841	Beckmeyer #27	5E 32	15	21	FR
CUSTOMER			TRUCK #	DRIVER	TRUCK #	DRIVER
TDIR Construction			506	Fred	Safety	Wdy
MAILING ADDRESS			368	Kan	KB	
Box 339			328			
CITY	STATE	ZIP CODE	510	Arlem	ARM	
Louisburg	KS	6665				

JOB TYPE longstring HOLE SIZE 6 3/4 HOLE DEPTH 800' CASING SIZE & WEIGHT ?
 CASING DEPTH 787 DRILL PIPE Baffle @ TUBING 756 OTHER 31' + Plug
 SLURRY WEIGHT _____ SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING _____
 DISPLACEMENT 4.4 BBL DISPLACEMENT PSI _____ MIX PSI _____ RATE 4 BPM

REMARKS: Establish circulation. Mix & Pump 100# Premium Gel Flush.
 Mix & Pump 148 SKS 50/50 Por Mix Cement 270 Gal 5% Salt
 5# Kol Seal/sk. Cement to Surface, Flush pump & lines clean.
 Displace 2 1/2" Rubber plug to Baffle in casing w/ 4.4 BBL
 Fresh water pressure to 750# PSI. Release pressure to set
 float valve. Shut in casing.

Rig Supplied H₂O
 TOS Drilling

Fred Mader

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE		975 ⁰⁰
5407	20	MILEAGE Truck on lease		N/C
5402	787	casing footage		N/C
5407	Minimum	Ten Miles		320 ⁰⁰
1124	148 SKS	50/50 Por Mix Cement		1546 ⁶⁰
118A	349 ⁰⁰	Premium Gel		69 ⁰⁰
111	286 ⁰⁰	Emulsified Salt		100 ¹⁰
110A	740 ⁰⁰	Kol Seal		325 ⁶⁰
4402	1	2 1/2" Rubber Plug		26 ⁰⁰
		W/O # 241755		
			7.8%	SALES TAX ESTIMATED TOTAL
				161 ⁴⁶
				3536 ⁵⁶

Ravin 3737

AUTHORIZATION Stephen Sold TITLE _____ DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

Franklin County, KS
 Well: Beckmeyer 21
 Lease Owner: TTT Oil

Town Oilfield Service, Inc.
 (913) 837-8400

Commenced Spudding:
 6/8/2011

WELL LOG

Thickness of Strata	Formation	Total Depth
3	Soil	3
32	Clay	35
24	Shale	59
6	Lime	65
4	Shale	69
15	Lime	84
7	Shale	91
10	Lime	101
6	Shale	107
5	Lime	112
16	Shale/Shells	128
39	Shale	167
20	Lime	187
75	Shale	262
23	Lime	285
23	Shale	308
7	Lime	315
22	Shale	337
1	Lime	338
20	Shale	358
2	Lime	360
15	Shale	375
7	Lime	382
3	Shale	385
13	Lime	398
13	Shale	411
20	Lime	431
3	Shale	434
4	Lime	438
4	Shale	442
6	Lime	448-Hertha
123	Shale	571
5	Sand	576-Oil, OK Bleed
6	Sandy Shale	582
42	Shale	624
8	Lime	632
40	Shale	672
3	Lime	675
19	Shale	694
1	Lime	695

