

Kansas Corporation Commission
Oil & Gas Conservation Division

1058370

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 340	128		API No. 15 - 15-059-25620-00-00
Name: Triple T Oil, LLC			Spot Description:
Address 1: PO Box 339			N2_NW_SESec32Twp15S. R21
Address 2:			2310 Feet from North / South Line of Section
City: LOUISBURG	State: KS Zip:	66053 + 0339	1980 Feet from 🗹 East / 🗋 West Line of Section
Contact Person: Lori Driskel	<u> </u>		Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 837-840	0		□NE □NW ☑SE .□SW
CONTRACTOR: License # 3	3715	·	County: Franklin
Name: Town Oilfield Service	:e		Lease Name: Beckmeyer Well #: 1-6
Wellsite Geologist: NA			Field Name: Paola-Rantoul
Purchaser:			Producing Formation: Squirrel
Designate Type of Completion:		_	Elevation: Ground: 1027 Kelly Bushing: 0
		Workover	Total Depth: 638 Plug Back Total Depth: 24
Oil WSW	☐ SWD	☐ slow	Amount of Surface Pipe Set and Cemented at: 24 Feet Multiple Stage Cementing Collar Used? Yes No
□ og	☐ GSW	Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)			If Alternate II completion, cement circulated from: 0
Cathodic Other (6	>ore, Expl., etc.):	-	feet depth to: 24 w/ 5 sx cmt
If Workover/Re-entry: Old Wel	Info as follows:		1001.00
Operator:			Balling Study Managers A Plan
Well Name:			Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date:	Original Tota	ol Depth:	Chloride content: 1500 ppm Fluid volume: 80 bbts
Deepening Re-r	erf, Conv. to El	NHR Conv. to SWD	Dewatering method used: Evaporated
	Conv. to G	sw	Dewatering method used:
Plug Back:	Plug F	Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled	Permit #:		Operator Name:
Dual Completion			Lease Name: License #:
SWD			Quarter Sec TwpS. R
ENHR			County: Permit #:
GSW	Permit #:	·	reman.
	/2011	6/14/2011	
Spud Date or Date Recompletion Date		Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I II Approved by: Dearch Carrison Date: 06/29/2011

Side Two



Operator Name: Triple T Oil, LLC Beckmeyer _ _{Well #:} _ I-6 Lease Name: Sec. 32 Twp. 15 S. R. 21 FEast West County: Franklin INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report. Log Yes No Formation (Top), Depth and Datum Sample **Drill Stem Tests Taken** (Attach Additional Sheets) Name Top Datum Samples Sent to Geological Survey Yes V No Open Hole Yes **⊘**No Cores Taken ₹ No Yes Electric Loa Run Electric Log Submitted Electronically ☐ Yes (If no, Submit Copy) List All E. Logs Run: ✓ New □ Used CASING RECORD Report all strings set-conductor, surface, intermediate, production, etc. Size Casing Setting Weight Lbs. / Ft. Type and Percent Size Hole Type of # Sacks Purpose of String Set (In O.D.) Depth Additives Drilled Cemen Used Surface 6.2500 10 **Portland** 5 50/50 POZ 5.6250 2.8750 8 814 **Portland** 145 50/50 POZ Completion ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Depth Type of Cement # Sacks Used Type and Percent Additives Top Bottom . Perforate **Protect Casing** Plug Back TD Plug Off Zone PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record Shots Per Foot Specify Footage of Each Interval Perforated (Amount and Kind of Material Used) Depth TUBING RECORD: Packer At: Liner Run: Yes ☐ No Date of First, Resumed Production, SWD or ENHR. Producing Method: ☐ Flowing Pumping Gas Lift Other (Explain) **Estimated Production** Bbls. Mcf Water Bbls. Gas-Oil Ratio Per 24 Hours **DISPOSITION OF GAS:** METHOD OF COMPLETION: PRODUCTION INTERVAL: Open Hole Perf. Dualty Comp. Commingled Vented Sold Used on Lease (Submit ACO-5) (Submit ACO-4) (If vented, Submit ACO-18.) Other (Specify)



LOCATION O Koawa KS
FOREMAN Fred Made

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

520-431-9210 d	or 800-487-8676	i		CEMEN	T			
DATE	CUSTOMER#	WELL	NAME & NUME	ER	SECTION	TOWNSHIP	RANGE	COUNTY
6/13/1L CUSTOMER	7841	Backmen	per # Til		SE 32	/5	21	FR
TD		bruction.	<u> </u>		TRUCK#	DRIVER	TRUCK#	DRIVER
MAILING ADDRE	SS	<u> </u>			50 G	Fred	Safeta	Note
P. 0	. Box 33	9			.₹6'\$~	Ken	KHO	0
CITY		STATE	ZIP CODE		369	Docall	DM	
deivod	שיים	KS	66053		558	Gary	GM	
JOB TYPE LA		HOLE SIZE	63/4	HOLE DEPTH	<u>8:3 8-</u>	CASING SIZE & W	EIGHT <u></u>	EVE
CASING DEPTH	519	DRILL PIPE_	n Ma S	TUBING 🔕	784		OTHER	
SLURRY WEIGH	п	SLURRY VOL_		WATER gal/s	k	CEMENT LEFT In	Casing 28	+ Pus
DISPLACEMENT	r 4.3L	DISPLACEMEN	T PS1	MIX PSI		RATE 48P		. 4
REMARKS: A	Homat to	Establis	& Civeu	laxion	Pullm 1	nit sulle	d 2 J	<u> </u>
2%	. + Then	we ge		lation	. wash-	d 5745	backs	lown
Ras	40	o # Pien	ilun Go	el Flug		- Pump 1	45 3/45	-
50/5	o Por O	itr Con	rint 220	Col 5%	6 Solt 5	Kal Seal	15 K. C	ament!
X0	Surfa	co Fl	ushp	ump	- 1 Mas	clean.	Displa	ce '
2%	" Rubb	er Plus	to	Bass	ريد خا	4.56 A	BL Fre	<u>sh</u>
	ater. I	ressur	<u>ولا ولاغ</u>	OH PIS	'	H Pressu	pe for	30
	In MI		lease P	1-55000	e tosexx	Cloat Val.	se.	
· To:	us Drill	124			-	<u> </u>	\ 	
		<u> </u>				Fuel	Made	
ACCOUNT	QUANITY	or UNITS	DE	SCRIPTION of	SERVICES or PR	ODUCT	UNIT PRICE	ŤOTAL
5401		<u> </u>	PUMP CHARG	E		······································	ļ 	9259
5406		<u> Pomi</u>	MILEAGE	·			<u> </u>	8000
£402	5	-14	Cash	You Yes	} •			NIC
5407	mini	mom	Ton	Miles	<u> </u>			33085
, 5 5 000	1 .	3	SO B	BL Vac	- Truck		<u></u>	27000
					•		<u> </u>	<u> </u>
			<u> </u>	<u>.</u>			<u> </u>	,
1/24		453KJ	50/50	Air Mil	x Come	9/		1515-30
1118A	6	44 [#]	From	in G	Q			128 10
1111	1 5	ල ලක් ම	GUOMIU	lated !		<u> </u>		982
IIIOA	1	735#	Kols	-a J				2/960
4402		<u>,</u>	72.1	wher	Plus			28 =
1.100	 	,	1000		7			
-	†			1		. я		· ·
	 		WOT	242	070	Ţ,		1
	 		*** · · ·	<u> </u>	<u> </u>	· · · · · · · · · · · · · · · · · · ·		1
<u> </u>							 	
	+	· · · · · · · · · · · · · · · · · · ·	+					
	 		 			7.5%	SALES TAX	16294
Ravin 3737							ESTIMATED	199
	11) 1	' <i>I</i>					TOTAL	390699
AUTHORIZMO	(/el/, Le			TITLE	•		DATE	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office and conditions of service on the back of this form are in effect for services identified on this form.

Franklin County, KS Well: Beckmeyer I-6 Lease Owner: TTT Oil

Town Oilfield Service, Inc. Commenced Spudding: 6/10/2011

WELL LOG

Thickness of Strata	Formation	Total Depth		
0-5	Soil\	5		
28	Clay	33		
24	Shale	57		
26	Lime	83		
7	Shale	90		
8	Lime	98		
7	Shale	105		
21	Lime	126		
33	Shale	159		
26	Lime	185		
75	Shale	260		
22	Lime	282		
24	Shale	306		
7	Lime	313		
42	Shale	355		
2	Lime	357		
16	Shale	373		
7	Lime	380		
2	Shale	382		
18	Lime	. 400		
10	Shale	410		
26	Lime	436		
4	Shale	440		
7	Lime	447-Hertha		
122	Shale	569		
3	Lime	572		
3	Sand	575-Oil, OK Bleed		
2	Sandy Shale	577-Little Oil, 10%		
49	Shale	626		
7	Lime	633		
96	Shale	729-Some Lime		
16	Sand	745-Oil, 50+		
5	Sand	750-5% Oil, Grey		
88	Sandy Shale	838-TD		
	• • •	1		