Form G-2 (Rev 6/98)

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST (See Instructions on Reverse Side)

| TYDE TEST. | | | | | | | | | | | | | | |
|--|---------------------------------------|--|----------|---|-----------------------|--|---------|-------------------------|---------------------------------------|-----------------------------|--|------------------|----------------|------------------------------|
| | Open Flov Deliverabi | v lity W HSIF | • | | Test Date: | 9/2/10 | | | | | API No. | 15-095 | -00839 ` | 0000 |
| Company | | ERATING, | INC | , | | | | ase CL BERT | HOLE | | | | W | ell Number 1 |
| County | Eliviv Or | Location | | | Section | | ΤV | | TIOL: | RNG (EA | M) | | Ac | res Attributed |
| | IGMAN | 200000 | C N2 | N2 SW | | 33 | | 298 | 3 | | 8W | | | 640 |
| Field | | | | - | Reservo | | | | | | athering Con | | | |
| | | ABS-BASIL | | | | ISSISSI | PPI C | HAT | | | EST WICH | ITA GAS | GATHE | RING |
| Completion | n Date /25/58 | | | Plu | Back Total 4285 | Depth | | | | Packe | r Set at | | • | |
| Casing Siz | | Weight | | Inte | mal Diamete | er | Se | t at | | | Perforations | <u> </u> | То | |
| 5 1/2" | | 14 | | | | | 4320' | | | | 421 | - | | 4260' |
| Tubing Size | | Weight | | Inte | rnal Diamete | er | | t at | | | Perforations | 1 | То | <u></u> |
| 23 | · · · · · · · · · · · · · · · · · · · | 4.7 | | - | 1.995 | | | 4163' | | 5 | U.A . | | | |
| Type Comp | pletion (De IGLE | SCRDO) | | IVD | e Fluid Prod Gas | uction | | | | Pump | Unit or Trave | | gery | Yes / No YES |
| | | ulus/Tubing) | | %C | arbon Dioxid | le | | | | % Nitr | | | Gas | Gravity - G |
| - | nulus | ٠, | | | | | | | | | _ | | | 3.073 |
| Vertical De | | | | | | Pressu | ire Tai | ps | | _ | | | (Meter R | un) (Prover) Size |
| 432 | 20' | | | | | | | | | | | | | |
| Pressure E | Buildup: | Shut In | 9 | 9/1 | 20 <u>10</u> at | 10:00 | (AI | M) (PM) | Taken | 9/2 | 20 | at | 10:00 | (AM) (PM) |
| Well on line | e: | Started | | | _ 20 at | | (AI | M)(PM) | Taken | | 20 | at | | (AM)(PM) |
| | | | | ** | | OBSE | RVED | SURFACE | DATA | | | Duration | of Shut-Ir | 24.00 |
| Static/ | Orifice | Circle on Meter | e: | Pressure Differential | Flowing | Well l | Land | | ising d Pressure | Tubing Welihead Pressure | | Duration | | f louist Deadmand |
| Dynamic | Size | Prover Pres | ssure | i in | Temperature | Temper | | | P ₁) or (P _C) | | (P ₁) or (P _C) | (Hou | | Liquid Produced (Barrels) |
| Property | (Inches) | psig | | Inches H ₂ 0 | t | t | | psig | psia | psig | psia | <u> </u> | | |
| Shut-In | | | - 1 | | | 1 | | 8.0 | 22.4 | pump | | 24 | .00 | - " |
| Flow | | | | | | | | | | | | | | |
| l | 1 | | | | <u> </u> | FLOW | STRE | AM ATTRIE | BUTES | · - | | <u> </u> | | |
| Plate | | ircle one: | | Press. | Gravity | | Flowi | | | | | | | |
| Coefficier (F _b)(Fp) | | Meter or Prover Pressure psia | | Extension | Factor F ₉ | | Fact | | Deviation Factor | Me | tered Flow R | GOR (Cubic Fe | | Flowing Fluid |
| Mcfd | | | | P _m x H _w | | | Fa | | F _{DV} | (Mcfd) | | Вагге!) | | Gravity |
| ļ | | • | - | | | | - | | | | ! | | - | G _m |
| L | <u> </u> | | <u> </u> | | (OPEN FL | OW) (DE | LIVE | <u> </u> | CALCULA | TIONS | | <u> </u> | | <u>.</u> . |
| | | | | | • | , , | | | | | | | $(P_n)^2 =$ | 0.207 |
| (P _e)2= | (| Pw)2 = | | ; P _d = | | _% | | (P _c - 14.4) | + 14.4 = | | <u> </u> | | $(P_n)^2 =$ | |
| (P _e) ² - (P _e | .) ² (F | -: P _e)² - (P _w)² | | P ₀ ² - P ₀ ² | | | ٦١ | Backpressu | re Curve | | Г ⁻ |] | | Open Flow |
| | ້ " | \rea • \rea | | | LOG of | 2 2 | Ш | Slope = "n" | | nxLOG | | Antilog | | Deliverability |
| | | | (P |) ² - (P _w) ² | formula 1. or 2. | P ₀ ² -P _w ² | Ш | Assign | ed | 1 | | | | Equals R x Antilog (Mcfd) |
| | | | l | | and divide_ by | | 긔 | Standar | d Slope | | L. | J | | |
| | | | | | - | | | | | | | <u> </u> | | |
| | | | \vdash | | 1 | | | | | | | | - | |
| Open Flow | | | Mofd | @ 14.65 ps | i | | | eliverability | | <u>.l</u> | Maria | l @ 14.65 | | |
| Open Flow | <u> </u> | | IVICIU | <u>ш</u> 14.65 рз | nia . | | De | enverability | | | WICK | 1 (2) 14.00 | - psia | |
| | | | | | | | | | | | | at he has | _ | ge of the facts |
| stated thei | rein, and th | at said repo | rt is tn | ue and corre | ct. Execute | d this the | 9 | | day of _ | Septe | mber | | · # | CEIVED |
| | | 1811 | noco 212 | (any) | | | _ | | <u> </u> | 4 | wy La | محسير | - 15 | |
| | | VVIC | ness (if | any) | | | | | • | `` | ForComp | жпу | DEC | 2 2 2010 |
| | | For | Commi | ssion | | | - | | ··· | | Checked | by | KCC | WICHITA |
| | | | | | | | | | | | | | | AAIOLIIIW |

| I declare under penalty of perjury under the laws of the State of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator LINN OPERATING, INC. and that the foregoing information and statements contained in this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. |
|---|
| I hereby request a one-year exemption from open flow testing for the CL BERTHOLF 1 |
| gas well on the grounds that said well: |
| (Check one) |
| is a coalbed methane producer |
| is cycled on plunger lift due to water |
| is a source of natural gas for injection into an oil reservoir undergoing ER |
| is on vacuum at the present time; KCC approval Docket No. |
| is not capable of producing at a daily rate in excess of 250 mcf/D |
| I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing. |
| Date: 9/30/2010 |
| · |
| Signature: |
| Title: Regulatory Specialist III |
| |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measued after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility from exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

It was a verified report of test results.