

15-051-00926-00-00

WELL PLUGGING RECORD

STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Blitting Building
Wichita, Kansas


OR

FORMATION PLUGGING RECORD

Strike out upper line
when reporting plugging
off formations.

Ellis County, Sec. 23 Twp. 14S Rge. (E) 18 (W)

Location as "NE¼NW¼SW¼" or footage from lines SW SW NE
Lease Owner Hanlon-Boyle, Inc.
Lease Name ~~Boyle E. Boyle~~
Office Address P.O. Box 1559, Tulsa 1, Oklahoma
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed July 31 19 48
Application for plugging filed July 31 19 48
Application for plugging approved July 31 19 48
Plugging commenced July 31 19 48
Plugging completed July 31 19 48
Reason for abandonment of well or producing formation Dry Hole



Locate well correctly on above
Section Plat

If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Merl Rives
Producing formation Depth to top Bottom Total Depth of Well 3677 Feet
Show depth and thickness of all water, oil and gas formations:

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
		0	237'	8 5/8"	237	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

- 3677' - 225' - Heavy Rotary Mud
- 225' - 223½' - Wooden Plug
- 223½' - 186' - 15 sacks cement
- 186' - 25' - Heavy Rotary Mud
- 25' - 23½' - Wooden Plug
- 23½' - 6' - 10 sacks cement
- 6' - Surface - Cellar

08-14-48

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Hanlon-Boyle, Inc.
Address P.O. Box 1559, Tulsa 1, Oklahoma

STATE OF Kansas COUNTY OF Barton, SS.
Glenn Peel Drilling Company, Inc. (employee of owner) or () of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God. Glenn Peel Drilling Company, Inc.

(Signature) By: [Signature]
P.O. Box 359, Hoisington, Kansas

(Address)


SUBSCRIBED AND SWORN to before me this 2nd day of August, 19 48

June 4, 1951

Marian M. Herlet

Notary Public.

My commission expires



22-257 7-47-10M

DRILLER'S LOG

Company: Hanlon-Boyle, Inc.

Sec. 23 Twp. 14S Rge. 18W
SW SW NE

Farm: ~~Empty~~ Well No. 1

County: Ellis, Kansas

Total Depth: 3677'
Comm: 7-15-48 Comp: 7-31-48
Contractor: Glenn Peel Drilling Co., Inc.

Elevation:

Casing:
8 5/8" 237' cem.

Production: Dry

Figures below indicate bottom of formations

Clay and Sand	0 -	195
Shale and Shells		280
Sand		320
Shale, Shells and Sand Streaks		475
Sand		580
Sand Streaks and Shale		640
Sand		815
Shale, Shells and Sand Streaks		870
Shale		978
Shale and Shells		1120
Iron and Shale		1185
Shale and Pyrite Streaks		1190
Anhydrite		1218
Shale and Shells		1250
Red Shale and Shells		1405
Shale and Sand Streaks		1490
Shale		1500
Shale and Sand		1625
Shale		1665
Shale, Shells and Sand Streaks		1810
Broken Lime and Shale		1890
Lime and Shale		1984
Broken Lime and Streaked Shale		2100
Lime and Shale		2270
Shale and Shells		2355
Shale and Broken Lime		2470
Lime and Shale		2530
Shale and Lime		2998
Lime		3595
Lime and Shale		3627
Arbuckle Lime		3633
Arbuckle Lime and Brown Chert		3677
Total Depth		3677

This is to certify that the above information is, to the best of our knowledge, true and correct.

GLENN PEEL DRILLING COMPANY, INC.

BY: [Signature]

SUBSCRIBED AND SWORN to before me this 2nd day of August, 19 48

My commission expires June 4, 1951 Manawm. Hallet
Notary Public

PLUGGING
FILE SEC 23 T14 R18W
BOOK PAGE 47 LINE 11