


15-107-00077-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

WELL PLUGGING RECORD



Locate well correctly on above
Section Plat

Russell County. Sec. 8 Twp. 14s. Rge. 12 (E) (W)
Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines NE/4 NE/4 SE/4
Lease Owner Kessler, Hills, & Schmidt
Lease Name Mahoney Well No. One
Office Address Russell, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed January 11 - 1953 19
Application for plugging filed Attached 19
Application for plugging approved Yes 19
Plugging commenced January 12, 19 53
Plugging completed January 12, 19 53
Reason for abandonment of well or producing formation Dry Hole
If a producing well is abandoned, date of last production None 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well C. W. Stough Great Bend
Producing formation Conglomerate Depth to top 3252 Bottom 3352 Total Depth of Well 3352 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

Tops

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Anhydrite		766'	928	12 1/2"	462	462
Permian		2230		10 3/4"	765	765
Tarkio		2312	2320	8 5/8"	2276	2276
Topeka Lime		2647	2888	7"	2981	2981
Heebner Shale		2888	2895	5 1/2"	3288	3288
Lansing - K. C. Lime		2963	3252			
Conglomerate		3252	3352			

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from.....feet to.....feet for each plug set.

Mudded Hole
Pulled 5 1/2" & 7" Casing
Mudded Hole
Pulled 8 5/8" & 10 3/4" Casing
Pulled 12 1/2" Casing
Set Plug @ 255'
Dumped 30 sax cement from 255'
Set Plug @ 35'
Dumped 10 sax cement to bottom of cellar (10')
Mud & filled to surface

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to S. R. Kessler
Address Russell, Kansas

STATE OF Kansas, COUNTY OF Russell, ss.
I. S. R. Kessler (employee of owner) or (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.


(Signature) [Signature]
Russell, Kansas (Address)

SUBSCRIBED AND SWORN to before me this 21st day of January, 1953

[Signature]
Notary Public.

My commission expires July 28 - 1955

22-7377-5 4-40-10M



01-22-1953

15-167-00077-00-00

WELL LOG

Kessler, Hills & Schmidt
Mahoney #1

NE NE SE
Sec. 8, Twp. 14, Rge 12
Russell County, Kansas

Total Depth: 3352'
Commenced: November 19, 1952
Completed: January 11 1953
Drilled by: Shields Oil Producers

CASING RECORD

Size	Run	Pulled
12 1/2"	462'	Pulled
10 "	768'	Pulled
8 5/8"	2276'	Pulled
7 "	2981'	Pulled
5 1/2"	3288'	Pulled

Elevation: 1817'
Treatment:
Production: Dry Hole

-----Figures indicate Bottom of Formation-----

Post Rock	15	Shale, Blue	1625
Blue Slate	100	Red Rock	1650
Sandy Shale	125	Lime	1785
Sand Dry	150	Shale	1795
Sandy Shale	175	Red Rock	1800
Sand Dry	225	Lime	1822
Slate	230	Shale, Blue	1830
Sand	235	Lime	1867
Slate	255	Shale, Blue	1873
Red Rock	265	Red Rock	1880
Shale Dark	270	Lime	1900
Red Rock	285	Shale	1905
Shale Pink	290	Lime, Hard	1920
Red Rock	310	Shale	1925
Sand	330	Red Rock	1934
Shale Blue	345	Lime, Broken	1984
Sand Hard	350	Red Rock	2000
Shale Blue	400	Lime	2040
Slate Dark	405	Shale	2045
Sand	435	Lime	2057
Shale Blue	452	Shale	2065
Sand	460	Lime, Broken	2085
Red Rock	760	Lime	2100
Anhydrite Lime	766	Shale	2111
Red Rock	928	Lime	2140
Shale, Blue	965	Lime, Broken	2185
Red Rock	1032	Lime	2195
Shale, Blue	1135	Shale, Blue	2230
Lime	1142	Gas Sand	2235
Shale, Blue	1145	Shale, Blue	2255
Salt	1300	Lime, Broken	2270
Shale, Blue	1405	Shale, Blue	2276
Lime, Broken	1430	Lime, Broken	2295
Shale, Blue	1435	Shale, Blue	2299
Lime	1455	Lime	2305
Shale, Blue	1465	Lime, Broken	2312
Lime, Broken	1475	Sand	2320
Lime, Hard	1512	Shale, Gray	2325
Red Rock	1515	Shale, Black	2345
Lime	1525	Shale, Blue	2368
Shale	1542	Lime, Tarkie	2384
Lime	1560	Red Rock & Lime	2389
Shale & Shells	1580	Sand	2395
Lime	1595	Shale, Sandy	2400
Lime, Sandy	1620	Shale, Blue	2409

PLUGGING
FILE SEC 8 T 14 R 122
BOOK PAGE 73 LINE 9

01-22-1953

WELL LOG

**Kessler, Hills & Schmidt
Mahoney #1**

Water, Sand	2414	Red Rock	2930	
Shale, Sandy	2425	Shale, Blue	2942	
Shale, Blue	2436	Lime, Broken	2955	
Lime	2451	Shale, Blue	2963	
Shale & Shells	2460	Lime, Lansing	2973	
Lime	2475	Shale, Blue	2978	
Shale	2480	Lime, K. C.	2995	
Lime	2503	Shale, Blue	2996	
Shale, Sandy	2508	Lime	3112	
Lime, Hard	2515	Shale, Black	3114	
Lime, Broken	2530	Lime	3192	
Shale	2545	Shale, Blue	3195	
Lime	2573	Lime	3220	
Lime	2597	Shale, Black	3222	
Shale, Blue	2613	Lime	3252	
Lime, Hard	2620	Cong. & Red Rock	3257	
Shale, Blue	2624	Lime	3260	
Lime	2630	Cong	3273	
Shale	2634	Lime	3275	
Lime	2640	Cong.	3283	
Shale	2647	Chert & Lime	3288	
Lime, Topeka	2888	Lime White	3290	
Shale, Meebner	2891	Chert & Cong.	3294	
Lime	2895	Chert	3308	
Shale	2905	Cong. & Chert	3322	
Lime, Dodge	2922	Cong. Red Shale, Chert	3352	T. D.

TOPS

Anhydrite	766'
Permian Gas Sand	2230'
1st Tarkio Sand	2312'
2nd Tarkio Sand	Not Developed
Tarkio Lime	2368'
3rd Tarkio Sand	2389'
4th Tarkio Sand	2409'
Elment Lime	2436'
Topeka	2647'
Meebner	2888'
Lansing - K. C.	2963'
Total Depth	3352'