


STATE OF KANSAS
STATE CORPORATION COMMISSION

15-167-00052-00-00

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

NORTH



Locate well correctly on above
Section Plat

Russell County, Sec. 10 Twp. 14 Rge. (E) 12 (W)
Location as "NE/CNW/SW" or footage from lines NW NW SW
Lease Owner Robt K. Lindsley, et al
Lease Name H. J. Bohnen Well No. 1
Office Address 1012 Union National Bank Bldg, Wichita
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed December 8, 19 53
Application for plugging filed December 9, 19 53
Application for plugging approved December 10, 19 53
Plugging commenced December 9, 19 53
Plugging completed December 9, 19 53
Reason for abandonment of well or producing formation _____

If a producing well is abandoned, date of last production _____ 19____
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Warren H. Horner
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 3353 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8 5/8"	166'	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Fill hole with heavy mud through drill pipe to 140'. Set bottom plug @ 150' with one-third sack hulls ahead of plug, 15 sacks cement on top through drill pipe. Fill hole to 40'. Set top plug with one-third sack hulls ahead of plug, 16 sacks cement on top with two HOWCO wire lines

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Lindsley Drilling Company
Address 1012 Union National Bank Bldg, Wichita 2, Kansas


STATE OF Kansas, COUNTY OF Sedgwick, ss.
G. S. Valentine, Jr. (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) G. S. Valentine, Jr.
1012 UNB Bldg, Wichita 2, Kansas
(Address)

SUBSCRIBED AND SWORN TO before me this 15th day of December, 1953

My commission expires 6-5-57

Richard A. Werth
Notary Public.



12-15-1953

DRILLERS' LOG

NO. 1 BOHNEN, NW NW SW, 10-14-12W, Russell County, Kansas

Contractor: Lindsley Drilling Company, Wichita, Kansas

Commenced: November 27, 1953

Completed: December 9, 1953


<u>FORMATION</u>	<u>DEPTH</u>	<u>REMARKS</u>
Shale, Clay	0 - 41	
Sand, Shells	41 - 102	
Shale, Shells	102 - 166	Set 166.43' (5 Jts) 8 5/8" 24# J-55 Elec Weld Csg @ 166' w/115 sax cement-circulated.
Shale	166 - 335	
Sand	335 - 395	
Shale, Redbed	395 - 730	
Anhydrite	730 - 765	DS @ 730' - $\frac{1}{2}^{\circ}$
Redbed, Shells	765 - 925	
Shale, Shells	925 - 1160	
Salt, Shale	1160 - 1385	DS @ 1250' - OK
Shale, Shells	1385 - 1410	
Lime	1410 - 1550	
Shale, Lime Strks	1550 - 1575	
Lime, Shale Strks	1575 - 1600	
Broken Lime	1600 - 1790	DS @ 1750' - OK
Shale, Shells	1790 - 1870	
Lime, Shale Strks	1870 - 1960	
Lime, Shale	1960 - 2070	
Shale, Lime Strks	2070 - 2285	
Lime, Shale	2285 - 2329	
Cored	2329 - 2364	
Shale, Lime, Shells	2364 - 2475	
Shale, Shells	2475 - 2585	
Shale, Lime	2585 - 2610	
Lime, Shale	2610 - 2715	
Lime	2715 - 2900	DS @ 2780' - $\frac{1}{2}^{\circ}$
Lime, Shale	2900 - 3033	DST @ 2981-3033', 1 hr 250' MSW, BHP 920#
Lime	3033 - 3065	
Lime, Strks Chert	3065 - 3120	
Lime, Shale Strks	3120 - 3165	
Lime	3165 - 3200	
Lime, Shale	3200 - 3290	
Shale, Lime	3290 - 3345	
Arbuckle	3345 - 3353 TD	Plugged - D & A

I certify that to the best of my knowledge and belief the above is a complete and accurate copy of the drillers' log covering the rotary drilling of the No. 1 Bohnen as set out above.

G. S. Valentine
G. S. Valentine,
Lindsley Drilling Company

RB Elevation - 1837'

RB Tops: Tarkio	2328 (- 491)
Heebner Shale	2895 (-1058)
Bansing	2976 (-1139)
Conglomerate	3324 (-1487)
Arbuckle	3342 (-1505)
TD	3353 (-1516)



12-15-1953