

Kansas Corporation Commission Oil & Gas Conservation Division

1058647

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 5254	API No. 15
Name: Midco Exploration, Inc.	Spot Description:
Address 1: 414 PLAZA DR STE 204	SE_SE_SE_Sec25_Twp29_S. R8East
Address 2:	330 Feet from North / South Line of Section
City: WESTMONT State: 1L Zip: 60559 + 1265	
Contact Person: Earl J. Joyce, Jr.	_
Phone: (630) 655-2198	_ NE □NW Øse □sw
32297	County: Kingman
Name: Superior Servicing, Inc.	Lease Name: MESSENGER C Well #: 1
Wellsite Geologist: N/A	1
Purchaser: Parnon Gathering, Inc.	
Designate Type of Completion:	Elevation: Ground: 1570 Kelly Bushing: 1579
	Total Depth: 4212 Plug Back Total Depth: 4030
New Well	·
☑ oii ☐ wsw ☐ swb ☐ slow	Amount of Surface Pipe Set and Cemented at: 362 Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used?
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to: w/ sx cmt
If Workover/Re-entry: Old Well Info as follows:	
Operator: MIDCO Exploration, Inc.	Dulling Civid Magazamant Diag
Well Name: _Messenger C	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: 07/22/1991 Original Total Depth: 4212	
☐ Deepening	Chloride content: ppm Fluid volume: bbls
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	- Operator Name:
Dual Completion Permit #:	Operator Name.
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	QuarterSecTwpS. R 🔲 East 🗌 West
GSW Permit #:	County: Permit #:
04/21/2011 05/18/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date	-

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Letter of Confidentiality Received						
Date:						
Confidential Release Date:						
☐ Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Dearwa Garrison Date: 07/05/2011						

Side Two



Operator Name: Mic	tor Name: Midco Exploration, Inc.			Name: _	MESSENGER	₹ C	Well #:1_		
Sec. 25 Twp.29	_	☐ East ☑ West County: Kingman							
time tool open and clo	osed, flowing and shu es if gas to surface te	nd base of formations pe ut-in pressures, whether est, along with final chart well site report.	shut-in pres	sure read	ched static level,	hydrostatic pre	ssures, bottom i	nole temp	erature, fluid
Drill Stem Tests Taker (Attach Additional		☐ Yes 🗸 No		□L.	og Formation	n (Top), Depth	and Datum	: ::	Sample
Samples Sent to Geo	•	☐ Yes 🗸 No		Name Heebner			Top Datu 3120 -1591		Datum 591
Cores Taken		☐ Yes ☑ No		Topek					604
Electric Log Run		☐ Yes 🗸 No		Dougla					623
Electric Log Submitte (If no, Submit Cop)	•	Yes No		Lansir			3404 -1825		
				Swop	-		3810		231
List All E. Logs Run:		•		1 '	ssippi Chert		4156		577
		CASING Report all strings set	G RECORD	□ Ne	_	ion. etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Wei	ght	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	12.25	8.625	24		362	common			2% gel
Production	7.875	5.5	14		4176		0		
Production*	5.5	4.5 10.5			3820	Light A	175	2% cc	
		ADDITIONA	L CEMENTI	NG / SQL	JEEZE RECORD				
Purpose: —— Perforate	Depth Top Bottom	Type of Cement	# Sacks	Used	Type and Percent Additives				
Protect Casing Plug Back TD	3202-3834	Α		1% cc					
Plug Off Zone	640-940	Α	160	<u>. </u>	2% cc				
Shots Per Foot		ION RECORD - Bridge Plu Footage of Each Interval Pe			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Dep				Depth
2	3847-3853 total 1	13 holes (s/h/b 3947-5	3)		500 gal 15% NE Acid (from original information)				
4	3947-53				1500 gallons 15% NE Acid				
				· .					
TUBING RECORD:	Size:	Set At:	Packer A	.t·	Liner Run:				
	2.375	3752	1 BONG! 7		_	Yes []	No .		
Date of First, Resumed 05/21/2011	Production, SWD or EN	NHR. Producing Me	ethod: Pumpir	ng 🗀	Gas Lift C	other (Explain)	-		
Estimated Production Per 24 Hours	Oil 6	Bbls. Gas	Mcf	Wat	ter B	bls.	Gas-Oil Ratio		Gravity
		- L	<u></u>		· · · · · · · · · · · · · · · · · · ·				
DISPOSITI	ON OF GAS:		METHOD OF	COMPLI	ETION:		PRODUCTI	ON INTER	VAL:
Vented Solo	d Used on Lease	Open Hole	Perf.	Dually (Submit.		nmingled mit ACO-4)			
(If vented, Su	bmit ACO-18.)	Other (Specify)		1		_			

ALLIED CEMENTING C.J., LLC. 040183

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT:

m.	$e\lambda a$	CIBR	$\omega \lambda$	Sec. Fr
~~				

DATE 4-29-201	SEC. 25	79s	RANGE 8W	SLOOP	П	ON LOCATION	JOB START	JOB FINISH
Messensor Lease	WELL #		LOCATION SP, V				COUNTY	STATE
OLDOR NEW (Cir			4 moun , 2 e	ey, E3	_135//_	PCAC	Kinsnen_	/ <i>C</i> S
							,	
CONTRACTOR S	Operi	or Se	ruicing Inc.	OWNE	R M	LCO Ex	Dorghou	
TYPE OF JOB S HOLE SIZE	4000 714	7.D.	· · · · · · · · · · · · · · · · · · ·	- CEME	NT			
	5 42		TH			ERED 1005	alos	20
	21/2	DEP	TH 3202'	100	111 OKD	lass Anec	y 2173 3	14 + 1 VIACE
DRILL PIPE		DEP	TH		Sx C	<u>د بروسی بروسی</u> د		
	9cKer		TH 3202'	_				
PRES, MAX			IMUM			<u> 54 200x</u>		<u> 3250:</u>
MEAS. LINE CEMENT LEFT IN	CCC	SHC	E JOINT		Х·		.@	
PERFS. 3387-4		a - S()	2500	_ GEL		25×	@ <u>CA120</u>	177 48
DISPLACEMENT	131/4 1	126 06	Fresh wasa.					
		IPMENT	FIRST POCKS	_ ^5C	·		~	
	EQU	AL IVELSEV E			•		@	
PUMP TRUCK C	TEMENT	ER Der	· ·	-			@	·-· ·
#471-265 H				-			@	
BULK TRUCK		0430	n	- 	<u> </u>			
# 364 I	DRIVER	Dusa.	h /=					
BULK TRUCK								
#	DRIVER		<u> </u>	- HAND	LING 2	02	@ 22/	454.50
						/11/202		777.70
	REN	MARKS:	•				TOTAL.	4 598.00
Ge + Cemer	w 109							
		;	,	_	_	SERVIO	CE	
<u></u>					····	-		
				_ DEPTH	OF JOB	32021		· · · · · · · · · · · · · · · · · · ·
		 · _ ·				CHARGE		10500
					A FOOTA .GE	.06	@ <u>7.00</u>	490
						200020	a	750.00
				<u> Uah</u>	Hear	le 70	@ 4. w	280
							@	
CHARGE TO: 15	1200	Expla	ration	_				
STREET		•					TOTAL	2070
				-				
CITY	ST.	ATE	ZIP	<u> </u>	· P	LUG & FLOAT	FAHIDMEN	T
					-	DOG WILDONI	EQUII MEN	•
) , 	@	
					74JE		· · · · · · · · · · · · · · · · · · ·	
To Allied Cement	ing Co. I	uc			v.)1		· @	
You are hereby re-			enting equipment	~	<u> </u>		@	
and furnish cemer					·	 _	_@	
			e above work was					
done to satisfaction	n and suj	pervision o	of owner agent or				TOTAL	
			nd the "GENERAL		مار ليا مص		,	
TERMS AND CO	OITION	NS" listed	on the reverse side	SALES	TAX (If	Any)	B	700a
• •	0	-N 11:	NA (). 1	O TOTAL	CHARC	ies	OF SE	
PRINTED NAME_	XHai	JUL 17	111017+161	DISCO	UNT		IF PAII	D IN 30 DAYS
	_	1	1 1 1 1	^				23 PA
SIGNATURE X	MARK	\$P\$\P	malla.	<i>.</i>				
<u> </u>	- V//-		- Walk	2				
ナ	han.	k yo	0] [] [

ALLIED CEMENTING CJ., LLC. 040065

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT:

Medicino form to RANGE CALLED OUT ON LOCATION JOB FINISH DATE 4-7-2011 5:00 m COUNTY STATE LOCATION Spiles LEASE MESSONSON WELL# /C Ks & Bell Park R. KINSMEN OLD OR NEW (Circle one) Servicine Inc CONTRACTOR Superior OWNER MAL CO F EPPOPER. OF TYPE OF JOB Squeeze フル HOLE SIZE T.D. CEMENT . 51/2 CASING SIZE DEPTH AMOUNT ORDERED 60 Sr C/935 D her 640 **TUBING SIZE** 100 SY C1955 A + 2%CC DEPTH DRILL PIPE DEPTH TOOL Packer 640. DEPTH COMMON_CLASTA PRES. MAX 160sx@16.2 MINIMUM MEAS. LINE SHOE JOINT POZMIX CEMENT LEFT IN CSG. **GEL** 760'- 940' CHLORIDE 35x @ 58 20 DISPLACEMENT 2 1/4 bbls of from weber ASC_ **EQUIPMENT** @ æ **@** PUMP TRUCK CEMENTER DOTON F @ #360-265 HELPER JOSON T. 0 BULK TRUCK @ # 952-290 DRIVER ROD @ **BULK TRUCK** (A) DRIVER HANDLING 163 7. 55 MILEAGE 35/. U **REMARKS:** Alson, min / Con Commend Service SERVICE My 1603, Commy Displess 234 bhis worm DEPTH OF JOB <u>640'</u> WAIT 10 MINUTE PUMP YE BALL LEASON Black bock PUMP TRUCK CHARGE Pull Tubine out of hora Loss were with wecen EXTRA FOOTAGE Shut in MILEAGE 70 @ 7.00 @ redit for Pressure @ 70 @ 4.00 gauge malfunction-CHARGE TO: MID CO Explanarion 12 joints tubing and STREET 2 hrs. rig time STATE PLUG & FLOAT EQUIPMENT @ To Allied Cementing Co., LLC. @ @ You are hereby requested to rent cementing equipment. and furnish cementer and helper(s) to assist owner or @ contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or TOTAL contractor. I have read and understand the "GENERAL SALES TAX (If Any). TERMS AND CONDITIONS", listed on the reverse side, TOTAL CHARGES _ PRINTED NAME DISCOUNT. IF PAID IN 30 DAYS **SIGNATURE**

ALI IFF. CEMENTING CJ., LLC. 040158

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665					SERVICE POINT:				
		·				11000	0 300		
DATE 5-10-1	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH		
LEASE MESAGE	WELL#	L	LOCATION &	market Bollpork Rd	40 20	COUNTY	STATE		
OR NEW (C	ircle one)	······································	9/105	Vioto		TOMP.	100		
CONTRACTOR					deo Explo	calo.			
TYPE OF JOB ()	re-r	 				1			
HOLE SIZE CASING SIZE 4	2 1 213 4	T.D.		CEMENT		_	.47		
	<u>a 14277 a</u>		тн <i>3825</i> '	AMOUNT OR	DERED 755x	60:40:4	3901 CD-31		
TUBING SIZE DRILL PIPE			TH ·	<u>5054 cla</u>	65 A +.4%4)- <i>3 (</i>			
TOOL		DEF		•					
PRES. MAX 17	22251	DEF			1 00				
MEAS. LINE			IMUM .		95 3x	_@ <u>/6.2S</u>			
CEMENT LEFT IN	V CSG	snc	E JOINT	POZMIX	<u> 30 3x </u>	_@ <u>8.50</u>	255.60		
PERFS.	. 000.		-,	GEL CHLORIDE	_5_5x_	_@ <i>.<u>2 .</u></i>	<u>63.75</u>		
DISPLACEMENT	6121	Wella 0	• • • • • • • • • • • • • • • • • • • •	ASC	··	_@ <i></i>	· ———		
		JIPMENT		CA-31	25.8	_@ _@_ 7.3 \$	2/// 23		
	EQU	TELIATENA T		اد حن	<u> </u>	_@_ <u>/.3</u> 2	241.23		
DUMPTRUOK			·			-@ <i>-</i>			
		ER MOR		<u> </u>		- @ ———			
BULK TRUCK	HELPER	Jasen Th	mc304			- @ 			
	DDIVEB	/			· · · · · · · · · · · · · · · · · · ·	- @ 			
BULK TRUCK	DRIVER	(D.Ed. C	6.B.						
	DRIVER								
···	DRIVER			HANDLING_	129	@ 2.2.S	290.25		
				MILEAGE	35/129/.11		496.65		
	RE	MARKS:			<i>''</i>	TOTAL	2890.63		
Amo 6066s	to 400	1 hdear	c 5 14/5			IOIAL	2 12 12 2		
MX 755x 60	104/40	14.47cc	5-3/		SERVI	CF			
MIN SOSX A	1 4%0	0.31	.,	• · · · · · · · · · · · · · · · · · · ·	JERVI	CE .			
			51/2 bHs/h	DEPTH OF JO	B 3825				
_bump pfug	160901	√6/7α	(4)	PUMPTRUCK		2225.00	·		
Coner Ise	crewle	to Shet	·	EXTRA FOOT		<u>@</u>			
				MILEAGE		@ <u>7.00</u>	490.00		
				- MANIFOLD		_@			
			•	Light Veh	icle 70	@ 4.00	280.00		
			•						
CHARGE TO: 💋	deo Ex	dorator	<u> </u>						
STREET			<u> </u>	<u> </u>		TOTAL	299500		
CITY	ST	ATE	ZIP						
				4/2	PLUG & FLOAT	r EQUIPMEN	T		
					atugusasho		777		
				1: Aller olen	CEN GINANIO		277.00		
				T.May pro-		_@	37.60		
To Allied Cement	ing Co. I	11.0				- o			
You are hereby re	auerted t	obe.				_ @			
and furnish cemer	quesica (o icis celii	enting equipme	ent —		_ @			
contractor to do w	net and n	listed Th	assist owner o	r 、 					
done to esticiactic	ork as is	nsteu. In	e adove work v	vas		mom	3/6.00		
done to satisfaction	nianu su	hetaision (owner agent	OT		TOTAL	<u> </u>		
CONTRACTOR, I have	יידים מחל	ungerstan	a me "GENER 45	AL _{side} SALES TAX (1	f Anu)				
TERMS AND CO	סוווטאיי	MS" listed	on the reverse				- .		
V	\	0 L W	10.1	TOTAL CHAR	GES				
PRINTED NAME	<u> </u>	Ø∏. <u>IV</u>	1ay + ield	DISCOUNT _		IF PAI	D IN 30 DAYS		
New Marin	ι	Val a	nilli	0					
SIGNATURE 📐	$\lambda \alpha \lambda \lambda$	シンプベ /	المند لالاللالا	₹ J :	-		 -		