## KANSAS CORPORATION COMMISSION ORIGINAL OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32654	API No. 15 - 125-29,299 - 00 - 02
IONES GAS CORPORATION	Spot Description:
Name: P O BOX 780600	NE_SW_NW Sec. 26 Twp. 31 S. R. 15 V East West
	1,650 Feet from North / South Line of Section
Address 2:	990 Feet from East / West Line of Section
Contact Person: GEORGE R JONES	Footages Calculated from Nearest Outside Section Corner:
316 262-5503	□NE ØNW □SE □SW
<b>)</b>	MONITCOMERY
CONTRACTOR: License #	Lease Name: S. MILLER Well #: JUN 2
Name:	County: MONTGOMENT  Lease Name: S. MILLER  Field Name: JEFFERSON-SYCAMORE  Producing Formation: KCC WCHITA  Elevation: Ground: 807 Kelly Bushing: MONTGOMENT  Elevation: MONTGOMENT  S. MILLER  Well #: JAV 2 7 2011  KCC WCHITA
Wellsite Geologist:	Producing Formation: KCC IAVIA
Purchaser:	Elevation: Ground: 807 Kelly Bushing:
Designate Type of Completion:	Elevation: Ground.
☐ New Well ☐ Re-Entry ☑ Workover	Total Depth: Plug Back Total Depth:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Amount of Surface Pipe Set and Cemented at: Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? Yes No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to: sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator: JONES GAS CORPORATION	Drilling Fluid Management Plan
Well Name: S. MILLER #4	(Date must be collected from the Reserve Pit)
Original Comp. Date: 6/22/90 Original Total Depth: 1176	Chloride content: ppm Fluid volume: bbls
☐ Deepening	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
ENHR Permit #:	County: Permit #:
GSW Permit #:	
6/17/11 6/21/11  Spud Date or Date Reached TD Completion Date or	
Recompletion Date Recompletion Date	
Kansas 67202, within 120 days of the spud date, recompletion, workover or c	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidenell report shall be attached with this form. ALL CEMENTING TICKETS MUST with all temporarily abandoned wells.
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and lations promulgated to regulate the oil and gas industry have been fully complied	d with Letter of Confidentiality Received
and the statements herein are complete and correct to the best of my knowled	ge. Date:  Confidential Release Date:
_	Confidential Release Date:
Signature: 6/0/	Geologist Report Received

Date: 6/24/11

Title: PRESIDENT

UIC Distribution

ALT | I | III | Approved by:

Operator Name: JONES GAS CORPORATION				Lease Name: Well #: Well #:					
Sec. <u>26</u> Twp.31						GOMERY			
INSTRUCTIONS: Sho time tool open and clos recovery, and flow rate: tine Logs surveyed. At	sed, flowing and shut- s if gas to surface tes	in pressure t, along wil	es, whether sl th final chart(s	hut-in pres	sure reacl	ned static level,	hydrostatic pres	sures, bottom ho	ole temperature, tiulo
Drill Stem Tests Taken Yes  (Attach Additional Sheets)  Samples Sent to Geological Survey Yes		□No		☐ Lo	g Formation (Top), Depth an		nd Datum	Sample	
				Name		в		Тор	Datum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)		∐ Yes ☐ Yes ☐ Yes	i ∏ No						
List All E. Logs Run:									
	<del></del>	Panari		RECORD	Ne	w Used	on etc.		
Purpose of String	Size Hole Drilled	Size	Casing (In O.D.)	We	ight ./Ft,	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Purpose: Depth Type of Cement				1	# Sacks Used Type and Percent Additives				<del></del>
Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom								
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth			
2 776-782					200 Gal. 15% HCL Acid Max Flow; 5000# 20/40; 3000# 12/20				
	•	<u></u>							2 7 2011
								50.	WICHITA
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:			
Date of First, Resumed	Production, SWD or EN	IHR.	Producing Me	thod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas 50	Mcf	Wat	ter 6 25	3bls.	Gas-Oil Ratio	Gravity
☐ Vented ☑ Sole	ON OF GAS:  d Used on Lease		Open Hole	METHOD (	OF COMPL Duall (Submit	y Comp. 🔲 Co	ommingled bmit ACO-4)	PRODUCTI	ON INTERVAL: