KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM-WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 8210	API No. 15 - 031-22754-00-00				
Name: Edward E Birk	Spot Description:				
Address 1: 302 South 16th St	SW_SW_SE_NE_Sec. 15 Twp. 22 S. R. 16 East West				
Address 2:	2,805 Feet from North / South Line of Section				
City: Burlington State: Ks Zip: 66839 +	1,155 Feet from F East / West Line of Section				
Contact Person: Edward E Birk	Footages Calculated from Nearest Outside Section Corner:				
Phone: (620) 364-1311	□ NE □ NW ☑ SE □ SW				
CONTRACTOR: License #_8210	County: Coffey				
Name: Edward E Birk	Lease Name: Witteman Well #: 25				
Wellsite Geologist: None	Field Name: Neosho Falls-LeRoy				
Purchaser: Coffeyville Resources	Producing Formation: Squirrel				
Designate Type of Completion:	Elevation: Ground: 1034 est. Kelly Bushing:				
✓ New Well Re-Entry Workover	Total Depth: 1026 Plug Back Total Depth: 1026				
☐ ☐ wsw ☐ swb ☐ slow	Amount of Surface Pipe Set and Cemented at: 66 Feet				
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? Yes 7 No				
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet				
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 1013				
Cathodic Other (Core, Expl., etc.):	feet depth to: Surface w/ 120 sx cmt.				
If Workover/Re-entry: Old Well Info as follows:					
Operator:	Orilling Fluid Management Plan				
Well Name:	(Data must be collected from the Reserve Pit)				
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume: bbls				
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD ☐ Conv. to GSW	Dewatering method used:				
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:				
Commingled Permit #:	Operator Name:				
Dual Completion Permit #:	Lease Name: License #:				
SWD Permit #:	Quarter Sec TwpS. R Teast West				
☐ ENHR	County: Permit #:				
04/05/2011 04/12/2011 04/13/2011					
Spud Date or Date Reached TD Completion Date or					
Recompletion Date Recompletion Date					
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or coof side two of this form will be held confidential for a period of 12 months if requirelity in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confidentil report shall be attached with this form. ALL CEMENTING TICKETS MUST				
AFFIDAVIT I am the afflant and I hereby certify that all requirements of the statutes, rules and re-	KCC Office Use ONLY				
fations promulgated to regulate the oil and gas industry have been fully complied	with Letter of Confidentiality Rocolved				
and the statements herein are complete and correct to the best of my knowledg	e. Date: KECEIVED Confidential Rolease Date:				
TALLAN YSON	Wireline Log Received JUL 1 4 2011				
Signature: (M) (U) (U)	Geologist Report Received				
Title: Agent Date: 07/12/2011	ALT : Approved by: KCCaWICHITA				

Side Two

Operator Name: Edv	vard E Birk		Lease Name: _	Witteman		_Well#: _25		
Sec. 15 Twp.22	S. R. <u>16</u>	✓ East	County: Coff	ey	· · · · · · · · · · · · · · · ·			·- -
time tool open and clo	sed, flowing and shu es if gas to surface te	nd base of formations per nt-in pressures, whether s est, along with final chart(well site report.	hut-in pressure rea	iched static level	, hydrostatic pres	sures, bottom l	nole tempe	erature, fluid
Drill Stem Tests Taken (Attach Additional S		Yes No		_	n (Top), Depth a		_	iample
Samples Sent to Geol	logical Survey	☐ Yes		Name Top Squirrel 1015			[atum
Cores Taken Y		☐ Yes						
List All E. Logs Run:								
		CASING	RECORD N	ew / Used				
		Report all strings set-	_		on, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used		ind Percent Iditives
Surface Casing	9 7/8"	7"	17#	66'	Portland	21	Calciur	n
Long String	6 1/8"	2 7/8"	6.5#	1013'	Portland	120		
				<u> </u>				
		ADDITIONAL	. CEMENTING / SQ	UEEZE RECORD	l			
Purpose: Perforate Protect Cesing	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Add:tives				
Plug Back TD Plug Off Zone								
	PCDCODATI	ON DECORD Bridge Blue	- Catiffina	And E-	et us Chat Come	et Course Passe		
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Per			icture, Shot, Cemei mount and Kind of N			Depth
None	Open hole compl	etion 1013-1026'		Frac w/42 s	x sand			1013-1026
	· · · · · · · · · · · · · · · · · · ·							
	<u> </u>	. <u></u>	<u> </u>					
		· · · · · · · · · · · · · · · · · · ·						
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes N			
Date of First, Resumed 05/07/2011	Production, SWD or EN	IHR. Producing Meti		Gas Lift (Other (Explain)			
Estimated Production Per 24 Hours	Oil 1	Btds. Gas	Mcf Wa	ter £	ibis.	Gas-Oli Ratio		Gravity
Diepoetti	ON OF CAP		VIETUOD OF COMO	ETION		ppopulati	ON PITCE	/8.1 .
Vented Sold	ON OF GAS: Used on Lease	1 —		y Comp. 🔲 Co.	mmingled mit ACO-4)	PRODUCTI	RECE!	
(if vented, Sul	brnit ACO-18.)	Other (Specify)			_		UL 14	

Mail to: KCC - Conservation Division 130 S Market - Room 2078 Wichita Kansas 67202

KCC WICHITA

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to addewalla, roadways, direction, structure, as strubbery, etc., which are all obstomers risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility to strength test when water is added at customer's request.

NOTICE TO CWINER.

Februre of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's tien on the properly which is the subject of this contract.

		٦ ن									
Н	Unit	. (
ļ		Ä	$t_i t p$	#14.7()	(43)	11.	•	٠	:1-,		
7	1112	15	{ (H H 1	11:	£.,					
							125.03	100	refil.	1150	

Charles Spiral March 2014 (Mr. 94) WEST OF THE PROPERTY OF THE ALL REPORTS Unit Upa 新 1911年系统 1 1 TABLE COMPA

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
				1 (3)	()()	A AIR	
@#####################################	_ 1911 1	1.1 ett va	12.00	0, 130	31	0.00	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	To Date	i	17,00 /3				
04 13-11	Today	1	12.00 yd	16351		4.00 in	28906
WADNING			PROPERTY DAIL	IAGE BEI EAGE	Excessive Water is Detrimental to Concrete Performance		

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, if Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEARING the PLANT CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' figs, incurred in collecting any sums oved.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum Not Responsible for Reactive Aggregate or Color Quality No Chain Allowed Unless Made at Tens Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected onfall Returned Checks. Excess Detay Time Charned @ \$50HR.

(TO BE S'GNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(10 BE SOMED IF DELIVERY TO BE MADE RISCHE CIRRELINE) you to your significate or of this truck in presenting this RELEASE to you to your significate to of the opinion that the star and weight of his truck may possibly crosse durings to the premises entitle state of the property if it places the maturities in this boad where you desire it. It is our with tallhelp you in every way that has case but is cothe to do this other as requesting that you is part to RELEASE relatings than end his exposer form any responsibly from any distings from the premises endfor adjacent property, butlings, chimecha, chim

H₂0 Added By Request/Authorized By

WEIGHMASTER

	U				
QUANTITY	CODE	DESCRIPTION		UNIT PRICE	EXTENDED PRICE
12.00	'JF1 1	PELL (10 SACH) PER UNITY	12.00	76.00	912.00
5.50	TRUETOTA	CLACKING CHUMM	∂. 5ø	50.00	125.00

RETURNED TO PLANT DELAY EXPLANATION/CYLINDER TEST TAKEN LEFT JOB FINISH UNLOADING TIME ALLOWED delotal \$ 1037,00 JOB NOT READY
SLOW POUR OR PUMP
TRUCK AHEAD ON JOB
CONTRACTOR BROKE DOWN Th: % 6.300 65. 33 7, ACCIDENT B, CITATION B: OTHER tal \$ 1102.33 LEFT PLANT ARRIVED JOB START UNLOADING TIME DUE 1102.33 dor \$ 2:25 3.00 ADDITIONAL CHARGE 1 TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME DELAY TIME **ADDITIONAL CHARGE 2** GRAND TOTAL

> RECEIVED JUL 1 4 2011 KCC WICHITA