## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed

## **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 31280	API No. 15
Name: Birk Petroleum	Spot Description:
Address 1: _ 874 12th Rd SW	SE_NE_NW_SW Sec. 29 Twp. 22 S. R. 17 ☑ East West
Address 2:	2,145 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 66839 +	4,125 Feet from Y East / West Line of Section
Contact Person: Brian L Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 364-1311	
· · · · ·	□ NE □ NW ☑ SE □ SW
CONTRACTOR: License # 33900  Name: Steve Leis	County: Coffey  Lease Name: Parmely A Well #: 40
Wellsite Geologist: None	Field Name: Parmely
Purchaser: Coffeyville Resources	
	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1060 est. Kelly Bushing:
✓ New Well ☐ Re-Entry ☐ Workover	Total Depth: 1005 Plug Back Total Depth: 1005
☑ oil ☐ wsw ☐ swd ☐ slow	Amount of Surface Pipe Set and Cemented at: 40 Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? Yes No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 986
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbis
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD ☐ Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name:License #:
SWD Permit #:	Quarter Sec TwpS. R
ENHR Permit #:	County: Permit #:
GSW Permit #:	remit #
04/05/2011         04/06/2011         04/07/2011           Spud Date or         Date Reached TD         Completion Date or	
Recompletion Date Recompletion Date	
instructions: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if requiality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	enversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confidentill report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT I am the affiant and I hereby certify that all requirements of the statutes, rules and n	KCC Office Use ONLY
lations promulgated to regulate the oil and gas industry have been fully complied	Letter of Confidentiality Received
and the statements hereimare complete and correct to the best of my knowledg	e. Date:RECEIVED
HARINA HILLE	Wireline Log Received
Signature:	— Geologist Report Received 50L 9 7 2011
Title: Agent Date: 07/05/2011	e. Date:
	- % 7112 III

## Side Two

Operator Name: Birl	k Petroleum			Lease	Name: _	Parmely A		_Well#:40		
Sec. 29 Twp.22	s. R. <u>17</u>	✓ East	West	Coun	ty: Coffe	ey			<u>.</u>	
INSTRUCTIONS: Shitlme tool open and clorecovery, and flow ratiline Logs surveyed. A	osed, flowing and shu es if gas to surface te	t-in pressi st, along v	ures, whether s with final chart(	hut-in pre	ssure rea	ched static level,	hydrostatic press	sures, bottom	hole temp	erature, fluid
Drill Stem Tests Taker (Attach Additional		<u></u> Y	es 📝 No			og Formation	n (Top), Depth ar	d Datum	<b>V</b>	Sample
Samples Sent to Geo	logical Survey	□ Y	es 🗸 No		Nam			Top 992		Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Copy	•	Y	es 🗹 No	Squirrel		332				
List All E. Logs Run:										
		Pare		RECORD		w Used	an eta			
Purpose of String	Size Hole Drilled	Siz	re Casing t (In O.D.)	W	elght s. / Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent
Surface casing	9 7/8*	7"	(III O.D.)	17#	.,	40'	Portland	12	Calciu	
Long String	5 7/8"	2 7/8"		6.5#		986'	Portland	120		
				<u> </u>		<u> </u>				
F	1 1		ADDITIONAL	CEMENT	ring / squ	JEEZE RECORD				
Purpose: Depth Type of Cement Top Bottom Type of Cement Perforate Protect Casing		of Cement	# Sac	cks Used Type and Percent Additives						
Plug Back TD Plug Off Zone			<del>.</del>							···-
	PERFORATION	N RECOR	n - Bridge Plug	s Set/Time	· · · · · · · · · · · · · · · · · · ·	Acid Fra	Tura Shot Caman	Salesze Paco		
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)					Depth					
None	None Open Hole completion 986-1005'					Frac w/42 sx	sand			986-1005
					-		<del></del>			
									)D.	
								7	VECE)	VED
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:	Yes No	J	JL 07	2011
Date of First, Resumed 04/12/2011	Production, SWD or EN	HR.	Producing Meth	nod: V Pump	ing 🔲	Gas Lift 0	ther (Explain)	KC(	Wic	VED 2011
Estimated Production Per 24 Hours	0II I	3bls.	Gas	Mcf	Wate	er Bi	ols. (	Gas-Oil Ratio		Gravity
DISPOSITION Sold	ON OF GAS:		_	METHOD C	F COMPLE	, p-4-1	nmingled	PRODUCTION	ON INTER	VAL:
	bmit ACO-18.)		Other (Specify)		(Submit		nit ACO-4)			

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

J

## Payless Con oducts. Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to deliveryes, owner's or intermediary's direction, seller assumes or responsibility for damages—in, any mahner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are all customer's risk. The maximum altotale time for fundading trucks is 5 milyage per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or risk indicated, we do not save the responsibility for strength test when water is added at customer's accessing to the content of the content of the content of the content or strength or risk indicated. We do not save the responsibility for strength test when water is added at customer's accessing the content of the c

SHIP TO

SOLD TO	. T. N	
1004F	•	
8 8 B	COOPERATIVE	PENTURES
900 S.	FOURTE: TAL	

BURE THE TOR I'C

DESCRIPTION

PE. 119 F & B COOP. VENTURES TITRE OIL OF IM 1 B NO DESCRIPTION OF H 8. 5TH PO U 1 12 MI HOUL IN PARMELY A MAD

<u> </u>		المرابعين والم		N. Aut	KS 66857	The same of the sa	*
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	<del></del>	PLANT/TRANSACTION #
	1	12.00 ya	12.00 /6	10 10	31		3
DATE	io bate	LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER -
104-07 16	oda;	1.4	મહા.એએ પૂર્વ 12. વર્ષ પૂર્વ	i #63		4. 200 3 11	28859

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Ceripell. Wear Rubber Bools and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. in Case of
Contact With Skin or Eyes, Flesh Thoroughly With Water, If imitation Persists, Get Medical
Attention: KEEP CHILDREN AWAY.

CONCRETE IN a PERISHABLE COMMODITY and SECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The unidenstruct premises to pay all costs, including reasonable attorneys any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

WELL

QUANTITY

12.00

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed-Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks: Excess Delay Time Charged @ \$50/HR. CODE

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

ITO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE? TO CASTORIE-The driver of this truck in presenting the PREDERSE TO you for you signature is of the option that jurists and weight of his truck may possibly cause damage to the present set are directly and the property of a please the material jurish local where you dearte it at our wish to help you have not supported to the set our wish to help you have present the other to the property that the your damage that may occur to the other is requesting that you sign the RELEASE relatings him and this supplier forg, any responsibility from any damage that may occur to abe-presented suddor advanced property. buddering, sidewakes, otherways, curbs, etc., by the delivery of his material, and that you also agree to help his memore must from the wheels of his vehicle so that he will not like an Populos tress. Further, as additional consideration, the undestigated appress to indentify and hold harmless the driver of his truck and it is supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have aftern out of delivery of the order.

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

GAL X

WEIGHMASTER

LOAD RECEIVED BY:

		UNIT PRICE	EXTENDED PRICE
1. 20	¥	75. 00	912 00

TO KENY (102.32

ាក្រ (**រស់** (សេក្សា <mark>អ៊ីEP</mark> ព្រះ

RETURNED TO PLANT	LEFT JOB	FINISH UNIÇOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN		TIME ALLOWED	
		1	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	TRUCK BROKE DOWN     ACCIDENT     CITATION		Gillotal
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN     ADDED WATER	9. OTHER	TIME DUE	Thu \$ -96% 46
12.20	12:55		·			ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2
			<u> </u>		Ď.	GRAND TOTAL > 116 7.33

RECEIVED JUL 07 2011 KCC WICHITA