KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15 - 031-22873-00-00
Name: Birk Petroleum	Spot Description:
Address 1: 874 12th Rd SW	SE_NW_NW_SW Sec. 29 Twp. 22 S. R. 17 Fast West
Address 2:	2,145 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 66839 +	4,785 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Brian L Birk	Footages Calculated from Nearest Outside Section Corner:
_, , 620 , 364-1311	□ NE □ NW ☑ SE □ SW
CONTRACTOR: License # 33900	County: Coffey
Stove Leis	Lease Name: Parmely A Well #: 35
Wellsite Geologist: None	Field Name: Parmely
•	
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1050 est. Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 998 Plug Back Total Depth: 998
☑ oil wsw swd slow	Amount of Surface Pipe Set and Cemented at: 40 Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
OG GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 972
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.
if Workover/Re-entry: Old Weil Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used:
Conv. to GSW	
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
☐ Dual Completion Permit #:	Lease Name: License #:
☐ SWD Permit #: ☐ ENHR Permit #:	QuarterSecTwpS. R East West
GSW Permit #:	County: Permit #:
04/06/2011 04/07/2011 04/08/2011	
Spud Date or Date Reached TD Completion Date or	
Recompletion Date Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or coof side two of this form will be held confidential for a period of 12 months if requiality in excess of 12 months). One copy of all wireline logs and geologist we	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden-
BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	
the state of the s	
AFFIDAVIT	egu-
I am the affiant and I hereby certify that all requirements of the statutes, rules and relations promulgated to regulate the oil and gas industry have been fully complied	egu-
and the statements herein are complete and correct to the best of my knowledg	
$\mathcal{L}_{\mathcal{L}}}}}}}}}}$	☐ Confidential Release Date:
Signature: TUMA (GM)	☐ Wireline Log Received
Title: Agent Date: 07/05/2011	UIC Distribution
	ALT

Side Two

Operator Name: Bir	k Petroleum		Lease N	lame: _	Parmely A		well#:35		
Sec. 29 Twp.22	s. R. <u>17</u>	✓ East ☐ West	County:	Coffe	ey				
time tool open and cle	osed, flowing and shu	nd base of formations per ut-in pressures, whether s est, along with final chart I well site report.	shut-in press	ure read	ched static level,	hydrostatic pre	ssures, bottom	hole temp	perature, fluid
Drill Stem Tests Taken (Attach Additional Sheets) Samples Sent to Geological Survey Yes No				og Formation	n (Top), Depth a	pth and Datum		✓ Sample	
		Yes No	Nar Squir				Тор 977		Datum
Cores Taken Electric Log Run Electric Log Submitte (If no. Submit Cop)	· · · · · · · · · · · · · · · · · · ·	☐ Yes ☑ No ☐ Yes ☑ No ☐ Yes ☑ No	:	,		•			
List All E. Logs Run:									
		······							
		CASING Report all strings set-	RECORD conductor, sur	.∐. Ne face, Inte	_	on, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (in O.D.)	Weigl Lbs. /	ht	Setting Depth	Type of Cement	# Sacks Used		and Percent Additives
Surface casing	9 7/8"	7"	17#	-	40'	Portland	12	Calcium	
Long String	5 7/8"	2 7/8"	6.5#		972'	Portland	120		
		ADDITIONAL	CEMENTIN	G / SOI	JEEZE RECORD	<u> </u>			 ···
Purpose:	Depth Top Bottom	Type of Cement	# Sacks		LEZE REGORD	Type and	Percent Additives	3	
Perforate Protect Cesing Plug Back TD Plug Off Zone	:							· · · · · · · · · · · · · · · · · · ·	
			<u> </u>						
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
None	Open Hole completion 972-998'				Frac w/42 sx sand 972-998				972-998
			·	· · · · · · · · · · · · · · · · · · ·					
		 							
									
TUBING RECORD:	Size:	Set At:	Packer At:	:	Liner Run:	Yes N	o		
Date of First, Resumed 05/05/2011	Production, SWD or EN	IHR. Producing Met	hod:		Gas Lift 🔲 O	ther (Explain)			
Estimated Production Per 24 Hours	OII 1.5	Bbis. Gas	Mcf	Wate	er Bi	bis.	Gas-Oll Ratio		Gravity
DISPOSITI	ON OF GAS:	Open Hole	METHOD OF	_		nmingled	PRODUCTI	ON INTER	NAL:
1 – –	bmit ACO-18.)	Other (Specify)		(Submit /		nli AČO-4) —	························		7 2011

JUL 07 2011

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point ow under truck's own power. Due to delivery at owner's or interm seller assumes no responsibility for damages in any mare noadways, drivewys buildings, trees, shrubbery, etc., which risk. The maximum alletted time for unloading trucks is 5 mil charge will be made for holding trucks longer. This concrete water contents for strength or mix indicated. We do not assume strength test when water is added at customer's regunst. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying mate complete this contract can result in the filling of a mechanic's life

which is the subject of this contract.

BB001 B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

B12/18

B & B COOP. VENTURES/BIRK OIL 58 W TO WAYSIDE RD N 1 MI TO

5TH RD W 1/2 MI

WELL # PARMELY A #35

LE ROY, KS 66857

BURLINGTON KS 66839

04-08-11	To Date Today	5 1	60.00 yd 12.00 yd	16282		4.00 in	
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TIC
10:20:34a	WELL.	12.00 yd	12.00 yd	% CAL 0.00	DP 31	% AIR 0.00	
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement, Wear Rubber Boots and Gloves, PROLONGED CONDECT CAUSE BURNS, Avoid Contact With Eyes and Prolonged Contact With San, In Qu Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Per Attention, KEEP CHILDREN AWAY.

CONCRETE IS A PERSHABLE COMMODITY and BECOMES the PERSHABLE LEAVING the PLANT. ANY CHANGES OR CANCELLATION OF DEIGH TELEPHONED to the OFFICE BEFORE LOADING STAFTS

Not Responsible for Readire Approach

A \$25 Service Charge and Gogs of the Excess Datay Time Charged & SOOK R.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELINERY TO SE MADE INSIDE CURULINE)

Dear Custome-Tale drives girths brook in presenting this RELEASE to you for your signalura is of the comion that the size and weight at his hack may program course depress to the framese ancion sepacen property. It programs material styles built order you case at it to come to test the grown way that are case, built in order to do this Story that you had the HoLEASE relieving non-and flar responsibility torn only damage than may occur a principle industry property, burlings, socsales, curbs, with purific delicent property, buildings, sicessales, curbs, with purific delicent of this material and that you to help but remove much from the synes s of his various so of that the public street. Further, as additional consideraton, the excessioned agrees to adamnity and hold hanniese the driver of this truck and this supplier for any and all damage to the promises endor adjusted properly affect may be defined by enjoye to have urisin out of delivery of this order. SIGNED

Excessive Water is Detrimental to Concrete Perfo H₂0 Added By Request/Authorized By

GAL X _

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE H NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DA WHEN DELIVERING INSIDE CURB LINE.

EXTE

QUANTITY 12.00

WELL (10 SACKS PER UNIT)

12.00

76.00

UNIT PRICE

TRUCKING

CODE

TRUCKING CHARGE

2.50

50.00

DESCRIPTION