KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

^	
	Form ACO-1
VINIA.	June 2009
	Form Must Be Typed
	Form must be Signed
	blanks must be Filled
F Ψ	&

OPERATOR: License # 8210	API No. 15 - 031-22755-00-00
Name: Edward E Birk	Spot Description:
Address 1: 302 South 16th	SE_SE_SW_NE_Sec. 15 Twp. 22 S. R. 16 FEast West
Address 2:	2,805 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 66839 +	1,485 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Edward E Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-1311	□NE □NW ☑SE □SW
CONTRACTOR: License # 8210	County: Coffey
Name: Edward E Birk	Lease Name: Witteman Well #: 33
Wellsite Geologist: None	Field Name: Neosho Falls-LeRoy
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1034 est . Kelly Bushing:
✓ New Well	Total Depth: 1039 Plug Back Total Depth: 1039
	Amount of Surface Pipe Set and Cemented at: 40 Feet
☐ Oil ☐ WSW ☐ SWD ☐ SIOW ☐ Gas ☐ D&A ☑ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? Yes No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 1016
Cathodic Other (Core, Expl., etc.):	feet depth to: Surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	SX CIIII.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chlorida contents
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content: ppm Fluid volume: bbls
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
SSW Permit #:	County: Permit #:
04/12/2011 04/13/2011 04/14/2011	,
Spud Date or Date Reached TD Completion Date or Recompletion Date	
of side two of this form will be held confidential for a period of 12 months if req	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidensill report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and relations promulgated to regulate the oil and gas industry have been fully complied	I I see a di Cardinantalite di Parata di
and the statements herein are complete and correct to the best of my knowledg	l a. I
Carlos (VIII)	Confidential Release Date:
Signature: TTWA (15VV)	☐ Wireline Log Received ☐ Geologist Report Received RECFIVED
Title: Agent Date: 07/06/2011	UIC Distribution
Date: Street	ALT I III Approved by: Dy Date: 0.7 2011
	KCC MACLE
	KCC WICHITA

Side Two

Operator Name: Edward E Birk				Lease Name: Witternan			Well #:		
Sec. 15 Twp.22 S. R. 16 📝 East 🗌 West			County	: Coffe	Эу				
time tool open and clo	sed, flowing and shu es if gas to surface te	nd base of formations per it-in pressures, whether a st, along with final chart well site report.	shut-in pres	sure rea	ched static level,	hydrostatic p	ressures, bottom i	nole temp	perature, fluid
Drill Stem Tests Taken (Attach Additional Sheets)				Log Formation (Top), De			oth and Datum		Sample
Samples Sent to Geological Survey		☐ Yes ✓ No		Name Squirrel Sand			Top D 1017		Datum
•		Yes No Yes No Yes No	Yes No						
List Ali E. Logs Run:									
			RECORD	No	_				
Purpose of String	Size Hole Drilled	Report all strings set- Size Casing Set (in O.D.)	Wel-	ght	Setting Depth	Type of Cement	# Sacks Used		and Percent
Surface Casing	9 7/8"	7"	17#		40'	Portland	15	Calcium	
Long string	6 1/8"	2 7/8"	6.5#		1016'	Portland	120		
		ABBITIONA		10 (00)	15535 B50000				
Purpose: Depth Type of Cement — Perforate Top Bottom				# Sacks Used Type and Percent Additives					
Protect Casing Plug Back TD Plug Off Zone			<u> </u>			·			···
			<u> </u>						
Shots Per Foot PERFORATION RECORD - Bridge Plugs S Specify Footage of Each Interval Perfora					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) De			Depth	
None	None Open hole completion 1016-1039'								-
									
		/							
TUBING RECORD:	Size:	Set At:	Packer A	t:	Liner Run:	Yes	No		L <u>.,</u>
Date of First, Resumed Pending	Production, SWD or EN	HR. Producing Met	thod: Pumpin	9 🗀	Gas Lift ☐ C	ther (Explain) _			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wat	er Bt	ols.	Gas-Oll Ratio		Gravity
DISPOSITIO	ON OF GAS:		METHOD OF	COMPLE	ETION:		PRODUCTION	ON INTER	.VAL:
□ Vented □ Sold □ Used on Lease □ Open Hole □ Perf. □ Dualty Comp. □ Commingled (If vented, Submit ACO-18.) □ Other (Specify) □ Other (Specify) □ Other (Specify)								RI	ECEIVED

Mail to: KCC - Conservation Division 130 S Market - Room 2078 Wichita Kansas 67202

JUL 0 7 2011

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to adewalks, roadways, driveways, bulldings, trees, shrubbery, atc., witch are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strongth test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property

SHIP TO

EXTENDED PRICE

SOLU TO: 10080

B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

BURL THOTOH RS

ST PRO

B147+4 O & A COMP. VENTURES/BISK OIL SA N TO USE THE LECOVER OUT OF TOWN TO 11 TO 7TH & WEST TO HOSPER HD S II SO TESSE WRIGHTWITHEMAN

1 1911, 19 FOTT WELL # 44 33

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVERATAUCK	# AIR	PLANT/TRANSACTION #
12:51:38p	WHIL.	18.00 yd	12,00 94	ହ.ଦମ	73.764 24	0.00	
DATE		LOAD #	YARDS DEL.	, BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
Ø4-14-11	្រែង ខែ ខ្លាំង (1	12 - 1900 - Vet	16371		4.00 in	88917

WARNING

IRRITATING TO THE SKIN AND EYES with A Comment A West Rubber Bools and Gloves. PROLONGED CONTACT MAY

Contains Rortland Coment, Wear Rübber Boots and Gloves, PRELONGED CONTACT MAY CAUSE BURNS, Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IS a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of dailvery will bear interest at the rate of 24% per annum.

WELL

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount with be collected on all Returned Checks. CODE

Excess Delay Time Charged @ \$50/HR.

QUANTITY

12.00

2.50

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Castomer The driver of this truck is presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises end/or adjacent
properly if a lighcase the material in this load where you desire is, it is
out wish to help you in severy way that we can, but in order to do this
the driver is requesting that you sign this ReLEASE relieving him and
his supplier from any responsibility from any damage that may occur
to the premises and/or adjacent properly, buddings, sidewises
of the property of the material, and that you
agree to help him remove must don't be wheet of his vehicle so
to the wind to filter the public street. Further, as additional consideration, the undersigned agrees to indemly, and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
endors adjacent property which may be claimed by anyone to have
arise not of delivery of this order.

SIGNED

Excessive Water Is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED ECURBLINE

UNIT PRICE

DESCRIPTION WELL IN SACKS PAR UNITO

17,00 76,00 912.00 $g_{ij} = 0$ 50.00 125.00

TRUEKTHG TRICKING CHARGE

RETURNED TO PLANT LEFT JOB FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED hbTotal & 1037.00 JOB NOT READY SLOW POUR OR PUMP 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION Tax % 6.300 65, 33 TRUCK AHEAD ON JOB
 CONTRACTOR BROKE DOWN '9. OTHER Total \$ 1102.33 LEFT PLANT ARRIVED JOB START UNLOADING TIME DUE der \$ 1102.33 ADDITIONAL CHARGE 1. **TOTAL ROUND TRIP** TOTAL AT JOB UNLOADING TIME **DELAY TIME ADDITIONAL CHARGE 2** GRAND TOTAL سيد والسرياس في العرق السرام

> RECEIVED JUL 07 2011 **KCC WICHITA**