Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

	_
Form ACO-	CAIGINAI.
June 200	
Form Must Be Type	
Form must be Signer	
ll blanks must be Fille	

OPERATOR: License # 31280	API No. 15031-22868-00-00
Name: Birk Petroleum	Spot Description:
Address 1: 874 12th Rd SW	NW_NW_NW_SW Sec. 29 Twp. 22 S. R. 17 V East West
Address 2:	2,475 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 66839 +	5,115 Feet from Faction West Line of Section
Contact Person; Brian L Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-1311	NE □NW ☑ SE □SW
CONTRACTOR: License #_33900	County: Coffey
Stove Lais	Lease Name: Parmely A Well #: 42
Wellsite Geologist: None	Lease Name: Well #:
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
	Elevation: Ground: 1057 est Kelly Bushing:
Designate Type of Completion:	Total Depth: 998 Plug Back Total Depth: 998
✓ New Well ☐ Re-Entry ☐ Workover	i
☑ oil ☐ wsw ☐ swd ☐ slow	Amount of Surface Pipe Set and Cemented at: 40 Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No
GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	If Alternate II completion, cement circulated from: 972
If Workover/Re-entry: Old Well Info as follows:	feet depth to: surface w/ 120 sx cmt.
Operator:	
Well Name:	Dritting Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	
ENHR Permit #:	QuarterSecTwpS. R East West
GSW Permit #:	County: Permit #:
04/08/2011 04/11/2011 04/12/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	
of side two of this form will be held confidential for a period of 12 months if req	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information puested in writing and submitted with the form (see rule 82-3-107 for confidential report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT I am the afflant and I hereby certify that all requirements of the statutes, rules and r	KCC Office Use ONLY
lations promulgated to regulate the oil and gas industry have been fully complied	The state of Confidential Section 1
and the statements berein are complete and correct to the best of my knowledg	ge. Date:
Town Or In	☐ Confidential Release Date:
Signature:	Geologist Report Received

Date: 07/05/2011

Title: Agent

☐ Geologist Report Received

ALT | I | III Approved by:

Side Two

Operator Name: Birl	k Petroleum			Leas	e Name: _	Parmely A	·	Well #:4	2	
Sec. 29 Twp.22	s. R. <u>17</u>	✓ East	West	Cour	nty: Coffe	еу		· · · · · · · · · · · · · · · · · · ·		
INSTRUCTIONS: Shi time tool open and clo recovery, and flow rat line Logs surveyed. A	osed, flowing and shu es if gas to surface to	rt-in press est, along	ures, whether s with final chart(hut-in pre	essure read	ched static le	vel, hydrostatic	pressures, botton	n hole tem	perature, fluid
Drill Stern Tests Taken (Attach Additional Sheets)			es 🗸 No			_	ation (Top), Dep	oth and Datum		Sample
Samples Sent to Geological Survey		□Y	6- [Z]N-		Nam Squirre	=		Top Datur 977		Datum
Electric Log Run		Y	es 🗸 No							
List All E. Logs Run:										
			CASING	RECORE	D Ne	rw 🗸 Used		 		
	- · · · ·		ort all strings set-c		surface, inte	ermediate, pro	duction, etc.		 _	
Purpose of String	Size Hole Drilled		re Casing t (In O.D.)		/elght s. / Ft.	Setting Depth	Type o Cemer			and Percent Additives
Surface casing	9 7/8"	7"		17#		40'	Portland	12	Calciu	ım
Long String	5 7/8"	2 7/8"	··· · · · · · · · · · · · · · · · · ·	6.5#		972'	Portland	120		
.	<u> </u>	Г	ADDITIONAL	CEMEN	TING / SQL	JEEZE RECO	PRD	•••		
Purpose: Depth Type		pe of Cement # Sacks Used			Type and Percent Additives					
Protect Cesing Plug Back TD Plug Off Zone										
ridg on zone						<u> </u>				
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					ė	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
None	Open Hole comp	etion 972	2-998'			Frac w/42 sx sand				972-998
								· · · · · · · · · · · · · · · · · · ·		
		· · · · · · · · · · · · · · · · · · ·								
									· · · · · · · · · · · · · · · · · · ·	
TUBING RECORD:	Size:	Set At:		Packer	· At:	Liner Run:	Yes [No		
Date of First, Resumed Production, SWD or ENHR. Producing Methology 05/05/2011 Flowing				nod: Pump	olng []	Gas Lift [Other (Explain)			
Estimated Production Per 24 Hours	OII 2	Bbis.	Gas	Mcf	Wate	3r	Bbis.	Gas-Oli Ratio		Gravity
DISPOSITION	ON OF GAS:	Τ		AETHOD (OF COMPLE	TION:		PRODUC	TION INTER	
Vented Sold Used on Lease Open H				Perf. Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4)			RECEIVED			
(If vented, Submit ACO-18.) Uther (Specify)										

Mail to: KCC - Conservation Division 130 S Market - Room 2078 Wichita Kansas 67202

KCC WICHITA

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

oducts, Inc. Payless Co

CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to aldewalts, roadways, driveways, buildings, trees, shrubbery, stc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mis indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE to OWNER.

Feature of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

SOLD TO: BEGGT

B & B COOPERATIVE VENTURES 900 S. FOURTH STA

BUREING TOR PS

68.839

BITTER

DIA TO STEELS SHEET OF A DECEMBER OF A DECEMBER OF THE PROPERTY OF THE PROPER 56 U TO NA CIDE RD N 1 ML TO

SIN OUR LITE MI WELL # PARMELY A RYS

LF ROY, MS 66857

				,				
· TIME	FORMULA 5	LOAD SIZE	YARDS ORDERED	1	DRIVER/TRUCK		PLANT/TRANSACTION #	
	44.			7 LHL	90	> HIR		
Q1:51:12p	UELL	10 कुछ Aq	10.00 yd	0. 00	ડે1	0.00		
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
04-12-11	o Dave - Today	5 \	12.00 ya	16361		4.00 in	28892	
1	,		l			;	1	

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portand Contact Wen Bubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS: Avoid Contact Wen Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Rush Thoroughly With Water, if Initiation Persists, Get Medical
Attention. KEEP CHILDREN.AWAY.

CONCRETE IN A PERISHABLE COMMODITY and RECOMES the PROPERTY OF the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' tess, incurred in collecting any surres overd.

All accounts not paid within 30 days of delivery will beer interest at the rate of 24% per annum. Not Responsible for Resolve Aggregate or Color Quality, No Claim Allowed Unites Made at Time Material is Deferend.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. CODE

ARRIVED JOB

2:35

TOTAL AT JOB

Excess Datay Time Charged @ \$50/HR.

QUANTITY

LEFT PLANT

Q`oS

TOTAL ROUND TRIP

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSDE CURB UNIC)
Dear Customer-The other of this truck in presenting this RELEASE to
you for your signature is of the opinion that the six and weight of his
truck may possibly cause damage to the premises entire adjuvent
propery it is places the material in its local where you desire it. It is
our with to help you in every way that we can, but in order to do this
the other is necuestry that you sign this RELEASE releving him and
this supplier from any responsibility from any damage that may occur
to, the premises and/or adjuvent property, buddings, sichers
to the him armove mud from the wheels of his vehicle so
that he will not fill me the public street. Further, as additional consideration, the undersigned agrees to indumnity and hald harmless the other
of his incut, and this supplier for any and all damage in the pramises
and/or adjacent property which may be claimed by anyone to have
early street.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

TIME DUE

DELAY TIME

UNIT PRICE EXTENDED PRICE

76.00 912.00 12.00 WELL WELL (10 SACKS PER UNIT) 12.00 2.50 2.50 50.00 125.00 TRUCKING TRUCKING CHARGE

LEFT JOB RETURNED TO PLANT 4.10

1067 Tat \$ 1,1023%

FINISH UNLOADING

START UNLOADING

UNLOADING TIME

DESCRIPTION

DELAY EXPLANATION/CYLINDER TEST TAKEN JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB

ADDED WATER

CONTRACTOR BROKE DOWN .

TRUCK BRICKE DOWN CITATION 9 OTHER

TIME ALLOWED ubTotal \$ Tha % 6.300

ital \$ der \$

65.33 1102, 33 1102.33

1037.00

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

GRAND TOTAL

RECEIVED JUL 07 2011 **KCC WICHITA**