

ORIGINAL

KCC

APR 24, 1992

STATE CORPORATION COMMISSION OF KANSAS  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
ACO-1 WELL HISTORY  
DESCRIPTION OF WELL AND LEASE

API NO. 15- 063-21,382 -00-00  
County GOVE CONFIDENTIAL


Operator: License # 3988  
Name: Slawson Exploration Co., Inc.  
Address 104 S. Broadway, Suite 200  
City/State/Zip Wichita, KS. 67202-4165

SW SW SE Sec: 19 Twp. 14S Rge. 27 East  
330' Ft. North from Southeast Corner of Section  
2310' Ft. West from Southeast Corner of Section  
(NOTE: Locate well in section plat below.)

Purchaser: \_\_\_\_\_  
Operator Contact Person: Stephen Slawson  
Phone (405) 232-0201

Lease Name TJADEN "H" Well # 1  
Field Name Wildcat  
Producing Formation \_\_\_\_\_  
Elevation: Ground 2473' KB 2478'  
Total Depth 2030' PBTD \_\_\_\_\_

Contractor: Name: L. D. Drilling, Inc.  
License: 6039  
Wellsite Geologist: \_\_\_\_\_



Designate Type of Completion  
 New Well  Re-Entry  Workover  
 Oil  SWD  Temp. Abd.  Chita, Kansas  
 Gas  Inj  Delayed Comp.  
 Dry  Other (Core, Water Supply, etc.)

Amount of Surface Pipe Set and Cemented at 384' Feet  
Multiple Stage Cementing Collar Used? Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

If OWMO: old well info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Comp. Date \_\_\_\_\_ Old Total Depth \_\_\_\_\_  
Drilling Method:  
 Mud Rotary  Air Rotary  Cable  
4-1-91 4-4-91 \_\_\_\_\_  
Spud Date Date Reached TD Completion Date

INSTRUCTIONS: This form shall be completed in triplicate and filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date of any well. Rule 82-3-130, 82-3-107 and 82-3-106 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form. See rule 82-3-107 for confidentiality in excess of 12 months. One copy of all wireline logs and drillers time log shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells. Any recompletion, workover or conversion of a well requires filing of ACO-2 within 120 days from commencement date of such work.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature \_\_\_\_\_  
Title Division Engineer Date 4/15/91  
Subscribed and sworn to before me this 15 day of April, 1991.  
Notary Public Mia A. Johnston  
Date Commission Expires September 13, 1994

K.C.C. OFFICE USE ONLY  
F  Letter of Confidentiality Attached  
C  Wireline Log Received  
C  Drillers Timelog Received  
Distribution  
KCC \_\_\_\_\_ SWD/Rep \_\_\_\_\_ NGPA  
KGS \_\_\_\_\_ Plug \_\_\_\_\_ Other \_\_\_\_\_  
(Specify)

PI

# CONFIDENTIAL

SIDE TWO

Operator Name Slawson Exploration Co., Inc. Lease Name TJADEN "H" Well # 1  
 Sec. 19 Twp. 14S Rge. 27  East County GOVE  
 West

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets.)  
 Samples Sent to Geological Survey  Yes  No  
 Cores Taken  Yes  No  
 Electric Log Run  Yes  No  
 (Submit Copy.)

ANAHYDRITE PLUG

Formation Description		
Name	Top	Bottom
Anhydrite	1924	(+554)
B/Anhydrite	1960	(+518)
LTD	2015	(+463)

RELEASED

MAY 3 1993

FROM CONFIDENTIAL

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/4"	8 5/8"	20#	384'	60/40 Poz	200	2% Gel, 3% Gel
PERFORATION RECORD				Acid, Fracture, Shot, Cement Squeeze Record			
Shots Per Foot	Specify Footage of Each Interval Perforated			(Amount and Kind of Material Used)			Depth
TUBING RECORD				Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No			
Size	Set At	Packer At					
Date of First Production		Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)					
Estimated Production Per 24 Hours		Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity	

Disposition of Gas:  Vented  Sold  Used on Lease (If vented, submit ACO-18.)

METHOD OF COMPLETION

Open Hole  Perforation  Dually Completed  Commingled

Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

Phone 913-483-2627, Russell, Kansas

Phone 316-793-5861, Great Bend, Kansas

15-063-21382-00-00

Phone Plainville 913-434-2812

Phone Ness City 913-798-3843

# ORIGINAL

# ALLIED CEMENTING CO., INC.

Home Office P. O. Box 31

Russell, Kansas 67665

# NKCC 923

APR 24 1992

*New*

Date	Sec.	Twp.	Range	Called Out	On Location	Job Start	Job Finish
4-1-91	19	14	27	6:30 PM	8:30 PM	12:15 AM	1:00 AM

Lease <i>Faden "H"</i>	Well No. <i>1</i>	Location <i>Pendennis 2 1/2 W 13 N 1/2 E</i>	County <i>Nowe</i>	State <i>Ka</i>
------------------------	-------------------	--	--------------------	-----------------

Contractor <i>LA</i>	
Type Job <i>Surface</i>	Owner <i>Slawson</i>
Hole Size <i>12 1/4</i>	T.D. <i>384'</i> <b>RELEASED</b>
Csg. <i>8 5/8</i>	Depth <i>387'</i>
Tbg. Size	Depth
Drill Pipe	Depth <b>FROM CONF</b>
Tool	Depth
Cement Left in Csg. <i>15'</i>	Shoe Joint
Press Max.	Minimum
Meas Line	Displace <i>24.2</i>
Perf.	

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish  
 cementer and helper to assist owner or contractor to do work as listed.

**Exploration**

Charge To *Slawson Drilling Inc*  
 1520 N. Broadway - Suite 706  
 City *OKLA. City* State *OK. 73102*

The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No.  
 X *Mark A. Sanders*

### CEMENT

Amount Ordered	<i>200 60/40 27% gel 3% cc.</i>	
Consisting of		
Common	<i>120</i>	<i>6.30.00</i>
Poz. Mix	<i>80</i>	<i>180.00</i>
Gel.	<i>4</i>	<i>N/C</i>
Chloride	<i>6</i>	<i>126.00</i>
Quickset		

*New*

### EQUIPMENT

No.	Cementer	
Pumptrk <i>158</i>	Helper	
Pumptrk <i>116</i>	Cementer <i>J.D.</i>	
	Helper <i>Bob</i>	
	Driver <i>Chad</i>	
Bulktrk <i>116</i>		
Bulktrk	Driver	

Handling	<i>2.00</i>	<i>1.00</i>	<i>200.00</i>
Mileage	<i>55</i>		<i>440.00</i>
Sub Total			
Total			<i>1576.00</i>

### DEPTH of Job

Reference:		
	<i>Pump truck charge</i>	<i>380.00</i>
<i>55</i>	<i>Mileage</i>	<i>110.00</i>
<i>1</i>	<i>8 5/8 TWP</i>	<i>42.00</i>
	<i>87'</i>	<i>N/C</i>
	<b>Total</b>	<b><i>532.00</i></b>

Remarks: *Cement did circulate.*  
*4 bbl cement*

Floating Equipment

Total \$ *2108.00*  
 Disc - *421.60*

STATE COMMISSION # *11686.40*

APR 25 1991

*Thank you*  
*Slawson Drilling*

CONSERVATION DIVISION  
WICHITA, KANSAS

Phone 913-483-2627, Russell, Kansas  
 Phone 316-793-5861, Great Bend, Kansas

Phone Plainville 913-434-2812  
 Phone Ness City 913-798-3843

ORIGINAL  
 15-063-21382-00-00  
**ALLIED CEMENTING CO., INC.**  
 Home Office P. O. Box 31  
 Russell, Kansas 67665

No. 1026  
 KCC

APR 24 1991-4-91

*New*

Date	4-3-91	Sec.	19	fwp.	14	Range	27	Called Out	8 AM	On Location	10:30 PM	Job Start	10:30 AM	Finish	3:30 AM
Lease	T-JADEN "H" Well No. #1			Location				Bendman's 2W 18N E into			County	Moive			
Contractor	L. D. Drilling Plg #1			Owner				Same							
Type Job	Rotary Plug			To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.											
Hole Size	7 7/8		T.D.		2030 ft										
Csg.			Depth												
Tbg. Size			Depth												
Drill Pipe	4 1/2		Depth		1930 ft										
Tool			Depth												
Cement Left in Csg.			Shoe Joint												
Press Max.			Minimum		RELEASED										
Meas Line			Displace												
Perf.	3 1993														

Charge To	SHAWSON Exp. Comp Inc		
Street	20 N. Broadway - Suite 700		
City	OKLA City	State	OKLA. 73102
The above was done to satisfaction and supervision of owner agent or contractor.			
Purchase Order No.	X Mak A. Sander		
CEMENT			
Amount Ordered	190 @ 675 = 128250 + 2800 = 131050		

*Ness*

EQUIPMENT FROM CONFIDENTIAL			
No.	Cementer	Mike	
Pumptrk 158	Helper	Brad	
No.	Cementer	Averay	
Pumptrk	Helper	Brend	
	Driver	Dwane	
Bulktrk 199	Driver		

Consisting of			
Common	114	5.25	598.50
Poz. Mix	76	2.25	171.00
Gel.	11	6.75	74.25
Chloride	4	21.00	84.00
Quickset			
Glo Seal - 25	25	1.00	25.00
Handling	190	1.00	190.00
Mileage	55		418.00
Total			1560.75

DEPTH of Job	1930 ft		
Reference:	Pump Truck charge	380.00	
55	miloge charge	110.00	
1	wooden plug	42.00	
Total	532.00		

Floating Equipment  
 Total \$ 2092.75  
 Disc - 418.55  
 STATE OF OKLA. # SIGN \$ 1674.20

Remarks:  
 mixed 25 at 1930 ft  
 100 at 455 ft 1 lb Flo seal  
 40 at 430 ft  
 10 at 40 ft  
 15 at rot hole

APR 25 1991

Allied Cementing Co Inc  
 Mike Murrell

Thank You

# ORIGINAL

APR 24 1992

CONFIDENTIAL

DRILLER'S WELL LOG

Commenced: 4-1-91  
COMPLETED: 4-4-91

0 - 384 Surface  
384 - 2030 Lime & Shale

SLAWSON EXPLORATION COMPANY, INC.  
TJADEN "H" #1  
SW SW SE Sec. 19-T14S-R27W  
Gove County, Kansas

ELEVATION: 2473 GR 2478 KB

FORMATION DATA: LOG

Anhydrite Top 1924' (+554)  
Anhydrite Base 1960' (+518)

SURFACE CASING:

8 5/8" set @ 384' W/200 sx. 60/40  
Pozmix, 2% Gel, 3% CC

RELEASED

MAY 13 1993

FROM CONFIDENTIAL

A F F I D A V I T

STATE OF KANSAS )  
COUNTY OF BARTON )<sup>SS</sup>

L. D. DAVIS of lawful age, does swear and state that the facts and statements herein are true and correct to the best of his knowledge.

RECEIVED  
STATE COMMISSION

APR 25 1991

CO. OF EXPLORATION  
Wichita, Kansas

L. D. Davis

Subscribed and sworn to before me this 11th day of April, 1991.

My Commission expires: 5-20-93

Bessie M. DeWerff  
Notary Public: Bessie M. DeWerff

