

15-169-00087-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

Saline County, Sec. 28 Twp. 14 Rge. (E) 4 (W)

Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines C, S, SW NW

Lease Owner E. K. Carey, Contractor

Lease Name Mable Linn Well No. 1

Office Address Box 620, McPherson, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole

Date well completed December 6, 1951 19

Application for plugging filed December 7, 1951 19

Application for plugging approved 19


Plugging commenced December 6, 1951 19

Plugging completed December 6, 1951 19

Reason for abandonment of well or producing formation Dry Non Productive

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above Section Flat

Name of Conservation Agent who supervised plugging of this well Ruel Durkee

Producing formation Depth to top Bottom Total Depth of Well 3865 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
		0	150	13	155	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Circulated heavy mud on bottom, gunned pits and circulated heavy mud at 2500 feet. Came out with drill pipe, filled hole with heavy mud to 150 feet. Shoved down 12" wood plug to 150 feet filled in field rock on top of plug forming bridge solid enough to hold drill pipe. Mixed and ran 25 sacks cement on top this 150 feet bridge, filled with mud to 25 feet and ran 8 sacks cement to cellar floor.

DEC 8 1951
CONSERVATION DIVISION

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to E. K. Carey, Contractor
Address Box 620, McPherson, Kansas

STATE OF Kansas, COUNTY OF McPherson, ss.
Elmer Rider

(employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Elmer Rider

Box 620, McPherson, Kansas (Address)

SUBSCRIBED AND SWORN to before me this 7 day of December, 1951

[Signature]

Notary Public.

My commission expires November 13, 1952

23-5091-5 4-18-50-10M
FILE 267-14
BOOK PAGE 129 LINE 37

15-169-00087-00-00
 ROTARY DRILLER'S LOG

E. K. Carey, Contractor
 Box 620
 McPherson, Kansas

Elevation: 1312 K. B.

Casing Record:

Mable Linn #1

13" 150' w/150 sacks

C, SW SW NW
 Sec. 28-14-4W
 Saline County, Kansas


Well Commenced: 11-18-51
 Well Completed: 12-6-51

Contractor: E. K. Carey, Contractor (Rig #2) Box 620, McPherson, Kansas
 Geologist: Don Hollar, E. K. Carey Drlg. Co., 815 Central Bldg. Wichita, Ks.

Figures Indicate Bottom of Formation K. B.

Cellar	7	Shale & lime	2955
Shale	38	Shale & shells	3065
Sand	52	Lime	3135
Shale & Shells	75	Lime	3170
Shale & shells	80	Lime	3235
Lime & shale	175	Lime	3285
Shale & shells	310	Lime	3358
Shale & shells	445	Shale & lime	3454
Anhydrite	505	Shale & lime	3475
Anhydrite	540	Lime	3541
Lime	685	Shale & lime	3604
Lime & shale	925	Shale	3617
Lime & shale	990	Lime	3663
Shale & lime	1130	Shale & lime	3675
Lime & shale	1300	Lime	3795
Shale & lime	1640	Shale & lime	3810
Shale & lime	1775	Sand	3840
Lime	1780	Shale & lime	3851
Lime	1910	Lime	3865
Lime & shale	2015		
Lime	2100	Geologist Tops:	
Lime	2195	Lansing	2396
Lime	2225	Mississippi	3065
Shale	2340	Kinderhook	3370
Shale	2395	Hunton	3470
Lime	2455	Maq. Sh.	3541
Lime	2545	Maq. Dol.	3616
Lime	2615	Viola	3670
Lime	2700	Simpson	3771
Lime	2760	Arbuckle	3851
Lime & shale	2830	Rotary T. D.	3865
Lime & shale	2878	No Shows, well D & A	

The above Rotary Driller's Log is complete and correct to the best of my knowledge.



E. K. CAREY, CONTRACTOR

Herbert Rhoton
 By Herbert Rhoton, Superintendent