For KCC Use:	9-12-2011
Effective Date: _	110011
District #	_3
SGA?Ye	s XNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: September 8, 2011	Spot Description:
month day year	<u>NE</u> - <u>NE</u> - <u>NE</u> - <u>Sec. 36 Twp. 33 S. R. 10</u>
6321	(Q/Q/Q/Q) 328 feet from N / S Line of Section
DPERATOR: License#	525 feet from X E / W Line of Section
lame: McCann Drilling Inc.	Is SECTION: Regular Irregular?
address 1: 1613 W. 6th	is SECTION. Kegulai I integulair
Address 2:	(Note: Locate well on the Section Plat on reverse side)
ity: Bartlesville State: OK Zip: 74003 +	County: Chautauqua
ontact Person: Dean McCann	Lease Name: Williamson Well #: M-1
hone: 918-337-4747	Field Name: Peru-Sedan
ONTRACTOR: License# 5495 33832 Per oper 9.71	Is this a Prorated / Spaced Field?
lome: McPherson Driffing Page Dright are United	Target Formation(s): Wayside
anne Go., Inc.	Nearest Lease or unit boundary line (in footage): 200
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 870feet MSL
X Oil Enh Rec X Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. XAir Rotary	
DisposalWildcatCable	
Seismic ; # of Holes Other	Depth to bottom of fresh water: 200
Other:	Depth to bottom of usable water:
Common and well information on fellower	Surface Pipe by Alternate:
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 1400
Original Completion Date: Original Total Depth:	Formation at Total Depth: Wayside
/	Water Source for Drilling Operations:
Pirectional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Air Rig
Yes, true vertical depth:	DWR Permit#:
Bottom Hole Location:	(Note: Apply for Permit with DWR
(CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFFIC	——————————————————————————————————————
he undersigned hereby affirms that the drilling, completion and eventual plugg	ing of this well will comply with K.S.A. 55 et. seq. SEP 0 6 2011
	3FP 0.6 200
is agreed that the following minimum requirements will be met:	OE. 00 2011
Notify the appropriate district office prior to soudding of well:	
Notify the appropriate district office prior to soudding of well:	
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials. 	illing rig; circulating cement to the top; in all cases surface pipe shall be set VICHIT,
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u If the well is dry hole, an agreement between the operator and the district 	illing rig; circulating cement to the top; in all cases surface pipe shall be seWICHIT/ inderlying formation. office on plug length and placement is necessary prior to plugging;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall</i> be posted on each dr The minimum amount of surface pipe as specified below <i>shall</i> be set by through all unconsolidated materials plus a minimum of 20 feet into the u If the well is dry hole, an agreement between the operator and the district The appropriate district office will be notified before well is either plugged 	illing rig; circulating cement to the top; in all cases surface pipe shall be set WICHIT/ inderlying formation. office on plug length and placement is necessary prior to plugging; or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall</i> be posted on each dr The minimum amount of surface pipe as specified below <i>shall</i> be set by through all unconsolidated materials plus a minimum of 20 feet into the u If the well is dry hole, an agreement between the operator and the district The appropriate district office will be notified before well is either plugged If an ALTERNATE II COMPLETION, production pipe shall be cemented fr 	illing rig; circulating cement to the top; in all cases surface pipe shall be set WICHIT/ inderlying formation. office on plug length and placement is necessary prior to plugging; or production casing is cemented in; om below any usable water to surface within 120 DAYS of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u If the well is dry hole, an agreement between the operator and the district The appropriate district office will be notified before well is either plugged If an ALTERNATE II COMPLETION, production pipe shall be cemented fror pursuant to Appendix "B" - Eastern Kansas surface casing order #133 	illing rig; circulating cement to the top; in all cases surface pipe shall be set VICHIT/ inderlying formation. office on plug length and placement is necessary prior to plugging; or production casing is cemented in; om below any usable water to surface within 120 DAYS of spud date. 891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u If the well is dry hole, an agreement between the operator and the district The appropriate district office will be notified before well is either plugged If an ALTERNATE II COMPLETION, production pipe shall be cemented fror pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plant. 	illing rig; circulating cement to the top; in all cases surface pipe shall be set CHIT/ inderlying formation. office on plug length and placement is necessary prior to plugging; or production casing is cemented in; oom below any usable water to surface within 120 DAYS of spud date. 891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u If the well is dry hole, an agreement between the operator and the district The appropriate district office will be notified before well is either plugged If an ALTERNATE II COMPLETION, production pipe shall be cemented fror pursuant to Appendix "B" - Eastern Kansas surface casing order #133 	illing rig; circulating cement to the top; in all cases surface pipe shall be set CHIT/ inderlying formation. office on plug length and placement is necessary prior to plugging; or production casing is cemented in; oom below any usable water to surface within 120 DAYS of spud date. 891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u If the well is dry hole, an agreement between the operator and the district The appropriate district office will be notified before well is either plugged If an ALTERNATE II COMPLETION, production pipe shall be cemented fror pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pliceted by certify that the statements made herein are true and to the best of the later. 	illing rig; circulating cement to the top; in all cases surface pipe shall be set WICHIT/ inderlying formation. office on plug length and placement is necessary prior to plugging; or production casing is cemented in; om below any usable water to surface within 120 DAYS of spud date. 891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u If the well is dry hole, an agreement between the operator and the district The appropriate district office will be notified before well is either plugged If an ALTERNATE II COMPLETION, production pipe shall be cemented fror pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pleated by certify that the statements made herein are true and to the best of the late. 	illing rig; circulating cement to the top; in all cases surface pipe shall be set VICHIT/ inderlying formation. office on plug length and placement is necessary prior to plugging; or production casing is cemented in; om below any usable water to surface within 120 DAYS of spud date. 891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the ur 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and to the best of the poate: 9-2-2011	illing rig; circulating cement to the top; in all cases surface pipe shall be set WICHIT/ inderlying formation. office on plug length and placement is necessary prior to plugging; or production casing is cemented in; om below any usable water to surface within 120 DAYS of spud date. 891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the ur 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be placed by the certify that the statements made herein are true and to the best of the potential of the potential signature of Operator or Agent: Potential Complete Council	illing rig; circulating cement to the top; in all cases surface pipe shall be set VICHIT/ inderlying formation. office on plug length and placement is necessary prior to plugging; or production casing is cemented in; om below any usable water to surface within 120 DAYS of spud date. 891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: Agent
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be planted by certify that the statements made herein are true and to the best of the poate: 9-2-2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 019 - 2706 5-00-00	illing rig; circulating cement to the top; in all cases surface pipe shall be set VICHIT/ inderlying formation. office on plug length and placement is necessary prior to plugging; or production casing is cemented in; om below any usable water to surface within 120 DAYS of spud date. 891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the ur 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged for an ALTERNATE II COMPLETION, production pipe shall be cemented from pursuant to Appendix "B". Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of the poate: 9-2-2011 Signature of Operator or Agent: For KCC Use ONLY API # 15	illing rig; circulating cement to the top; in all cases surface pipe shall be set VICHIT/ inderlying formation. office on plug length and placement is necessary prior to plugging; or production casing is cemented in; om below any usable water to surface within 120 DAYS of spud date. 891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uruse of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged of the analyse of the specified properties of the specified plugged of the specifie	illing rig; circulating cement to the top; in all cases surface pipe shall be set VICHIT/ inderlying formation. office on plug length and placement is necessary prior to plugging; or production casing is cemented in; om below any usable water to surface within 120 DAYS of spud date. 891-C, which applies to the KCC District 3 area, alternate II cementing agged. In all cases, NOTIFY district office prior to any cementing. Consider the complete to: Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be placed before the well shall be placed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O19 - 2 706 5-00-00 Conductor pipe required feet per ALT. I I I I I I I I I I I I I I I I I I I	illing rig; circulating cement to the top; in all cases surface pipe shall be set VICHIT/ inderlying formation. office on plug length and placement is necessary prior to plugging; or production casing is cemented in; om below any usable water to surface within 120 DAYS of spud date. 891-C, which applies to the KCC District 3 area, alternate II cementing agged. In all cases, NOTIFY district office prior to any cementing. Consider to: Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be planted by certify that the statements made herein are true and to the best of the poate: 9-2-2011 Signature of Operator or Agent: For KCC Use ONLY API #15 - 019 - 27065-0000 Conductor pipe required feet per ALT. 1911 Approved by: 444-9-7-2011	circulating cement to the top; in all cases surface pipe shall be set WCHIT/ inderlying formation. office on plug length and placement is necessary prior to plugging; or production casing is cemented in; om below any usable water to surface within 120 DAYS of spud date. 891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be placed before the well shall be placed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O19 - 2 706 5-00-00 Conductor pipe required feet per ALT. I I I I I I I I I I I I I I I I I I I	illing rig; circulating cement to the top; in all cases surface pipe shall be set VICHIT/ inderlying formation. office on plug length and placement is necessary prior to plugging; or production casing is cemented in; om below any usable water to surface within 120 DAYS of spud date. 891-C, which applies to the KCC District 3 area, alternate II cementing agged. In all cases, NOTIFY district office prior to any cementing. Chowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urvival of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the	circulating cement to the top; in all cases surface pipe shall be set VICHIT/ inderlying formation. Office on plug length and placement is necessary prior to plugging; or production casing is cemented in; om below any usable water to surface within 120 DAYS of spud date. 891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. Consider to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urvival of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the	circulating cement to the top; in all cases surface pipe shall be set VICHIT/ inderlying formation. Office on plug length and placement is necessary prior to plugging; or production casing is cemented in; om below any usable water to surface within 120 DAYS of spud date. 891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. Consider to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the ur 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged of it an ALTERNATE II COMPLETION, production pipe shall be cemented from pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of the place. Signature of Operator or Agent: Por KCC Use ONLY API # 15 - 019 - 27065-000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I I I I I I I I I I I I I I I I I I I	circulating cement to the top; in all cases surface pipe shall be set in all cases, or production casing is cemented in; or production applies to the KCC District 3 area, alternate II cementing larged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urender of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged of the surface of the surface casing order with the operator and the district office will be notified before well is either plugged of the surface of the well shall be plushereby certify that the statements made herein are true and to the best of the surface	circulating cement to the top; in all cases surface pipe shall be set VICHIT/ inderlying formation. office on plug length and placement is necessary prior to plugging; or production casing is cemented in; om below any usable water to surface within 120 DAYS of spud date. 891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: Agent Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date)

For KCC Use ONLY
API # 15 - 019-27065-0000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: McCann Drilling Inc.	Location of Well: County: Chautauqua				
Lease: Williamson	328	_ feet from X N / S Line of Section			
Well Number: M-1	525	_ feet from 🔀 E / 🔲 W Line of Section			
Field: Peru-Sedan	Sec. <u>36</u> Twp. <u>33</u>	S. R. <u>10</u>			
Number of Acres attributable to well:	Is Section: Regular or	Irregular			
	If Section is Irregular, locate Section corner used: NE	e well from nearest corner boundary.			

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

				You ma	ny attach a	separate	plat if desii	ed.
								LEGEND
********		;					3	O Well Location Tank Battery Location
			:					Pipeline Location Electric Line Location Lease Road Location
	: :	: :	: :					
	<u>:</u>	:	<u>:</u>			·	:	EXAMPLE:
	 :		:					
								1980' FSL
						:		
			<u>.</u>			:		SEWARD CO. 3390' FEL SEP 0.6. 2011

KCC WICHITA

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-019-27065-0000 KANSAS CORPORATION COMMISSION

OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	1 (Cathodic Protection Borehole Intent) T-1 (Transfer)	CP-1 (Plugging Application)			
OPERATOR: License # 6321	Well Location:				
Name: McCann Drilling Inc.		R 10 X Eas West			
Address 1: 1613 W. 6th					
	County: Chautauqua Lease Name: Williamson	Well #: M-1			
Address 2: City: Bartlesville State: OK Zip: 74003 + Contact Person: Dean McCann Phone: (918) 337-4747 Fax: (918) 337-4747 Email Address: mccanncompanies@yahoo.com	If filing a Form T-1 for multiple wells on a lease, e				
Phone: (918) 337-4747 Fax: (918) 337-4747	и в теазе остом.				
Email Address: mccanncompanies@yahoo.com	-				
Surface Owner Information: Name: McCann Drilling Inc. Address 1: 1613 W. 6th	When filing a Form T-1 involving multiple surface	owners, attach an additional			
Address 1: 1613 W. 6th	sheet listing all of the information to the left for e owner information can be found in the records of				
Address 2:	county, and in the real estate property tax records				
City: Bartlesville State: OK Zip: 74003 +	_				
are preliminary non-binding estimates. The locations may be entered. Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notic owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the for form; and 3) my operator name, address, phone number, face	e Act (House Bill 2032), I have provided the follow be located: 1) a copy of the Form C-1, Form CB-1, orn being filed is a Form C-1 or Form CB-1, the plat	ving to the surface Form T-1, or Form			
I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 hand	I acknowledge that, because I have not provided the owner(s). To mitigate the additional cost of the Ki	CC performing this			
If choosing the second option, submit payment of the \$30.00 handleform and the associated Form C-1, Form CB-1, Form T-1, or Form C	ling fee with this form. If the fee is not received wit CP-1 will be returned.	h this form, the KSONA-1			
		RECEIVED			
I hereby certify that the statements made herein are true and correct	11/10/100 100	SEP 0 6 201			
Date: 9-2-2011 Signature of Operator or Agent:	Title: Agent	KCC WICHIT			
_		VOC WICH!			

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: McCann Drilling Inc.			License Number: 6321		
Operator Address: 1613 W. 6th			Bartlesville OK 74003		
Contact Person: Dean McCann			Phone Number: 918-337-4747		
Lease Name & Well No.: Williamson	M-1	Pit Location (QQQQ):			
Type of Pit:	Pit is:		26 22 10		
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 36 Twp. 33 R. 10 X East West		
Settling Pit X Drilling Pit	If Existing, date constructed:		FOE		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:				
Is the pit located in a Sensitive Ground Water A	urea? ☐ Yes 💢 t	No	Chloride concentration: mg/l		
Is the bottom below ground level? X Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used? Mud Clay Bentonite		
Pit dimensions (all but working pits):2	0 Length (fee	et) 30	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	pest point:	4 (feet) No Pit		
			edures for periodic maintenance and determining including any special monitoring.		
			Depth to shallowest fresh water feet. Source of information:		
N/A feet Depth of water well feet					
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover: Mud Clay Bentonite		
Number of producing wells on lease:		Number of wor	king pits to be utilized:		
Barrels of fluid produced daily: Abandonn			procedure: Empty pit of fluids, refill with original dirt		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must l	be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
9-2-2011 Date Date Date Date Description that the above statements are true and correct to the best of my knowledge and belief. Signature of Applicant of Agent					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: 9 - 6 - 11 Permit Number:Perm			iit Date: 9-6-// Lease Inspection: Yes 🔏 No		