For KCC Use: Effective Date: District # SGA?

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

September 23, 2011 month day year 34515 OPERATOR: Licensed 34517 OPERATOR: Settle operator 34517 OPERATOR: Licensed 34517 OPERATOR: Licensed 34517 OPERATOR: Licensed 34517 OPERATOR: Settle operator 34517 O	Form KS			re (5) days prior to commencing well s Surface Owner Notification Act, MUST be submitted with this form.	
OPERATOR: Licenses 34515 OPERATOR: Licenses 34515 OPERATOR: Licenses 34515 Name: 55 Twister: Nr. Address 2: P. Dob 1985 Address 3: P. Dob 1985 Address 3: P. Dob 1985 Address 4: P. Dob 1985 Address 3: P. Dob 1985 Contract Censon: Jewil Card State: W. Zip	Expected Spud Date:	September 23, 20	11	Spot Description: 35' North & 70' West of NE-NW-NW-	
Age		month de	y year		711/
OPERATOR CONTRACTOR CO		34515		(0.000)	
Address 2 . PO Box 1888 Address 2 . State: W Zip: 82717 * Contact Person: Tami Ciref Phone: (CV) 983-7390 CONTRACTOR: Licenses 335/4 3/4519 . Lease Name: Grower Energhtes of Names. Inc. Well Dillips For: Well Class: Type Equipment. Seaternic: set of ricks: Diverse Grower Energhtes of Names. Inc. Well Dillips For: Well Class: Type Equipment. Seaternic: set of ricks: Diverse Grower Energhtes of Names. Inc. Well Name: Grower Energhtes of Names. Inc. Operator: Well Name: Operator: set of ricks: Diverse Grower Energhtes Grower Enghance Enghanc				reection Livy 20 Enledige	
Address 2 Contact Person. Tamt Graf State. W Zip. 62717 + Contact Person. Tamt Graf Frome. (207) 8827390 CONTRACTOR: Licenses 35 A 34579 Name. Grane Enterprese of States. Inc. Well Dissip For. Mel Class. Well Dissip For. Mel Class. Well Dissip For. Mel Class. Stronge Sessinic: # of Holes Distor Orabe Sessinic: # of Holes Distor Crabbe Distorage Sessinic: # of Holes Distor Orabe Sessinic: # of Holes Distorage Orabe Sessinic: # of Holes Distorage Orabe Sessinic: # of Holes Distorage Orabe Surface Fleerate. Manual Strate Head of Holes Distorate Orabe Distorage Person Head William Concepted Person Head Strates or unit boundary line (in bootage): 515 feet MSL. Surface Pipe By Alternate. Sessinic: # of Holes Distoration or Holes West. More Sessinic: # of Holes Distoration or Holes West. More Public West. More Publi		 			TION
County. Sheridam County				is SECTION: Regular I Irregular?	
ContracTors. Loorses 35/4 CONTRACTOR: Loorses 35/4 Well Disse introduced for the contraction of t		A MV .	00747	(Note: Locate well on the Section Plat on reverse side)	
Lease Name Stranderger Well # 1			<u>'ip: 82/1/ + </u>	County:	
Field Name. Wildcat Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment:	Contact Person: 18mi Gi	aı	· · · · · · · · · · · · · · · · · · ·	Lease Name: Schamberger Well #: 1	
Is this a Promated (Spaced Field?				Field Name: Wildcat	
Name Green Enterprise of Karnes, Inc. Well Disist Type Equipment. Type Equipment	CONTRACTOR: Licenses	# 35 5 (4 <i>345</i> 14			No
Nearest Lease or unit boundary line (in hodage): 915	Name: Greene Enterprises	of Kansas, Inc.			•
Sear	Mall Dailed Co.	14/011 (01-0-)	Tura Carringa at		
Melier well within one-quarter mile: Public wells mile on mile: Public wells wells: Public wells: P	vveii Unilea For:	vveii Class.		Ground Surface Flevation: 2537 feet M	MS!
Public water supply well within one mile: Depth to bottom of resh water: 296	XOil ✓ LEnh	RecInfield			
Depth to bottom of fresh water: 196 Gottom of the property Depth to bottom of tresh water: 196 Gottom of the property Depth to bottom Depth to		· · · · · · · · · · · · · · · · · · ·	Air Rotary		
Depth to bottom of usable water: Depth to bottom of usable water: Depth to bottom of usable water Depth to bottom of usable wate		<u> </u>	Cable	Positive to hottom of fresh water 10% /60	7140
If YOWNO: old well information as follows: Operator:	—	of Holes Other		Depth to bottom or tresh water: 126 / 320	
Length of Surface Pipe Planned to be set. 210' RECEIVED	Other:				
Length of Conductor Pipe (if any): "West Name: Original Completion Date: Original Total Depth: Conductor Pipe (if any): "West Name: Original Completion Date: Original Total Depth: Conductor Pipe (if any): "West Name: Original Completion Date: Conductor Pipe (if any): "West Name: Original Completion Date: Conductor Pipe (if any): "West Name: Original Completion Date: Conductor Pipe (if any): "West Name: Original Completion Date: Conductor Pipe (if any): "West Name: Original Completion Date: Conductor Pipe (if any): "West Name: Original Completion Date: Conductor Pipe (if any): "West Name: Original Completion Date: Conductor Pipe (if any): "West Name: Original Completion Date: Conductor Pipe (if any): "West Name: Original Completion Date: Conductor Pipe (if any): "West Name: Original Conductor Pipe (if any): "West Na	THE OWNER OF ALL THE	all information se follows:		Surface Pipe by Alternate:	
Length of Conductor Pipe (if any): "West Name: Original Completion Date: Original Total Depth: Conductor Pipe (if any): "West Name: Original Completion Date: Original Total Depth: Conductor Pipe (if any): "West Name: Original Completion Date: Conductor Pipe (if any): "West Name: Original Completion Date: Conductor Pipe (if any): "West Name: Original Completion Date: Conductor Pipe (if any): "West Name: Original Completion Date: Conductor Pipe (if any): "West Name: Original Completion Date: Conductor Pipe (if any): "West Name: Original Completion Date: Conductor Pipe (if any): "West Name: Original Completion Date: Conductor Pipe (if any): "West Name: Original Completion Date: Conductor Pipe (if any): "West Name: Original Completion Date: Conductor Pipe (if any): "West Name: Original Conductor Pipe (if any): "West Na	LIII OVVVO. GIUWE	a mayilliquon de follows.		Length of Surface Pipe Planned to be set: 210 RECEIVED	
Original Completion Date: Original Total Depth: Original Completion and Total Depth: Original Completion and Proceedings of the Section of Completion and Section Original Completion and Section of Completion of Section Original Completion and Section of Completion C	Operator:				
Original Completion Date: Original Total Depth: Formation at Total Depth: Notice The Completion Date: Original Total Depth: Notice The Completion of Completion and Policy of Permit with DWR Permit with DWR Water Source for Drillips Operations: Water Source for Drillips Operation or Drillips Operation or Parmit with Drillips Operation or Parmit with Drillips Operation Operation or Parmit with Drillips Operation	Well Name:				
Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill #ahl be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. For KCC Use ONLY API # 15 - 1 79 - 2 2 8 7 00 1	Original Completion [Date: Origin:	al Total Depth:	Formation at Total Depth: Arbuckle	
## Will Cores be taken? Yes No Yes No Yes No Y	If Yes, true vertical depth:			Well Farm Pond Other: KCC WICHIA DWR Permit #:	
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II comenting must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Pate: September 7, 2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 79 - 212 8 7 000 Minimum surface pipe required	KCC DKT #:				INO.
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to trill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cernerited in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kanasas surface casing order #138,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. For KCC Use ONLY API # 15 - 1 79 - 212 8 7 000 Conductor pipe required					7140
2. A copy of the approved notice of intent to drill shell be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underfying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix *B* - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: September 7, 2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 1 79 - 212 87 0000 Conductor pipe required	-		completion and eventual p		
For KCC Use ONLY API # 15 - / 79 - 212 8 7 - 000 Conductor pipe required	 A copy of the app The minimum am through all uncond If the well is dry h The appropriate of If an ALTERNATE Or pursuant to Apmust be complete 	proved notice of intent to o count of surface pipe as a solidated materials plus a cole, an agreement betwee district office will be notified Ell COMPLETION, produ opendix "B" - Eastern Kar and within 30 days of the s	drili shall be posted on each pecified below shall be set a minimum of 20 feet into the the operator and the dised before well is either plugiction pipe shall be cement as surface casing order should date or the well shall the	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.	
For KCC Use ONLY API # 15 - / 79 - 21287 - COO Conductor pipe required	I hereby certify that the	statements made herein	are true and to the best of	my knowledge and belief.	
For KCC Use ONLY API # 15 - 179-21287-000 Conductor pipe required	Date: September 7, 2	2011 Signature of Ope	rator or Agent: Ro-q		
API # 15 - / / / / / / / / / / / / / / / / / /	For KCC Use ONLY				.
Conductor pipe required		21287-00	0 0	l '	72
Minimum surface pipe required	71 14 15 - 2 2 2 3	Move	·	· · · · ·	
Minimum surface pipe required	Conductor pipe required	14015			00
This authorization expires: 9-9-2012 (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Spud date: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent: Signature of Operator			feet per ALT I 🛂 II	•	
This authorization expires: 9-9-2012 (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Spud date: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent: Signature of Operator	Approved by: 1449	1-9-2011		1	1
(This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:	I -	0 0 2017	_	1	26
Spud date: Agent: please check the box below and return to the address below m Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:		~~·		1	"
Spud date: Agent: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:			·		
Well will not be drilled or Permit Expired Date:	Spud date:	Agent:		please check the box below and return to the address below.	닕
Mail to: KCC - Conservation Division.	L'			Well will not be drilled or Permit Expired Date:	X
	Mail to	o: KCC - Conservation	Division,	Signature of Operator or Agent:	لنڪ ج

For KCC Use ONLY
API # 15 - 179-21287-000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: 8G Twister, Inc. Lease: Schamberger	Location o	f Well: County: Sheridan feet from
Well Number: 1	4,360	feet from X E / W Line of Section
Field: Wildcat	Sec. <u>12</u>	Twp. <u>8</u> S. R. <u>26</u>
Number of Acres attributable to well: 10 QTR/QTR/QTR/QTR of acreage: SW - NE	_ NW _ NW Is Section:	Regular or Irregular
		Is Irregular, locate well from nearest corner boundary. rner used: NE NW SE SW
	•	undary line. Show the predicted locations of
lease roads, tank batteries, pipelines ar	d electrical lines, as required by the Ka You may attach a separate plat if d	nsas Surface Owner Notice Act (House Bill 2032). RECEIVED
		SEP 0 9 2011
		Well Location KCC WICHITA Tank Battery Location Pipeline Location
		Electric Line Location Lease Road Location
i i i		
	2	EXAMPLE
		1980' FSL

SEWARD CO. 3390' FEL

·

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-179-21287-0000 KANSAS CORPORATION COMMISSION

OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.


OPERATOR: License # 34515	Well Location:
Name: 6G Twister, Inc.	SW_NE_NW_NW_Sec. 12 Twp. 8 S. R. 26 Eas West
Address 1: PO Box 1686	County: Sheridan
Address 2:	Lease Name: Schamberger Well #: 1
City: Gillette State: WY Zip: 82717 +	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person: Tami Graf	the lease below:
Phone: (307) 682-7380 Fax: (307) 686-2692	RECEIVED
City:	SEP 0 9 2011
Surface Owner Information:	KCC WICHITA
Name: John & Gina Schamberger	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1: 9674 E Road 50 N	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: Hoxie State: KS Zip: 67740 +	
are preliminary non-binding estimates. The locations may be entered of Select one of the following:	ok batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this g fee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling	g fee with this form. If the fee is not received with this form, the KSONA-1
form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	
	-1 will be returned.



Fall & Associates

Stake and Elevation Service 719 W. 5° Street P.S. Bex 404 Concerdia, KS. 66981 1-800-536-2821 15-179-21287-0000

Date 8-30-11 Invoice Number 0829111 6G TWISTER, INC. Farm Name Number Operator 615'FNL 920'FWL 12 8s 26w T R Sheridan-KS Location County-State Elevation 2537 Gr. Ordered By: Lee 6G Twister, Inc. P.O. Box 1565 Gillette, WY. 82717 Scale 1"=1000" RECEIVED Stake SEP 0 9 2011 KCC WICHITA 12 5' Iron rod & 4' wood stk on slight slope pasture.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: 6G Twister, Inc.		License Number: 34515		
Operator Address: PO Box 1686			Gillette WY 82717	
Contact Person: Tami Graf		Phone Number: (307) 682-7380		
Lease Name & Well No.: Schamberge	er 1	Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: X Proposed If Existing, date con Pit capacity: 3,000	(bbis)	SW _ NE _ NW _ NW Sec. 12 Twp. 8 R. 26	
is the bottom below ground level? X Yes No	Artificial Liner?	No	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Clay lined	
Pit dimensions (all but working pits):	DO Length (feating ground level to death	•	Width (feet)	
Distance to nearest water well within one-mile	of pit:	Depth to shallo	dures for periodic maintenance and determining reluding any special monitoring. SEP (1 9 2011 KCC WICHITA west fresh water 96 feet.	
1960 feet Depth of water well	184 feet	Source of information measured	mation: well owner electric log X KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drilling, Workover and Haui-Off Pits ONLY: Type of material utilized in drilling/workover: Drilling Mud & Water Number of working pits to be utilized: Abandonment procedure: Allow contents to dry & back-fill. Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above staten September 7, 2011 Date	nents are true and cor	Rognic	my knowledge and belief. A gradure of Applicant or Agent	
Date Received: 9-9-11 Permit Num		OFFICE USE O	NLY □ Liner □ Steel Pit □ RFAC □ RFAS it Date: 9-9-// Lease Inspection: □ Yes ☑ No	