For KCC Use: 10-1-2011 Effective Date: _ District

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Approved by: full 9-26-2011 This authorization expires: 9-26-2012 (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent:	Form KSONA-1, Certification of Compliance with the Kans	sas Surface Owner Notification Act, MUST be submitted with	this form.
OPERATOR: Licenses 34592 Sacrate Reposition & Development, LLC Note: Address 1: 5309 W 1100 B, Sulle 203 Sacrate Reposition & Development, LLC Note: Address 1: 5309 W 1100 B, Sulle 203 Sacrate Reposition & Development, LLC Note: Coasts well on the Section Plat on Reviews 8500 Sacrate Reposition & Development, Inc. Note: Coasts well on the Section Plat on Reviews 8500 Sacrate Reposition & Development, Inc. Note: Coasts well on the Section Plat on Reviews 8500 Sacrate Reposition & Development, Inc. Note: Coasts well on the Section Plat on Reviews 8500 Sacrate Reviews (Part of Section Reviews 8500 Sacrate Reviews (Part of	Expected Soud Date: October 18, 2011	Spot Description:	
OPERATOR: Leenself 34592 Acrores 1 3939; Julino 61, Busin 809 Acrores 1, 1939; Julino 61, Busin 809 Acrores 2, 1939; Julino 61, Busin 809 Contact Praton. Busin 809; Julino 61, Busin 809; Julino 6	month day year	NW NW SE SW Sec. 11 Two. 14	s. R. ²² ⊠E∏W
Section Sect	34592	(00/0/0)	
Address 2: 9393 W, 1,000 St. Subs 500 Address 2: 9393 W, 1,000 St. Subs 500 Collect Penns. State Kill St. Zip. 662:0 = Collect Penns. Brid Klamer Phone. (1913 669-2253) CONTRACTOR: Lecenser 8559 CONTRACTOR: Lecenser 8559 CONTRACTOR: Lecenser 8559 CONTRACTOR: Lecenser 8559 Contract Penns. Brid Klamer Phone (1913 669-2253) CONTRACTOR: Lecenser 8559 Contract Penns. Brid Klamer Phone (1913 669-2253) CONTRACTOR: Lecenser 8559 Contract Penns. Brid Klamer Contract Penns. Bridge Source Contract Penns. B	OPERATOR: License#	3,654 feet from 💙	W Line of Section
Address 2:	INGING.	le SECTION: X Regular Tirrequiar?	7 Line of Gooden
ColumbyDonestronBrack KamerBrack Ka		15 SECTION. Mixegular	
Contact Person. Brad Kinmer Phone. (919) 969-2259 CONTRACTOR: Leonard 9509 Name. Evaluating Consequence Inc. CONTRACTOR: Leonard 9509 CONTRACTOR: Leonard 9509 CONTRACTOR: Leonard 9509 CONTRACTOR: Leonard 9509 Is a prorated 5 paced Field? Is the approved field 5 paced Field? Is a prorated 6 Price of the 5 paced Field 5 paced	Address 2:		reverse side)
Phone: _Gardner		County.	
CONTRACTOR: Licenses \$6.00 Name. Every Development, Inc. Well Class: Type Equipment: Well Class: Type Equipment: Sol	Contact Person:	Lease Name: Roberts	Well #:_KR-10
Name Evens Energy Development, loc.		Field Name: Gardner	
Name Evens Energy Development, loc.	CONTRACTOR: License# 8509 C		∭Yes XNo
Nearest Lease or unit boundary line (in footage): 1.000 Searest Leases or unit boundary line (in footage): 1.000 Searest Leases or unit boundary line (in footage): 1.000 Searest Leases or unit line line line line line line line line	Name: Evans Energy Development, Inc.	Target Formation(s): Cherokee Group	
Social Stringe Soci	185 II Salta of Fare Mail Classe Tuno Squinmants	Nearest Lease or unit boundary line (in footage): 1,03	0
Water wall within one-quarter mile: Geophic Geophi			
Searmic			
Depth to bottom of fresh water: 200 Depth to bottom of fresh water: 200 Depth to bottom of usable water: 300 Surface Pipe by Aternate:		•	
Depth to bottom of usable water: 300 Surface Pipe by Alternale:			Lies MINO
Now Surface Pipe by Alternate: Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned to be set: 20' Length of Surface Pipe Planned To Surface Planned To Surface Pipe Planned To Surface Planned To Surface Planned To Surface Planned To Surface Planned To Planned To Surface	Seismic : # of Holes Other		
Cowwoc: old well information as follows: Operator:	Other:		
Length of Conductor Pipe (if amy):	The country of the co		•
Projected Total Depth:	Lipi Ovyvo: old weit ithormation as lollows.		
Formation at Total Depth: Squirrel	Operator:	Length of Conductor Pipe (if any):	
Weter Sources for Drilling Operations: Weter Sources for Drilling Operation operations: Weter Sources for Print Weter Drilling Operation operations: Weter Sources for Weter Sources for Print Expired Date: Weter Sources for Weter Sources for Print Expired Date: Weter Sour	Well Name:		
Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth:	Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirrel	
If Yes, true vertical depth: DWR Permit #: (Note: Apply for Permit with DWR Yes Note Yes Note Yes Note Yes Note Yes Note Yes Note Yes Yes Note Yes Yes Note Yes Yes Note Yes Yes Yes Note Yes		Water Source for Drilling Operations:	
Bottom Hole Location: (Note: Apply for Permit with DWR Yes No Yes No Will Cores be taken? Yes Yes No Will Cores be taken? Yes Yes Yes No Yes Yes No Yes	Directional, Deviated or Horizontal wellbore?	No Well X Farm Pond Other:	
Note: Apply for Permit with DWR Yes No	If Yes, true vertical depth:	DWR Permit #:	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 6. If an ALTERNATE IL COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing CEIVE II hereby certify that the statements made herein are true and to the best of my knowledge and belief. For KCC Use ONLY API # 15	Bottom Hole Location:		
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will compty with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well: 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II competing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cement TECEIVE plate: T-29-11 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OPI - 23 6 22 0000 Approved by: ** In the suthorization expires: Pack 20 12	KCC DKT#:	Will Cores be taken?	☐ Yes ⊠Ño
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern (kansas surface casing order #138,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing CETY in the substance of pursuant to Appendix "B" - Eastern (kansas surface casing order #138,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing CETY in the substance of pursuant to appendix "B" - Eastern (kansas Surface Owner Notification Act (KSONA-1) with intent to Drill; Approved by Case ONLY Api # 15		If Yes, proposed zone:	سے جے
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133.891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing CEIVE in the plugged of productor pipe required			
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall</i> be set by circulating cement to the top; in all cases surface pipe <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 6. If an ALTERNATE II COMPLETION, production pipe shall be comented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing cement to the plugged or production pipe required within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing CEIVE in the statements made herein are true and to the best of my knowledge and belief. For KCC Use ONLY API # 15 - 09/- 23 6 22 - 00	-		
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall</i> be set by circulating cement to the top; in all cases surface pipe <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cement PECEIVE I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Separate SEP 2 2 2 For KCC Use ONLY API # 15 - O91 - 23 6 22 00 00 feet per ALT. I File Confliction of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Origin Pit Application (form CDP-1) with intent to Drill; File Origin Pit Application (form CDP-1) with intent to Drill; File Drill Pit Application (form CDP-1) with intent to Drill; File Drill Pit Application of General part of the work of the surface at the surface	The undersigned hereby affirms that the drilling, completion and eventua	il plugging of this well will comply with K.S.A. 55 et. seq.	
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing the plugged and belief. For KCC Use ONLY API # 15 - Conductor pipe required	It is agreed that the following minimum requirements will be met:		
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to plugging; 1 hereby certify that the statements made herein are true and to the best of my knowledge and belief. 2 Date: 7-29-11 Signature of Operator or Agent: Signature of Operator or Agent: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting saft water. If well will not be drilled or permit expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or	 Notify the appropriate district office prior to spudding of well; 		
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing CEIVE in the statements made herein are true and to the best of my knowledge and belief. Date: 7-29-11 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 09/- 23622-00- feet per ALT. I I I I I I I I I	· · · · · · · · · · · · · · · · · · ·		
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cement II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cement II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cement II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cement II cementing must be completed within 60 days.) For KCC Use ONLY API # 15 - O9/- 23 to 22 - OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	• • • • • • • • • • • • • • • • • • • •		e shall be set
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-c, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing CEIVE II hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 7-29-11	,	, -	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementary in the plugged. In all cases, NOTIFY district office prior to any cementary in the plugged. In all cases, NOTIFY district office prior to any cementary in the plugged. In all cases, NOTIFY district office prior to any cementary in the plugged. In all cases, NOTIFY district office prior to any cementary in the plugged and belief. SEP 2 2 2 For KCC Use ONLY API # 15 - 09/- 23 6 22 -00-00 Conductor pipe required			nor to plugging;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing EVE VE I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 7-29-11 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 09/- 23 6 22 -000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I File Completion Form ACO-1 within 120 days of spud date; Approved by: 100 - 2011 This authorization expires: 100 - 2011 This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: 110 - 2011 Signature of Operator or Agent: 110 - 2011 Well will not be drilled or Permit Expired Date	•••		VS of soud data
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cement In ECEIVE I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 7-29-11 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 09/- 23 6 22 00 00			
For KCC Use ONLY API # 15 - 09/- 23 6 22 -0000 Conductor pipe required	must be completed within 30 days of the spud date or the well sha	Ill be plugged. In all cases, NOTIFY district office prior to	any cement ROFCEN/ED
For KCC Use ONLY API # 15			CCIVED
For KCC Use ONLY API # 15	rereby certify that the statements made nevent are true and to the best		CED 3 3 304
For KCC Use ONLY API # 15	Date: 7-29-11 Signature of Operator or Agent:	Title Agent	SEF Z Z ZUI
For KCC Use ONLY API # 15	Date: Signature of Operator of Agent		
API # 15	For KCC Use ONLY	ł	KCC WICHIT
Conductor pipe required	091-23622-00-00	•	e Owner Notification '
Minimum surface pipe required	API # 15	= ` ` '	. 1
Approved by: [MAP26-201] This authorization expires: 9-26-2012 (This authorization void if drilling not started within 12 months of approval date) Spud date: Agent:	Conductor pipe required / YONC feet	· · · · · · · · · · · · · · · · · · ·	•
Approved by: [MAP26-201] This authorization expires: 9-26-2012 (This authorization void if drilling not started within 12 months of approval date) Spud date: Agent:	70	有)	1.10
This authorization expires:	2011	-) se acreage attribution plat according to held profation	orders;
Chis authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Well will not be drilled or permit Expired Date: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:	Approved by:	- - · · · · ·	
Spud date: Agent: Well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:			of water
Spud date: Agent: please check the box below and return to the address below	(This authorization void if drilling not started within 12 months of approval date.)		norized expiration data)
Spud date: Agent: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:			
Signature of Operator or Agent:	Spud date: Agent:	- -	m
Signature of Operator of Agent:		•	··——
Mail to: KCC - Conservation Division, Signature of Operator Stragette. ₹	Mail to: KCC - Conservation Division,	Signature of Operator of Agent:	₹

For KCC Use ONLY
API # 15 - 091-23 622-000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Kansas Resource Exploration & Development, LLC	Location of Well: County: Johnson				
Lease: Roberts	1,030 feet from N / X S Line of Section				
Weil Number: KR-10	3,654 feet from E / W Line of Section				
Field: Gardner	Sec. 11 Twp. 14 S. R. 22 X E W				
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NW - NW - SE - SW	Is Section: Regular or Irregular				
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW				
PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of					

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

	:	:	50	tion 1		s separate	piat ir desired.	
					•			LEGEND
		:	 : :		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Well Location Tank Battery Location
	·	·	: : :			· !	:	Pipeline Location Electric Line Location
	:	i	: 		:	:		Lease Road Location
	:	:	<u>:</u>			:		EXAMPLE
		OKR-	-10		3 65 4			1980° FS
.,,,,,,	***************************************	108						
	:							SEWARD CO. 3390' FEL RECEIVED

NOTE: In all cases locate the spot of the proposed drilling locaton.

SEP 2 2 2011

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sec**KSC** WICHITA 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-091-23622-0000

Kansas Corporation Commission Oil & Gas Conservation Division Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (intent) CB-1 (Cathodic Protection Borehole Intent)	Transfer) CP-1 (Plugging Application)
OPERATOR: License # 34592 Name: Kansas Resource Exploration & Development, LLC Address 1: 9393 W. 110th St., Suite 500	Well Location:	14 - 22
Name:		p. 14 S. R. 22 Eas West
Address 1: 9393 W. 110th St., Suite 500	County: Johnson	Well #: KR-10
Address 2:	Lease Name: Roberts	Well #: KR-10
Address 2: City: Overland Park State: KS Zip: 66210 + Contact Person: Brad Kramer Phone: ((913)) 669-2253 Fax: (913) 451-6750 Email Address: kramerbradley@yahoo.com	If filing a Form T-1 for multiple wells the lease below:	on a lease, enter the legal description of
Phono: (913) 669-2253 Fax: (913 451-6750		
Email Address: kramerbradley@yahoo.com		
Surface Owner Information: Name: Wayne & Geraldine Roberts Trustee Address 1: 30340 W. 159th St. Address 2:	sheet listing all of the information to owner information can be found in th	tiple surface owners, attach an additional the left for each surface owner. Surface ne records of the register of deeds for the by tax records of the county treasurer.
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Catho the KCC with a plat showing the predicted locations of lease roads, tani are preliminary non-binding estimates. The locations may be entered o Select one of the following:	k batteries, pipelines, and electrical lii	nes. The locations shown on the plat
I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a	ocated: 1) a copy of the Form C-1, F being filed is a Form C-1 or Form CE	orm CB-1, Form T-1, or Form
I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface owners, I acknowledge that I am being charged a \$30.00 handling	wner(s). To mitigate the additional co	st of the KCC performing this
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	gfee with this form. If the fee is not re -1 will be returned.	eceived with this form, the KSONA-1
2		RECEIVED
I hereby certify that the statements made herein are true and correct to	o the best of my knowledge and belie	sep 2 2 2011
Date: 7-29-11 Signature of Operator or Agent:	Title:	Agent CCC WICHITA

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Kansas Resource Exp	oloration & Develo	License Number: 34592			
Operator Address: 9393 W. 110th S	St., Suite 500		Overland Park KS 66210		
Contact Person: Brad Kramer			Phone Number: (913) 669-2253		
Lease Name & Well No.: Roberts	KR	-10	Pit Location (QQQQ):		
Type of Pit: Pit is:			NW _ NW _ SE _ SW		
Emergency Pit Burn Pit	➤ Proposed	Existing	Sec. 11 Twp. 14 R. 22 X East West		
Settling Pit X Drilling Pit	If Existing, date cor	nstructed:			
Workover Pit Haul-Off Pit	Pit capacity:		3,654 Feet from 🔀 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	120	(bbls)	<u>Johnson</u> County		
Is the pit located in a Sensitive Ground Water A	Area? Yes X	No	Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? XYes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used? Native Clay		
Pit dimensions (all but working pits):	5 Length (fee	et) 10	Width (feet) N/A: Steel Pits		
Depth from ground level to deepest point: (feet) No Pit					
			west fresh water feet. mation: well owner		
Distance to nearest water well within one-mile of pit: Depth to shallow Source of inform			west fresh water feet.		
N/Afeet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Dr			over and Haul-Off Pits ONLY:		
Producing Formation: Type of n			al utilized in drilling/workover:		
Number of producing wells on lease: Number			king pits to be trinzed,		
		Abandonment	procedure: Air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must b			pe closed within 365 days of spud date. RECEIVE		
I hereby certify that the above staten	nents are true and corr	rect to the best of			
7.00.44		21	SEI ZZ		
7-29-11 Date Signature of Applicant or Agent KCC WICH					
	KCC	OFFICE USE O	NLY		
Date Received: 9-22-11 Permit Num	nber:	Perm	Liner Steel Pit RFAC RFAS it Date:		

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

September 22, 2011

Kansas Resource Exploration & Development, LLC 9393 W. 110th St., Ste 500 Overland Park, KS 66210

RE:

Drilling Pit Application

Roberts Lease Well No. KR-10

SW/4 Sec. 11-14S-22E Johnson County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit immediately after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Kally Heyu

Environmental Protection and Remediation Department

cc: File