For KCC Use: /0-3-2011 Effective Date: 3 SGA? Yes 7No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the bast of my knowledge and belief. Pate Supposed by: Signature of Operator or Agent: File Completion form ACO-1 within 120 days of spud date; File Completion form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit Expired Date: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent.		(5) days prior to commencing well Surface Owner Notification Act, MUST be submitted with this fo	om.
April SE MA HE Sec 22 Imp. 22 St. St. Ma We Sec. Marker Mark	Sept 30 2011	Snot Department 700 5 NW CF NW	NF.
OPERATOR Learnest 5.10.3			
Section Sect			
Section Since Since Since Section Since		4000	
Mote Location well on the Section Plat on reverse sele	Name: Barnard R.L. dba Barnard Oil Ope	<u> </u>	V Line of Section
Counted Person: Dick Barnard Phone: 620-437-2131 CONTRACTOR: License# 3.0.567 Share: R1g 6 Drilling Co. Inc. Well Digitor For: Well Class Type Equipment Gas Series Selestric: # of Holds Selestric: # of Holds Selestric: # of Holds Selestric: # of Holds Direct Opensor Well Name Corporated Vision of Holds Opensor Well Name Corporated Holds Opensor Well Name Corporated Vision of Holds Opensor		is SECTION: X Regular Tregular?	
Contact Fernom. Dick Barnard Contractor Contact Fernom. Contractor Contact Fernom. Contractor C	The state of the s	•	e side)
CONTRACTOR_Licensed 30.5 6.7			
CONTRACTOR: Llogness Name Rig 6 Drilling Co. Inc. Well Diffued For. West Class Well Diffued For West Class Well Diffued For West Class Work Discosal Proced End End Proced End End Proced End End Proced End Proced End Proced End Proced End Proced End End Proced End End Proced End End Proced End End End End End End End End End En		Lease Name: Garth-Hess W	/eil#:_15
Name Rig 6 Drilling Co. Inc.	20567	Field Name: Madison Seeky-Wick	
Well Diglied For: Well Class Type Equipment Season The Well Class Type Equipment Season The Well Class Type Equipment Season The Well Class Type Equipment The Well Class The Well Cla	Dia 6 Drilling Co. Inc.		Yes X No
Spring S	Name: Rig 6 Dilling Co. Inc.	Target Formation(s): Bartlesville	
Water well within one-quarter mile. Pres No No No No No No No N	Well Drijled For: Well Class: Type Equipment:		
Water well within one-quarter mile Pres No No No No No No No N	X Oil Foh Rec X Infield X Mud Rotary	Ground Surface Elevation: 1207 EST.	feet MSL
Deposition Deposition Deposition Depth		Water well within one-quarter mile:	Yes X No
Depth to bottom of fresh water 30 Depth to bottom of weath to be set 40 Depth to bottom of washe water 30 Depth to bottom of peph baser 30 Depth to bottom of washe water 30 Depth to bottom of peph baser 30 Depth to bottom of washe water 30 Depth to bottom of the washer 40 Depth to bottom washer 40 Depth to bottom of the washer 40 Depth to bottom		Public water supply well within one mile:	Yes X No
FOWMO old well information as follows: Operator	Seismic # of Holes Other	Depth to bottom of fresh water:30	
Operator Operator Operator Original Completion Date: Original Total Depth: Original Total	Other:	Depth to bottom of usable water:	DECENTER
Operator: Well Name: Original Completion Date: Directional, Deviated or Horizontal wellbore? Water Source for Drilling Operators. Water Source			MECEIVED
Neil Name. Original Completion Date: Original Date: Original Completion Date: Original Date: Original Completion Date: Original Date: Original Date: Original Completion Date: Original Date: Original Completion Date: Original Date: Ori	TOVVVO: old well information as follows:	Length of Surface Pipe Planned to be set: 40	CED 1 0 204
Original Completion Date: Original Total Depth: Formation at Total Depth: Bartlesville KCC WICHIT Directional, Deviated or Horizontal wellbore? Ves X No Water Source for Drilling Operations: West X No Water Source for Drilling Operations: Water Source for Drilling Operations: West X No West X No Water Source for Drilling Operations: West X No W	Operator:		SEP Z 8 ZUI
Water Source for Drilling Operations: Water Source for Drilling Operation Source for Drilling Operation of Drilling Operations: Water Source for Drilling Operation Source for Propriet Source on Propriet Source for Propr		Projected Total Depth: 2015	
West Market More	Original Completion Date: Original Total Depth:	Formation at Total Depth: Bartlesville	KCC WICHIT
Will Cores be taken? Will Cores be delief. Will Cores be delief. Will Cores be delief. Will Cores be delief. Will Cores be taken? Will Cores be delief. Will Will Not be drilled or Permit Expired Date: Will Wil	Biolica Britania Britania	Water Source for Drilling Operations:	
Bottom Hole Location: KCC DKT # Will Cores be taken? If Yes, proposed zone: It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable work or surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kanasa surface casing order \$\frac{4}{2}\$ 13,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the Vist of my knowledge, and belief. Date: For KCC Use ONLY API # 15 _ OT 3 _ 24 / US ODD Approved by: With 9 _ 28 _ 20 1		Well XFarm Pond Other:	
AFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plule length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE il COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "5"- Easterm Kanesas urface casing order #133,891-C, which applied to the KCC District 3 area, alternate Il cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the Mest of my knowledge and belief. Date DAY Soft DAY OF	·		
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kanasa surface casing order #133,891-c, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the bast of my knowledge and belief. Part KCC Use DNLY API #15		—	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Part KCC Use ONLY API # 15 - O 7 3 - 24 1 0 5 0000 Approved by April 15 - O 7 3 - 24 1 0 5 0000 Feet per ALT. I I I I I I I I I I I I I I I I I I			Yes XNo
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the kast of my knowledge and belief. For KCC Use ONLY API # 15 - O 73 - 24 / US OOO feet per ALT I I I I I I I I I		If Yes, proposed zone:	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the bost of my knowledge and belief. Date DAY 3 - 24 / 65 0000 For KCC Use ONLY API # 15 - 073 - 24 / 65 0000 Feet per ALT	AFF	IDAVIT	
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the bast of my knowledge and belief. Pate Section 1. Signature of Operator or Agent. For KCC Use ONLY API # 15	The undersigned hereby affirms that the drilling, completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq.	
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the bost of my knowledge and belief. Park KCC Use ONLY API # 15 - O 73 - 24 / LoS OOO Approved by: Signature of Operator or Agent: Approved by: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File Polit Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify approval before disposing or injecting salt water. If well will not be drilled or Permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: Signature of Operator or Agent: Well will not be drilled or Permit Expired Signature of Operator or Agent:	It is agreed that the following minimum requirements will be met:		
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the logst of my knowledge and belief. Date	1. Notify the appropriate district office <i>prior</i> to spudding of well;		
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the lost of my knowledge and belief. Date Conductor pipe required		drilling rig;	
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is exemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be comented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the lost of my knowledge and belief. Date 127, 2011 Signature of Operator or Agent. For KCC Use ONLY API # 15 - 073 - 241 (05 000) Conductor pipe required			be set
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date 127, 2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 073 - 241 / 05 0000 API # 15 - 073 - 241 / 05 0000 Feet per ALT 1 I I I I I I I I I I I I I I I I I I			
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date 17, 2011 Signature of Operator or Agent: 1 Charlet 19 Conductor pipe required 15 Conductor pipe required 16 Feet per ALT 11 Pil Application (form CDP-1) with Intent to Drill; File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: Signature of Operator or Agent.			piugging;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date 127, 2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 -	1 00	•	soud date.
hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date Pt 27, 2011 Signature of Operator or Agent: Chara Title: Title: Pure	• • • • • • • • • • • • • • • • • • • •	₹	•
For KCC Use ONLY API # 15	must be completed within 30 days of the spud date or the well shall be	plugged. In all cases, NOTIFY district office prior to any cer	menting.
For KCC Use ONLY API # 15	I hereby certify that the statements made herein are true and to the best of m	y knowledge and belief.	
For KCC Use ONLY API # 15	S. +27204	Albert Dia	
For KCC Use ONLY API # 15	Date Dept 1/ AUII Signature of Operator or Agent: Victoria	Title: WWW.	
API # 15		Remember to:	•
Conductor pipe required	For KCC Use ONLY	- File Certification of Compliance with the Kansas Surface Own	er Notification
Minimum surface pipe required	AFI# 19 -	,	X
Minimum surface pipe required	Conductor pipe requiredfeet		13
Approved by: Purp 9-28-2011 This authorization expires: 9-28-2012 (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Spud date: Agent: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent: Signature of Ope		•	. \bar{b}
This authorization expires: 9-28-20/2 (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Spud date: Agent: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent: Signature of		- · · · · · · · · · · · · · · · · · · ·	′ `
(This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:	9.12-2017		
Spud date: Agent: Mail to: KCC - Conservation Division, Agent: Spud date: Agent: Spud date: Agent: Signature of Operator or Agent: Signature of Operator or Agent:			· · · · · · · · · · · · · · · · · · ·
Spud date:	(This authorization void it driving not staned within 12 months of approval date.)		j
Well will not be drilled or Permit Expired Date:	Sould date: Agent:	· · · · · · · · · · · · · · · · · · ·	
Mail to: KCC - Conservation Division, Signature of Operator or Agent:	Agent.	Well will not be drilled or Permit Expired Date:	
· · · · · · · · · · · · · · · · · · ·	Mail to: WCC Consequation Division	· · · · · · · · · · · · · · · · · · ·	<u> </u>
	mail to: RCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202		<

For KCC Use ONLY
API # 15 - 073-24/65-0000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

		.ь., ak	oa Bar	nard	OII	∩ Ե• Թ			Greenwood		
Garth-							4310		feet from N /		
ber: 15			***				1920		feet from X E /	W Line of	
Madi	son					_ Se	ec. <u>22</u>	_ Twp. <u>22</u>	s. r. <u>_11</u> [X E L V	V
of Acres attri			0 - <u>SE</u> -	NW	- NE	- Is	Section:	X Regular or	Irregular		
									well from nearest c		ry.
Sh	ow locatic	on of the we	ell. Show fo	otage to t		PLAT st lease o	r unit bound	ary line. Show th	ne predicted locations	of	
lease roa	ds, tank ba	atteries, pip	pelines and			•	y the Kansa plat if desir		er Notice Act (House I	· ·	
					y dilder e	- sopurato	piat ir desir	ou.		RE	CEIVE
	•								LEGEND	SEF	2 8 20
		: :		········ :		:		_	O Well Location	KCC	WICHI
					6		+	- ′1920' [Tank Battery	Location	, ,
	· · · · · · · · · · · · · · · · · · ·	:			·····	:			Pipeline Loca		
						:	:		Electric Line I		
		:				:	:		Lease Noau i	_ocation	
	:	;		:		:	:				
	:						:	EXAM	PLE :	:]	
		;	22	? — :	-	<u>:</u>	:				
	•					:			· · · · · · · · · · · · · · · · · · ·	:	
		:		:		•	:			:	
		;		:		;	:			:	
	; ;									`	
	•						*			19	80' FSL
	:			Ė]	:		1	i Y 🎚		00 1 02
	:			:	1	:					
	******					• • • • • • • • • • • • • • • • • • • •					
				:	I .	:	:		: []	:	
				:	T	•	: 1	1,	·	•	
								SEWARD	CO. 3390' FEL	•	

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-073-24105-0000 KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 5193	Well Location:
	Well Location: NW-SE-NW-NE rations Sec. 22 Twp. 22 S. R. 11 XEas West
Address 1: 907 S. 3rd	County: Greenwood
Address 2: PO Box 535	Lease Name: Garth-Hess Well #: 15
City: Madison State: KS Zip: 66860+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person: Dick Barnard	the lease below:
Phone: (620) 437-2131 Fax: ()	RECEIVED
Email Address: boil@madtel.net	, reor! 4 CD
	SEP 2 8 2011
Surface Owner Information:	KCC WICHITA
Name: Lucille M. Hess	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1: 1225 C of E Drive #23	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: Emporia State: KS Zip: 66801+	
the KCC with a plat showing the predicted locations of lease roads, tar	odic Protection Borehole Intent), you must supply the surface owners and it batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this g fee, payable to the KCC, which is enclosed with this form.
KCC will be required to send this information to the surface o task, I acknowledge that I am being charged a \$30.00 handling	wner(s). To mitigate the additional cost of the KCC performing this g fee, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name R.L. Barnard dba Barnard Oil Oper.			License Number: 5193		
Operator Address: 907 S. 3rd PO Box 535 Madison, KS 66860					
Contact Person: Dick Barnard		Phone Number: 620-437-2131			
Lease Name & Well No.: Garth-Hess #15		Pit Location (QQQQ):			
Type of Pit: Pit is:		_NWSENWNE_			
Emergency Pit Burn Pit	X Proposed Existing		Sec. 22 Twp. 22 R. 11 X East West		
Settling Pit X Drilling Pit	If Existing, date constructed:		4310 Feet from North / X South Line of Section		
☐ Workover Pit ☐ Haul-Off Pit			1920Feet from K East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	No7		
Is the pit located in a Sensitive Ground Water A	∆rea? ∑Yes ∑X	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
X Yes No	Yes X		Clays, muds and silts		
Pit dimensions (all but working pits): 40	Length (fee	et) 10	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point: 4	(feet) No Pit		
If the pit is lined give a brief description of the li	ner	1	dures for periodic maintenance and determining		
material, trickless and instanation procedure.	material, thickness and installation procedure.		RECEIVED		
		1	· IZOLIALD		
			SEP 2 8 2011		
			SEP 2 8 2011		
Distance to nearest water well within one-mile of	of pit:		SEP 2 8 2011 KCC WICHITA west fresh water		
,	•	Source of infor	SEP 2 8 2011 KCC WICHITA west fresh water feet. mation:		
N/A feet Depth of water well	•	Source of information measured	SEP 2 8 2011 KCC WICHITA west fresh water feet. mation: well owner electric log KDWR		
N/A feet Depth of water well	feet	Source of information of the source of information of the source of information of information of the source of information of	SEP 2 8 2011 KCC WICHITA west fresh water feet. mation:		
N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	feet	Source of inform measured Drilling, Worke Type of materia	SEP 2 8 2011 KCC WICHITA west fresh water		
N/A feet Depth of water well	feet	Source of information of measured Drilling, Worke Type of materia Number of work	SEP 2 8 2011 KCC WICHITA west fresh water feet. mation:		
N/A feet Depth of water well	feet	Source of information of measured Drilling, Worke Type of materia Number of work	SEP 2 8 2011 KCC WICHITA west fresh water		
N/A feet Depth of water well	feet	Source of information measured Drilling, Worked Type of material Number of work Abandonment	SEP 2 8 2011 KCC WICHITA west fresh water		
N/A feet Depth of water well	pilled fluids to	Source of information of measured Drilling, Worker Type of material Number of work Abandonment	SEP 2 8 2011 KCC WICHITA west fresh water		
N/A feet Depth of water well	pilled fluids to	Source of information of measured Drilling, Worker Type of material Number of work Abandonment	SEP 2 8 2011 KCC WICHITA west fresh water		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? I hereby certify that the above statem	pilled fluids to	Source of information of measured Drilling, Worker Type of material Number of work Abandonment	SEP 2 8 2011 KCC WICHITA west fresh water		
N/A feet Depth of water well	pilled fluids to	Source of information measured Drilling, Worked Type of material Number of work Abandonment Drill pits must be rect to the best of	SEP 2 8 2011 KCC WICHITA west fresh water		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? I hereby certify that the above statem	ipilled fluids to	Source of information measured Drilling, Worked Type of material Number of work Abandonment Drill pits must be rect to the best of	SEP 2 8 2011 KCC WICHITA west fresh water		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? I hereby certify that the above statem	pilled fluids to	Source of information measured Drilling, Worked Type of material Number of work Abandonment Drill pits must be rect to the best of Signature of Sig	SEP 2 8 2011 KCC WICHITA west fresh water		

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

September 28, 2011

Barnard R.L. dba Barnard Oil Oper. 907 S 3rd PO Box 535 Madison, KS 66860

RE: Drilling Pit Application

Garth-Hess Lease Well No. 15

NE/4 Sec. 22-22S-11E Greenwood County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit immediately after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File