
© ≥ €	DED.	NOTICE OF INT	of Kansas ENTION TO DRILL CARD MUST BE SIGNED
CARD MUST BE TYP	ED		
Starting Date: 7 01 85 API Number 15 051-24, 265-00-00 month day year			
AddressP City/State/ZipHa.y	lar Resources O. Box 70 vs. KS 67601	Inc.	W/2NW/4. SW/4 Sec 22Twp14 S, Rge18 West 1980 Ft North from Southeast Corner of Section4950 Ft West from Southeast Corner of Section (Note: Locate well on Section Plat on reverse side)
Phone (913) 625-6658			Nearest lease or unit boundary line330 feet.
CONTRACTOR: License #			CountyEllis Lease Name Pfannenstiel 'B' Well# l
City/State Wichita, KS			Domestic well within 330 feet: yes ino
Well Drilled For:	Well Class:	Type Equipment:	Municipal well within one mile : 🔲 yes 💢 no
🛚 Oil 🗌 Swd	☐ Infield	🔀 Mud Rotary	60
🗌 Gas 🗌 Inj	🔀 Pool Ext.	☐ Air Rotary	Depth to Bottom of fresh water
🗌 OWWO 📋 Expl		☐ Cable	Lowest usable water formation Dakota
If OWWO: old weil info as follows:			Depth to Bottom of usable water $\frac{700}{100}$ feet
Operator			Surface pipe by Alternate: 1 2 💢 * Surface pipe to be set 240 foot
Well Name			Surface pipe to be set leet
Comp Date Old Total Depth			Conductor pipe if any required feet
Projected Total Depth3650 feet			Ground surface elevation2003
Projected Formation at TDArbuckle			This Authorization Expires
Expected Producing Formations Arb/Lans			Approved By
I certify that we will comply with K.S.A. 55-101, et seq., plus eventually plugging hole to K.C.C. specifications. * See attached note per will			
Date 6-24-85	. Signature of Operat	or or Agent	Title President Form C-1 4/84

Important procedures to follow:

A Regular Section of Land 1 Mile = 5.280 Ft.



1. Notify District office before setting surface casing.

and including copies of wireline logs.

- 2. Set surface casing by circulating cement to the top.
- 3. File completion forms ACO-1 with K.C.C. within 90 days of well completion, following instructions on ACO-1, side 1.
- 4. Notify District office 48 hours prior to old well workover or re-entry.
- 5. Prior to plugging, prepare a plugging plan, then obtain agreement from the appropriate district office for an approved plugging plan.
- 6. Submit plugging report (CP-4) to K.C.C. after plugging is completed.

7. Obtain an approved injection docket number before disposing of salt

- water. 8. Notify K.C.C. within 10 days when injection commences or terminates.
- 9. If an alternate 2 completion, cement in the production pipe from below any usable water to surface within 120 days of spud date.

JUN 2 5 1985

RECEIVED

State Corporation Commission of Kansas Conservation Division 200 Colorado Derby Building Wichita, Kansas 67202 (316) 263-3238

CONSERVATION DIVISION Wichita Kansas

DaMar Resources, Inc., Operator of the Pfannenstiel 'B'-#1 as herein stated, will immediately cement the production string from below the usable water to the surface should commercial amounts of oil be encountered.

. 2