

## Kansas Corporation Commission Oil & Gas Conservation Division

1060255

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 5252		API No. 15 - 15-051-26090-00-00			
Name: R. P. Nixon Operations, Inc		Spot Description: Approx. S/2 SW SW			
207 W 42TU		NW_SE_SW_SW_Sec. 26 Twp. 13 S. R. 16 East ♥ West  373 Feet from North / ♥ South Line of Section			
Address 2:					
City: HAYS State: KS	Zip: 67601 + 3810	4613 Feet from 🗹 East / 🗌 West Line of Section			
Contact Person: Dan Nixon	· · · · · · · · · · · · · · · · · · ·	Footages Calculated from Nearest Outside Section Corner:			
Phone: ( 785 ) 628-3834	·	□ NE □ NW ☑ SE □ SW			
CONTRACTOR: License # 5184		County: Ellis			
Name: Shields Oil Producers Inc		Lease Name: Well #: _6			
Wellsite Geologist: Randall Kilian		Field Name:Air Base			
Purchaser: NA		Producing Formation: Dry hole			
Designate Type of Completion:		Elevation: Ground: 1941 Kelly Bushing: 1947			
✓ New Well Re-Entry	Workover	Total Depth: 3529 Plug Back Total Depth:			
☐ Oil ☐ WSW ☐ SWD	slow	Amount of Surface Pipe Set and Cemented at: 222 Feet  Multiple Stage Cementing Collar Used? Yes No			
☐ og . ☐ gsw	Temp. Abd.	If yes, show depth set: Feet			
CM (Coal Bed Methane)		If Alternate II completion, cement circulated from:			
Cathodic Other (Core, Expl., etc.):		feet depth to:w/sx cmt.			
If Workover/Re-entry: Old Well Info as follows	;	icet deptir to:			
Operator:					
Well Name:		Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)			
Original Comp. Date: Original	al Total Depth:	Chloride content: 39000 ppm Fluid volume: 1000 bbls			
Deepening Re-perf. Con	v. to ENHR				
☐ Con	v. to GSW	Dewatering method used: Evaporated			
Plug Back:	Plug Back Total Depth	Location of fluid disposal if hauled offsite:			
Commingled Permit #:	•	Operator Name:			
☐ Dual Completion Permit #:		Lease Name: License #:			
SWD Permit #:		1000			
ENHR Permit #:	· · · · · · · · · · · · · · · · · · ·	Quarter Sec. Twp. S. R. East West			
GSW Permit #:		County: Permit #:			
04/1/2011 04/07/2011	04/07/2011				
Spud Date or Date Reached TD Recompletion Date	Completion Date or Recompletion Date				

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY				
Letter of Confidentiality Received				
Date:				
Confidential Release Date:				
☑ Wireline Log Received				
Geologist Report Received				
☐ UIC Distribution  ALT ☐ I ✓ II ☐ III Approved by: Desnina Garrison Date: (08/03/2011)				

Side Two



Operator Name: R. P.	Nixon Operation	ns, Inc		Lease I	Name: _	LEIKER		Well #:6_		
Sec. 26 Twp.13 S. R. 16 East 🗸 West				County: Ellis						
INSTRUCTIONS: Show time tool open and clos recovery, and flow rates line Logs surveyed. Att	ed, flowing and shu if gas to surface te	t-in pressure st, along wil	es, whether s th final chart(	hut-in pres	sure read	ched static level	, hydrostatic pr	essures, bottom	hole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional Sh	reets)	☐ Yes	<b>√</b> No	,	<b>V</b> Lo	og Formatio	on (Top), Depth	and Datum		Sample
Samples Sent to Geolo	gical Survey	✓ Yes	☐ No		Nam Attach			Top Attached		Datum ttached
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	Electronically	☐ Yes ✓ Yes ✓ Yes	☐ No							
List All E. Logs Run: Attached										
		Report		RECORD conductor, su	✓ Ne urface, inte	ew Used ermediate, produc	tion, etc.			
Purpose of String	Size Hole Drilled		Casing In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	12.25	8.625		20.0		222	Common	150	2% ge	l, 3% CaCl
			ADDITIONAL	CEMENTI	NG / SOI	IEEZE BECOR	1			
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone  ADDITIONAL of Type of Cement Top Bottom Type of Cement Top Bottom  Type of Cement Top Bottom		# Sacks Used Type and Percent Additives								
Shots Per Foot	PERFORATI Specify	ON RECORD Footage of Ea	- Bridge Plug ach Interval Per	gs Set/Type rforated			acture, Shot, Cer Amount and Kind o	ment Squeeze Reco	rd	Depth
TUBING RECORD:	Size:	Set At:		Packer A	st:	Liner Run:	☐ Yes 🔽	No		
Date of First, Resumed P	roduction, SWD or EN	IHR.	Producing Met	hod:	ng 🗌	Gas Lift	Other <i>(Explain)</i> _			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er l	3bls.	Gas-Oil Ratio		Gravity
DISPOSITIO	N OF GAS:			METHOD OF	COMPLE	ETION:		PRODUCT	ION INTER	RVAL:
Vented Sold	Used on Lease		pen Hole [	Perf.	Dually (Submit		ommingled bmit ACO-4)			

Form	ACO1 - Well Completion
Operator	R. P. Nixon Operations, Inc
Well Name	LEIKER 6
Doc ID	1060255

### All Electric Logs Run

RAG	
Borehole Comp. Sonic	
Micoresistivity	
Dual Comp. Porosity	
Dual Induction	
CPI	

Form	ACO1 - Well Completion	
Operator	R. P. Nixon Operations, Inc	
Well Name	LEIKER 6	
Doc ID	1060255	

### Tops

Name	िद्	િકોલા	
Anhydrite	1034'	+916	
Topeka	2905'	-956	
Heebner	3128'	-1177	
Toronto	3144'	-1196	
Lansing	3178'	-1227	
Base KC	3412'	-1465	
Pleas. Conglomerate	3425'	-1482	
Arbuckle	3478'	-1532	

ALLIED CEMEN	TING C.J., LLC. 036466
REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	SERVICE POINT:  Possell As
DATE 4-7-2011 SEC. TWP. RANGE CA	ALLED OUT ON LOCATION JOB START JOB FINISH
LEASE LEIKER WELL # 6 LOCATION WALKER	KS. IN 48 4N COUNTY STATE
OLD OR NEW (Oircle one)	
	OWNER
HOLE SIZE D. 2/8 T.D. 3529	CEMENT
CASING SIZE & SAR SURFACE DEPTH 202	AMOUNT ORDERED 235 SX 740 48GeL
TUBING SIZE DEPTH	14 # F10- Seal
DRILL PIPE 4/2 X-H DEPTH 3509	PRE SX
PRES. MAX "MINIMUM	COMMON@
MEAS. LINE SHOE JOINT	POZMIX '@
CEMENT LEFT IN CSG.	GEL @
PERFS. The second of the secon	CHLORIDE @
DISPLACEMENT AND A STATE OF THE	ASC@
EQUIPMENT	@
The state of the s	@ - 'Inc' '
PUMPTRUCK PROCEMENTER LARRAY	<u> </u>
# 419 HELPER (200 DY	@
BULK TRUCK	@
**#***** 3.20 DRIVER MARK ************************************	@
	@.
# DRIVER Sund to Free Control of the	HANDLING @
DEMARKS	
REMARKS:	TOTAL
25 SX 0.3509	A SERVICE TO THE RESIDENCE OF SERVICE TO THE RESIDENCE OF
80 SX & S41	SERVICE
40 Sx @ 275	DEPTH OF JOB
10 SX (0) 40 4 WIFER Plug	PUMP TRUCK CHARGE
30 SX @ RAT hale	EXTRA FOOTAGE@
15 SX @ Mouse have	MILEAGE @
are a second of the second of	MANIFOLD @ @
and the second of the second o	@
CHARGETO DE MIVOCHE PORATIONS	Tuck of the state of the same of
CHARGE TO: K JULYON LAPORATIONS	TOTAL
STREET TO STATE OF THE STATE OF	the state of the first to the state of the s
CITYSTATEZIP	ing the state of the control of the state of
	PLUG & FLOAT EQUIPMENT
	878 DRY Hole Plug
(1) 1500 (1) 1500 (1) 1500 (1) 1500 (1) 1500 (1) 1500 (1) 1500 (1) 1500 (1) 1500 (1) 1500 (1) 1500 (1) 1500 (1	
The first of the fill of the state of the st	1 (a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
To Allied Cementing Co., LLC.	@.
You are hereby requested to rent cementing equipment	@
and furnish cementer and helper(s) to assist owner or	The second secon
contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	TOTAL
contractor. I have read and understand the "GENERAL	
TERMS AND CONDITIONS" listed on the reverse side.	SALES TAX (If Any)
	TOTAL CHARGES
PRINTED NAME Thomas Engel	
- FRINTED NAME (-7	DISCOUNT IF PAID IN 30 DAYS

LIEUCEMENTING CD., LLC. 034023 SERVICE POINT: REMIT TO P.O. BOX 31 RUSSELL; KANSAS 67665 Parel " Carlo Day on the Car ON LOCATION JOB FINISH STATE LEASE COLE WELL# LOCATION WILL F. N OLD OR NEW (Circle one) CEMENT \* AMOUNT ORDERED 155 Com 320 256-1 CASING SIZE & DEPTH 22 by TUBING SIZE · DEPTH · DRILL PIPE TOOL DEPTH PRES. MAX ... 32MINIMUM TO COMMON ... MEAS. LINE SHOE JOINT POZMIX
CEMENT LEFT IN CSG. PERFS. CHLORIDE DISPLACEMENT 1/3 W/ Lipy 311. ASC EQUIPMENT PUMPTRUCK CEMENTER Jane He H # YUS HELPER Tony @ <sup>i</sup>. BULK TRUCK A STATE OF THE STATE # Yes and DRIVER Walker of the **BULK TRUCK** - HANDLING\_\_ FST Circle From **DEPTH OF JOB** PUMP TRUCK CHARGE EXTRA FOOTAGE stadation MILEAGE ... @ MANIFOLD @\_ The figure with the property of the ing to the the light problems on the co STREET Synorthams, the many persons are sensitively an area of the sense are an in-PLUG & FLOAT EQUIPMENT To Allied Cementing Co., LLC: You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed: The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL" TERMS AND CONDITIONS" listed on the reverse side. SALES TAX (If Any) The first throught the approximation of the first transfer at the first term of the second control of the first transfer and the first transfer at the fir PRINTED NAME The name to a discount if PAID IN 30 DAYS