KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1060966

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 342	23		API No. 15 - 15-059-25646-00-00					
Name: Utah Oil LLC			Spot Description:N. 38.56281 W. 95.11949					
Address 1: 2394 UTAH RD			SE_NW_NW_Sec. 20 Twp. 17 S. R. 21 F East West					
Address 2:								
City: RANTOUL	State: KS Zip:	66079 +	4861 Feet from ▼ East / West Line of Section					
Contact Person: Lesli Stutevi	lle	<u> </u>	Footages Calculated from Nearest Outside Section Corner:					
Phone: (913) 980-8207			□ NE □ NW ☑ SE □ SW					
CONTRACTOR: License # 34			County: Franklin					
Name: Utah Oil LLC			Lease Name: HOBBS Well #: W-2					
Wellsite Geologist: na	,		Field Name: Paola/Rantoul					
Purchaser:			Producing Formation: squirrel					
Designate Type of Completion:			Elevation: Ground: 955 Kelly Bushing: 0					
✓ New Well F	Re-Entry	Workover	Total Depth: 599 Plug Back Total Depth: 0					
□ oil □ wsw	, swd	_ □ siow	Amount of Surface Pipe Set and Cemented at: 21 Feet					
☐ Gas ☐ D&A	☑ SWD	□ sigw	Multiple Stage Cementing Collar Used? Yes V No					
	GSW	Temp. Abd.	If yes, show depth set:Feet					
CM (Coal Bed Methane)			If Alternate II completion, cement circulated from:					
☐ Cathodic ☐ Other (C	ore, Expl., etc.):	·	feet depth to: 21 w/ 5 sx cmt					
If Workover/Re-entry: Old Well	Info as follows:		teet depth to: sx cmi					
Operator:								
Well Name:			Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)					
Original Comp. Date:		,						
Deepening Re-pe	<u> </u>	ENHR Conv. to SWD	Chloride content: 1500 ppm Fluid volume: 80 bbls					
C Dosponing C 110 hr	Conv. to		Dewatering method used: Evaporated					
Plug Back:	 Plug	Back Total Depth	Location of fluid disposal if hauled offsite:					
Commingled	Permit #:		Operator Name:					
Dual Completion	Permit #:		Lease Name: License #:					
SWD	Permit #:		<u> </u>					
☐ ENHR	Permit #:		Quarter Sec. Twp. S. R. East Wes					
☐ GSW	Permit #:		County: Permit #:					
	1/2011	07/15/2011						
Spud Date or Date Recompletion Date	Reached TD	Completion Date or Recompletion Date						

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
	Letter of Confidentiality Received			
	Date:			
	Confidential Release Date:			
	Wireline Log Received			
	Geologist Report Received			
	✓ UIC Distribution			
	ALT I I III Approved by: Deanna Garrisor Date: 08/10/2011			

Operator Name: <u>Utah</u>	Oil LLC		Lease Na	ame: _	HOBBS		_Well #:W	-2	
Sec. 20 Twp. 17 S. R. 21 Fast West				County: Franklin					
ime tool open and clos	ed, flowing and shu s if gas to surface to	nd base of formations pen ut-in pressures, whether s est, along with final chart(I well site report.	hut-in pressu	ire read	ched static level,	hydrostatic press	sures, bottom	hole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional St	anata)	☐ Yes 🗸 No		L	og Formatio	n (Top), Depth ar	nd Datum	s	Sample
•	,	□ Vea		Name			Тор	Datum	
Samples Sent to Geological Survey Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		☐ Yes		open hole					
ist All E. Logs Run:									
	:		RECORD	✓ Ne	_				
Purpose of String	Size Hole	Report all strings set-	conductor, surf Weigh		Setting	ion, etc. Type of	# Sacks		and Percent
surface	Drilled 7	Set (In O.D.) 5.625	Lbs. / F	₹t.	Depth 21	Cement portland	Used 5	Additives 50/50 poz	
completion	5.625	2.375	8		581	portland	90	50/50 poz	
									<u>.</u>
14		ADDITIONAL	CEMENTIN	G / SQL	JEEZE RECORD				
Purpose: —— Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Percent Additives				
Protect Casing Plug Back TD Plug Off Zone	-						<u> </u>		
Shots Per Foot	s Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)					Depth			
								-	
TUBING RECORD:	Size:	Set At:	Packer At:		Liner Run:	Yes No)		
Date of First, Resumed F	Production, SWD or El	NHR. Producing Met	hod:		Gas Lift (Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wat	er E	bbls.	Gas-Oil Ratio		Gravity
DISPOSITIO	N OF GAS:		METHOD OF (Dually	y Comp. 🔲 Co	mmingled	PRODUCT	ION INTER	VAL:
(If vented, Subi	mit ACO-18.)	Other (Specify)		(Submit	ACO-5) (Sub 	omit ACO-4)	1111		

Summary of Changes

Lease Name and Number: HOBBS W-2

API/Permit #: 15-059-25646-00-00

Doc ID: 1060966

Correction Number: 1

Approved By: Deanna Garrison

Field Name	Previous Value	New Value
Approved Date	07/22/2011	08/10/2011
Plug Back Total Depth	572	0
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 59895	//kcc/detail/operatorE ditDetail.cfm?docID=10 60966