



KANSAS CORPORATION COMMISSION 1057945
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 5030
Name: Vess Oil Corporation
Address 1: 1700 WATERFRONT PKWY BLDG 500
Address 2: _____
City: WICHITA State: KS Zip: 67206 + 6619
Contact Person: Casey Coats
Phone: (316) 682-1537
CONTRACTOR: License # 32701
Name: C & G Drilling, Inc.
Wellsite Geologist: Roger Martin
Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: _____ Plug Back Total Depth
 Commingled Permit #: _____
 Dual Completion Permit #: _____
 SWD Permit #: _____
 ENHR Permit #: _____
 GSW Permit #: _____

<u>04/20/2011</u>	<u>04/25/2011</u>	<u>05/11/2011</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-015-23891-00-00
Spot Description: C E/2 NW NW
E2 E2 NW NW Sec. 19 Twp. 26 S. R. 5 East West
660 Feet from North / South Line of Section
1025 Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

County: Butler
Lease Name: Koogler A Well #: 301

Field Name: _____

Producing Formation: Viola, Simpson

Elevation: Ground: 1342 Kelly Bushing: 1348

Total Depth: 2590 Plug Back Total Depth: 2588

Amount of Surface Pipe Set and Cemented at: 267 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 0 ppm Fluid volume: 0 bbls

Dewatering method used: Evaporated

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
 Confidential Release Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

ALT I II III Approved by: Deanna Gantson Date: 10/08/2011



1057945

Operator Name: Vess Oil Corporation Lease Name: Koogler A Well #: 301
 Sec. 19 Twp. 26 S. R. 5 East West County: Butler

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run: Dual Induction Density Neutron Cement Bond Log	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input checked="" type="checkbox"/> Sample Name Top Datum see attached listing
--	---

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12.25	8.625	23	267	Class A	150	3%
production	7.875	5.5	15.5	2589	Thick Set	125	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	-			
	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
4	2548-2550		

TUBING RECORD:		Size:	Set At:	Packer At:	Liner Run: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumed Production, SWD or ENHR. 06/06/2011			Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____		
Estimated Production Per 24 Hours	Oil Bbls. 6	Gas Mcf	Water Bbls. 390	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5) (Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: <u>2548-2550</u>
---	---	--

ATTACHMENT TO ACO-1

Koogler A-301
 1025' fwl, 660' fnl
 Sec. 19-26S-05E
 Butler County, KS

DST #1 2479-2559 **Zone:** Viola (zone:2549-59)
Times: 30-50-45-60
1st open: Btm of bucket in 45 sec
 3/4" BB decrease to 1/2"
2nd open: Weak blow, died
Rec: 705' : 185' SOCM(1-O, 99-M), 520' O & HWCM(5-O,45-W,50-M) CL=18000
 Tool: 5 -O, 11 -M, 84-W
IFP: 206-336 **FFP:** 336-337
ISIP: 336 **FSIP:** 337
IHP: 1214 **FHP:** 1191 **TEMP:** 99 degrees

DST #2 2572-2590 **Zone:** Simpson (zone 2580-90)
Times: 30-45-45-60
1st open: Weak blow built to 5"
2nd open: Weak blow built to 1 1/2" in 15 min , built on to 5"
Rec: 130' HWCM, TR OIL(O-TR, W-22, M-78)
 TOOL: TR -O,66 -W, 34 -M Chlorides= 7000
IFP: 18-44 **FFP:** 46-77
ISIP: 369 **FSIP:** 360
IHP: 1252 **FHP:** 1235 **TEMP:** 100 degrees

	#301 Samples KB 1348	#301 Log Tops KB 1348
OREAD	1430 -82	1431 -83
HEEBNER	1467 -119	1467 -119
DOUGLAS SH	1500 -152	1500 -152
LANSING	1828 -480	1829 -481
K C	2044 -696	2043 -695
STARK	2148 -800	2149 -801
B/KC	2220 -872	2197 -849
CHEC/BD	2285 -937	2284 -936
ALTAMONT	2321 -973	2329 -981
CHEROKEE	2407 -1059	2406 -1058
ARDMORE	2474 -1126	2473 -1125
VIOLA	2549 -1201	2548 -1200
SIMPSON	2569 -1221	2568 -1220
SIMP SAND	2580 -1232	2577 -1229
PTD	2590 -1242	2590 -1242



CONSOLIDATED
Oil Well Services, LLC

MAY 02 2011

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
FAX 620/431-0012

INVOICE

Invoice # 240954

Invoice Date: 04/29/2011 Terms: 0/0/30,n/30

Page 1

VESS OIL CORPORATION
1700 WATER FRONT PKWAY BLD 500
WICHITA KS 67226
(316) 682-1537

KOGLER A 301
29880
19-26S-5E
04-20-11
KS

Part Number	Description	Qty	Unit Price	Total
1104S	CLASS "A" CEMENT (SALE)	150.00	14.2500	2137.50
1102	CALCIUM CHLORIDE (50#)	400.00	.7000	280.00
1107	FLO-SEAL (25#)	75.00	2.2200	166.50

Description	Hours	Unit Price	Total
446 CEMENT PUMP (SURFACE)	1.00	775.00	775.00
446 EQUIPMENT MILEAGE (ONE WAY)	.00	4.00	.00
502 MIN. BULK DELIVERY	1.00	330.00	330.00

Parts:	2584.00	Freight:	.00	Tax:	169.26	AR	3858.26
Labor:	.00	Misc:	.00	Total:	3858.26		
Sublt:	.00	Supplies:	.00	Change:	.00		

Signed _____ Date _____



CONSOLIDATED
Oil Well Services, LLC



ENTERED

TICKET NUMBER 29880
LOCATION # 20 Eldorado
FOREMAN Jacob Storm

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

CEMENT

Api # 15-015-23841-00-00

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY	
4-20-11	8511	Kogler A 301	19	265	5E	Butler	
CUSTOMER VOSS oil							
MAILING ADDRESS 1700 water front Parkway 812507							
CITY Wichita		STATE KS	ZIP CODE 67226				
				TRUCK #	DRIVER	TRUCK #	DRIVER
				446	Jeff		
				502	Jerald		
				511	Jacob		

Safety meeting
J.S.
J.D.

JOB TYPE Surface B HOLE SIZE 12 1/4 HOLE DEPTH 270 ft CASING SIZE & WEIGHT 85 lb
CASING DEPTH 200.45 DRILL PIPE N/A TUBING N/A OTHER _____
SLURRY WEIGHT _____ SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT In CASING 16 ft
DISPLACEMENT 16.25 DISPLACEMENT PSI _____ MIX PSI _____ RATE 4 bpm

REMARKS: Safety meeting, break circulation, mixed 150 sks class A 3/4 cc 1/2 bb polymer
Suck, displaced 16.25 bbl and shut in after circulating cement at 1 bbl


ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5405	1	PUMP CHARGE	775.00	775.00
5406	5	MILEAGE	4.00	N/C
5407	1	min bulk delivery	330.00	330.00
1104S	150 sks	class A	14.25	2137.50
1102	400 lbs	calcium chloride	0.70	280.00
1107	75 lbs	poly flake	2.22	166.50
			Subtotal	3689.00
			SALES TAX	169.26
			ESTIMATED TOTAL	3858.26

Ravin 3737

240954

AUTHORIZATION Colton TITLE _____ DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
FAX 620/431-0012

MAY 09 2011

INVOICE

Invoice # 241026

Invoice Date: 04/30/2011 Terms: 0/0/30,n/30 Page 1

VESS OIL CORPORATION
1700 WATER FRONT PKWAY BLD 500
WICHITA KS 67226
(316) 682-1537

KOOGLER A 301
29885
19-26S-5E
04-26-11
KS

Part Number	Description	Qty	Unit Price	Total
1126A	THICK SET CEMENT	125.00	18.3000	2287.50
1110A	KOL SEAL (50# BAG)	650.00	.4400	286.00
1144G	MUD FLUSH (SALE)	500.00	1.0500	525.00
4104	CEMENT BASKET 5 1/2"	2.00	229.0000	458.00
4130	CENTRALIZER 5 1/2"	6.00	48.0000	288.00
4159	FLOAT SHOE AFU 5 1/2"	1.00	344.0000	344.00
4454	5 1/2" LATCH DOWN PLUG	1.00	254.0000	254.00

Description	Hours	Unit Price	Total
442 MIN. BULK DELIVERY	1.00	330.00	330.00
446 CEMENT PUMP	1.00	975.00	975.00
446 EQUIPMENT MILEAGE (ONE WAY)	.00	4.00	.00
WASH- WASH OR SWIVEL HEAD	1.00	100.00	100.00

Parts: 4442.50 Freight: .00 Tax: 290.98 AR 6138.48
 Labor: .00 Misc: .00 Total: 6138.48
 Sublt: .00 Supplies: .00 Change: .00

Signed _____ Date _____



CONSOLIDATED
Oil Well Services, LLC

ENTERED

TICKET NUMBER 29885
LOCATION # 80 Eldorado
FOREMAN Jacob Storm

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

CEMENT Api: # 15-015-23891-00-00

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY																
4-26-11	8511	Koogler A 301	19	26S	5E	Butler																
CUSTOMER Vess oil			<i>Safety meeting JS J.S. S.M.</i> <table border="1"> <thead> <tr> <th>TRUCK #</th> <th>DRIVER</th> <th>TRUCK #</th> <th>DRIVER</th> </tr> </thead> <tbody> <tr> <td>446</td> <td>Jeff</td> <td></td> <td></td> </tr> <tr> <td>442</td> <td>Steve</td> <td></td> <td></td> </tr> <tr> <td>511</td> <td>Jacob</td> <td></td> <td></td> </tr> </tbody> </table>				TRUCK #	DRIVER	TRUCK #	DRIVER	446	Jeff			442	Steve			511	Jacob		
TRUCK #	DRIVER	TRUCK #					DRIVER															
446	Jeff																					
442	Steve																					
511	Jacob																					
MAILING ADDRESS 1700 water front parkway SH 500																						
CITY wichita	STATE KS	ZIP CODE 67226																				

JOB TYPE Longstring B HOLE SIZE 7 7/8 HOLE DEPTH 2590 CASING SIZE & WEIGHT 5/2 15.5lb
 CASING DEPTH 2594 DRILL PIPE N/A TUBING N/A OTHER _____
 SLURRY WEIGHT 14.5 SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 42ft
 DISPLACEMENT 62.256 DISPLACEMENT PSI 700 MIX PSI 600 RATE 5bpm

REMARKS: Safety meeting, Run pipe placed centralizers on 1, 3, 5, 7, 9, 12 and baskets on 2, 11, tagged bottom and picked pipe up 1ft calculated hok with drilling mud for 1hr to clean hole, pumped 5bbl fresh water, 500gal mud flush and 5bbl water, mixed 125 sks thick set, 5% kol seal and displaced with 61 bbl water and Latchdown plug landing plug at 1200 psi

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	975.00	975.00
5406	5	MILEAGE	4.00	N/C
5407	1	min bulk delivery	330.00	330.00
1126A	125 sks	thick set	18.30	2287.50
1110A	650 lbs	kol seal	0.44	286.00
1144G	500 gal	Dv 1100	1.05	525.00
4104	2	5 1/2 cement Baskets	229.00	458.00
4130	6	5 1/2 centralizer	48.00	288.00
4159	1	5 1/2 AFE Float shoe	344.00	344.00
4454	1	5 1/2 Latch down plug	264.00	264.00
5611	1	5 1/2 Rotating Head	100.00	100.00
			Subtotal	5847.50
			SALES TAX	290.98
			ESTIMATED TOTAL	6138.48

Rev'n 3737

AUTHORIZATION Leary TITLE _____ DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

ROGER L. MARTIN
 GEOPHYSICAL SURVEY

LOGBOOK'S REPORT
 SHEET NO. 1 OF 1

DATE OF SURVEY: _____

LOCATION: _____

TIME OF DAY: _____

WIND DIRECTION: _____

WIND FORCE: _____

SEA STATE: _____

TEMPERATURE: _____

MOON PHASE: _____

BAROMETER: _____

WATER TEMPERATURE: _____

DEPTH: _____

SOIL TYPE: _____

ROCK TYPE: _____

VEGETATION: _____

TOPOGRAPHY: _____

OTHER NOTES: _____

TIME	DEPTH	TEMPERATURE	WIND	SEA	MOON	BAROMETER	WATER	SOIL	ROCK	VEGETATION	TOPOGRAPHY	OTHER
08:00	0	22.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
08:15	5	21.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
08:30	10	21.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
08:45	15	20.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
09:00	20	20.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
09:15	25	19.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
09:30	30	19.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
09:45	35	18.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
10:00	40	18.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
10:15	45	17.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
10:30	50	17.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
10:45	55	16.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
11:00	60	16.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
11:15	65	15.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
11:30	70	15.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
11:45	75	14.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
12:00	80	14.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
12:15	85	13.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
12:30	90	13.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
12:45	95	12.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
13:00	100	12.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
13:15	105	11.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
13:30	110	11.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
13:45	115	10.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
14:00	120	10.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
14:15	125	9.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
14:30	130	9.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
14:45	135	8.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
15:00	140	8.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
15:15	145	7.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
15:30	150	7.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
15:45	155	6.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
16:00	160	6.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
16:15	165	5.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
16:30	170	5.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
16:45	175	4.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
17:00	180	4.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
17:15	185	3.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
17:30	190	3.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
17:45	195	2.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
18:00	200	2.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
18:15	205	1.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
18:30	210	1.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
18:45	215	0.5	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
19:00	220	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
19:15	225	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
19:30	230	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
19:45	235	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
20:00	240	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
20:15	245	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
20:30	250	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
20:45	255	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
21:00	260	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
21:15	265	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
21:30	270	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
21:45	275	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
22:00	280	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
22:15	285	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
22:30	290	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
22:45	295	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
23:00	300	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
23:15	305	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
23:30	310	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
23:45	315	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	
24:00	320	0.0	15	3	1/2	1013.5	18.0	SAND	GRAVEL	SCALED GRASS	FLAT	