



KANSAS CORPORATION COMMISSION 1061009
OIL & GAS CONSERVATION DIVISION

Form AGO-1
June 2009

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34170
Name: Sirius Energy Corp.
Address 1: 526 COUNTRY PL, SOUTH
Address 2:
City: ABILENE State: TX Zip: 79606 + 7032
Contact Person: Randy Teter
Phone: (785) 4488571
CONTRACTOR: License # 32079
Name: Leis, John E.
Wellsite Geologist: n/a
Purchaser:

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil WSW SWD SLOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core; Expl., etc.):

If Workover/Re-entry: Old Well Info as follows:
Operator:

Well Name:

Original Comp. Date: Original Total Depth:
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: Plug Back Total Depth
 Commingled Permit #:
 Dual Completion Permit #:
 SWD Permit #:
 ENHR Permit #:
 GSW Permit #:

06/10/2011	06/13/2011	06/14/2011
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-003-24892-00-00
Spot Description:
NW NE NW SW Sec. 13 Twp. 21 S. R. 20 East West
2379 Feet from North / South Line of Section
4511 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Anderson
Lease Name: West Van Winkle Well #: O-24
Field Name:

Producing Formation: Squirrel sand
Elevation: Ground: 1060 Kelly Bushing: 0
Total Depth: 754 Plug Back Total Depth:
Amount of Surface Pipe Set and Cemented at: 21 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: Feet
If Alternate II completion, cement circulated from: 21
feet depth to: 0 w/ 6 sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content: 0 ppm Fluid volume: 120 bbls
Dewatering method used: Evaporated
Location of fluid disposal if hauled offsite:
Operator Name:
Lease Name: License #:
Quarter Sec. Twp. S. R. East West
County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

Letter of Confidentiality Received
Date: _____

Confidential Release Date: _____

Wireline Log Received

Geologist Report Received

UIC Distribution

ALT I II III Approved by: Deanna Garrison Date: 08/09/2011



1061009

Operator Name: Sirius Energy Corp. Lease Name: West Van Winkle Well #: O-24
Sec. 13 Twp. 21 S. R. 20 East West County: Anderson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
(Attach Additional Sheets)
Samples Sent to Geological Survey Yes No
Cores Taken Yes No
Electric Log Run Yes No
Electric Log Submitted Electronically Yes No
(If no, Submit Copy)

Log Formation (Top), Depth and Datum Sample

Name Top Datum
Squirrel sand 662 gl

List All E. Logs Run:

Gamma Ray / Neutron / CCL

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9.875	7	20	21	Portland	6	
Production	5.625	2.875	6.5	746	OWC	66	Kol seal 40%

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing	-			
___ Plug Back TD				
___ Plug Off Zone	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. _____ Producing Method: Flowing Pumping Gas Lift Other (Explain) _____
Estimated Production Per 24 Hours: Oil Bbls. _____ Gas Mcf _____ Water Bbls. _____ Gas-Oil Ratio _____ Gravity _____

DISPOSITION OF GAS: Vented Sold Used on Lease *(If vented, Submit ACO-18.)*
METHOD OF COMPLETION: Open Hole Perf. Dually Comp. Commingled *(Submit ACO-5)* Other (Specify) _____
PRODUCTION INTERVAL: _____

GARNETT TRUE VALUE HOMECENTER

410 N Maple
Garnett, KS 66032
(785) 448-7106 FAX (785) 448-7135

Merchant Copy
INVOICE
THIS COPY MUST REMAIN AT
MERCHANT AT ALL TIMES!

Page: 1

Invoice: **10170786**

Special :
Instructions :

Time: 11:08:28
Ship Date: 04/14/11
Invoice Date: 04/14/11
Due Date: 05/08/11

Sale rep #: MARILYN

Acct rep code:

Sold To: SIRIUS ENERGY CORP
526 COUNTRYPLACE SOUTH
ABILENE, TX 79606-7032

Ship To: SIRIUS ENERGY CORP
(325) 885-9162
(325) 885-9162

Customer #: 0001860

Customer PO:

Order By:

ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
60.00	60.00	P	BAG	CPFA	FLY ASH MIX 80 LBS PER BAG	6.9900 BAG	6.9900	419.40
60.00	60.00	P	BAG	CPPC	PORTLAND CEMENT-94#	9.4900 BAG	9.4900	569.40

FILLED BY _____ CHECKED BY _____ DATE SHIPPED _____ DRIVER _____

SHIP VIA Customer Pick up
RECEIVED COMPLETE AND IN GOOD CONDITION

x Randy Jeter

Taxable 988.80
Non-taxable 0.00
Tax #

Sales total \$988.80

Sales tax 82.08

1 - Merchant Copy

TOTAL \$1070.88

