

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1061029

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34170	API No. 15			
Name:Sirius Energy Corp.	Spot Description:			
Address 1: 526 COUNTRY PL, SOUTH	SE_SE_NE_SW Sec. 13 Twp. 21 S. R. 20 F East West			
Address 2:	1442 Feet from ☐ North / ✓ South Line of Section			
City: ABILENE State: TX Zip: 79606 + 7032	2866 Feet from ✓ East / ☐ West Line of Section			
Contact Person: Randy Teter	Footages Calculated from Nearest Outside Section Corner:			
Phone: (785) 4488571	□NE □NW ☑SE □SW			
CONTRACTOR: License #_32079	County: Anderson			
Name: Leis, John E.	Lease Name: West Van Winkle Well #: I-15			
Wellsite Geologist: n/a	Field Name:			
Purchaser:	Producing Formation: Squirrel sand			
Designate Type of Completion:	Elevation: Ground: 1054 Kelly Bushing: 0			
✓ New Well Re-Entry Workover	Total Depth: 722 Plug Back Total Depth:			
✓ Oil □ WSW □ SWD □ SIOW □ Gas □ D&A □ ENHR □ SIGW	Amount of Surface Pipe Set and Cemented at: 21 Feet Multiple Stage Cementing Collar Used? ☐ Yes ☑ No			
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set:Feet			
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 21			
Cathodic Other (Core, Expl., etc.):	feet depth to: 0 w/ 6 sx cmt.			
If Workover/Re-entry: Old Well Info as follows:				
Operator:	D. III.			
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)			
Original Comp. Date: Original Total Depth:				
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content: 0 ppm Fluid volume: 120 bbls			
Conv. to GSW	Dewatering method used: Evaporated			
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:			
Commingled Permit #:	Operator Name:			
Dual Completion Permit #:				
SWD Permit #:	License #:			
ENHR Permit #:	QuarterSecTwpS. R East West			
GSW Permit #:	County: Permit #:			
07/14/2011 07/15/2011 07/18/2011	,			
Spud Date or Date Reached TD Completion Date or Recompletion Date				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Letter of Confidentiality Received				
Date:				
Confidential Release Date:				
√ Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I I III Approved by: Deanna Garrison Date: 08/09/2011				

Side Two Operator Name: Sirius Energy Corp. West Van Winkle Lease Name: Well #: _ I-15 County: Anderson INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report. **Drill Stem Tests Taken** Yes **V** No **✓** Log Formation (Top), Depth and Datum □ Sample (Attach Additional Sheets) Name aoT Datum Samples Sent to Geological Survey ✓ No Yes Squirrel sand 655 Cores Taken ✓ No ∐ Yes Electric Log Run ✓ Yes ☐ No Electric Log Submitted Electronically √ Yes (If no, Submit Copy) List All E. Logs Run: Gamma Ray / Neutron / CCL CASING RECORD ✓ New Used Report all strings set-conductor, surface, intermediate, production, etc. Size Hole Size Casing Set (In O.D.) Weight Purpose of String Settina Type of # Sacks Type and Percent Drilled Depth Cement Used Additives Surface 7 9.875 20 21 Portland 6 Production 5.625 2.875 6.5 715 owc 66 Kol seal 40% ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Type of Cement # Sacks Used Type and Percent Additives Top Bottom Perforate Protect Casing Plug Back TD Plug Off Zone PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated Shots Per Foot Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth **TUBING RECORD:** Size: Set At: Packer At: Liner Run: Yes ☐ No Date of First, Resumed Production, SWD or ENHR. Producing Method: Flowing Pumping Gas Lift Other (Explain) **Estimated Production** Oil Bbls Gas Mcf Water Rhis Gas-Oil Ratio Gravity Per 24 Hours

Commingled

Dually Comp.

(Submit ACO-5)

PRODUCTION INTERVAL:

METHOD OF COMPLETION:

Perf.

Open Hole

DISPOSITION OF GAS:

☐ Vented ☐ Sold ☐ Used on Lease

802 N. Industrial Rd. P.O. Box 664. Iola, Kansas 66749 Phone: (620) 365-5588

> EMETO 51007



West Van Winkle: I-15

SI007 SIRIUS ENERGY CORP. SEE COUNTRY PLACE SOUTH

ABILENE TX 79605-7032

STAYLOG LEASE : WEST VAN WINKLE LEG N TO 1400 RD E 5.5MT G TEE S MI TO 1200 RD TO DOUBLE WHITE GATE SO IN WEST GATE LANGOUNERS CHARLIE FOLTI

TIME	FORMULA	LOAD SIZE	YAROS ORDERED	1.47.45.24.26.51	DRIVERORUCK	1771	Inches
<u> </u>	ELL II	7.50 yd	15. 90 yd	6.00	₩ K 33	7 HIR 0.00	ANDCO
DATE	v Date	LÖAĎ.≱ 1.2;	YARDS DEL	BATCH#	WATEŘ TRÍM		TICKET NUMBER
07-15-11	oday	2	15.00 yd	17546	6/yd70, 0	4.00 an	89593

WARNING
IRRITATING TO THE SKIN AND EYES

URANG COMMON MARKET MAY

FOR AND CONTROL MAY

BOTH COMMON STREET AND THE SKIN AND CONTROL MAY

BOTH COMMON STREET AND THE SKIN AND CONTROL MAY

BOTH COMMON STREET AND THE SKIN AND COMMON SKIN AND C

Excessive Water is Detrimental to Concrete Performance H₂O Added By Request/Authorized By

75.00

55.00

QUANTITY... CODE DESCRIPTION 7.58 WELL IT WELL (10 SACKS PER LINIT) Se- 50 TRUCK IM5 TRUCKING CHARGE 2.50 3.25

570.00 15/150 178.75

RETURNED TO PLANT LEFT JOB FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED 0 1. JOB NOT READY
2. SLOW POUR OR PUMP
3. TRUCK AHEAD ON JOE
4. CONTRACTOR BROKE
5. ADDED WATER LEFT PLANT ARRIVED JOB START UNLOADING TIME DUE 1,0 77 TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME DELAY TIME

bTotal \$ Tax % 7.800 40 stal \$ \$58 762.55 ADDITIONAL CHARGE 1 ADDITIONAL CHARGE 2

GRAND TOTAL