

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1061043

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34170	API No. 15 - 15-003-23092-00-00
Name: Sirius Energy Corp.	Spot Description:
Address 1: 526 COUNTRY PL, SOUTH	NE NE SW SW 13 21 20 → □
Address 2:	4444
City: ABILENE State: TX Zip: 79606	_+ 7032 4171 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Randy Teter	· · · · · · · · · · · · · · · · · · ·
Phone: ( 785 ) 4488571	NE □NW ☑ SE □SW
CONTRACTOR: License # 32079	County: Anderson
Name: Leis, John E.	Lease Name: West Van Winkle Well #: F-22
Wellsite Geologist: n/a	
Purchaser:	Producing Formation: Squirrel sand
Designate Type of Completion:	Elevation: Ground: 1064 Kelly Bushing: 0
New Well Re-Entry Workov	rer Total Depth: 762 Plug Back Total Depth:
✓ Oil         WSW         SWD           ☐ Gas         D&A         ENHR	SIOW Amount of Surface Pipe Set and Cemented at: 21 Feet SIGW Multiple Stage Cementing Collar Used? Yes No
☐ oc ☐ gsw ☐	Temp. Abd. If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 21
Cathodic Other (Core, Expl., etc.):	feet depth to: 0 w/ 6 sx cmt
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Original Comp. Date: Original Total Depth: _	Chloride content: 0 ppm Fluid volume: 120 bbls
☐ Deepening ☐ Re-perf ☐ Conv. to ENHR ☐ ☐ Conv. to GSW	Conv. to SWD Dewatering method used: Evaporated
Plug Back: Plug Back Tota	Depth Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Ouarter Sec Two S.R. Fast West
ENHR Permit #:	Deposit #
GSW Permit #:	
06/30/2011         07/01/2011         07/01/2           Spud Date or         Date Reached TD         Completic	
Recompletion Date Reached 1D Completic Recompletion Date	

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY					
Letter of Confidentiality Received					
Date:					
Confidential Release Date:					
☑ Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I I II Approved by: Deanna Garrisor Date: 08/09/2011					

Side Two Operator Name: Sirius Energy Corp. West Van Winkle Well #: \_\_F-22 Lease Name: Sec. 13 Twp.21 S. R. 20 Fast West County: Anderson INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report. Yes **✓** No ✓ Log Formation (Top), Depth and Datum Sample **Drill Stem Tests Taken** (Attach Additional Sheets) Name Datum Samples Sent to Geological Survey Yes ✓ No Squirrel sand 660 gl ✓ No Yes Cores Taken ✓ Yes ☐ No Electric Log Run ✓ Yes Electric Log Submitted Electronically □No (If no, Submit Copy) List All E. Logs Run: Gamma Ray / Neutron / CCL CASING RECORD ✓ New Used Report all strings set-conductor, surface, intermediate, production, etc. Size Hole Size Casing Weight Setting Type of # Sacks Type and Percent Purpose of String Drilled Set (In O.D.) Lbs. / Ft. Depth Cement Used Additives 7 Surface 9.875 20 21 Portland 6 754 Production 5.625 2.875 6.5 **OWC** 66 Kol seal 40% ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Depth Type of Cement # Sacks Used Type and Percent Additives Top Bottom . Perforate Protect Casing Plug Back TD . Plug Off Zone PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated Acid, Fracture, Shot, Cement Squeeze Record Shots Per Foot (Amount and Kind of Material Used) Depth **TUBING RECORD:** Set At: Packer At: Liner Run: Yes ☐ No **Producing Method:** Date of First, Resumed Production, SWD or ENHR. Flowing Pumping Gas Lift Other (Explain) **Estimated Production** Oil Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS:

METHOD OF COMPLETION:

PRODUCTION INTERVAL:

PRODUCTION INTERVAL:

PRODUCTION INTERVAL:

Open Hole Perf. Dually Comp. (Submit ACO-4)

(Submit ACO-4)

Other (Specify)

Per 24 Hours

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



SHIP TO:

501.0 10: 31007 SIRIUS ENERGY CORP. 526 COUNTRY PLACE SOUTH

SIAVZO

IEGGE: WEST VAN WINKLE

163 N TO 3400 RD E 5.5MI & TEE

1.1 MI TOXISOO ND TO DOUBLE

WHITE GATE DO IN WEST GATE

LANDONNERICHARCIE FOLIZ

10.5	**************************************			Europeius Metas la Datelmantal de Compute Dariamon de			
07-01-11	loday	1	15.00 yd	17391	6/yd -76.0	4.00 in	29490
	o bese	1	15.86 ya				
DATE		LOAD#	YARDS DÉL.	BATCH#55	WATER TRIM	SLUMP	TICKET NUMBER
12:50:22p	HELL II	15.00 yd	15,00 yd	8.00	,34	0.00	ANDCO ·
				K CAL.	59	* AIR	
TIME	FORMULA	LOAD SIZE	« YAROS ORDERED	<b>*</b>	DRIVER/TRUCK	State and the	PLANT/TRANSACTION #
		79606-7032	CAMP TRANSCIPLATION	CANDON	Ner: Charlie	FOLT2	
		ABILENE TX		\$2.50 State (\$1.50	BATE BO IN W	THE STATE OF THE PARTY AND THE PARTY OF THE PARTY.	
				6,777,777,77	JOS1300 RD	化工作的复数形式 经收益 经收益 化二氯甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基	
JEG WA	Diama Pilmer				TO THEO HOE		

WARNING
IRRITATING TO THE SKIN AND EYES
PORTER Cemer. West Rubber Boots and Glored. PROJUNGED CONTACT MAY
PORTER AND COME AND THE YEAR OF THE PROPERTY OF THE PROJUNGED CONTACT MAY
PARK AND COME AND THE YEAR OF THE PROPERTY HIS WAS AT INSTRUMENT PROSECT, OR HERSELD.

Excess Delay Time Charged @ \$50/HR

H<sub>2</sub>0 Added By Request/Authorized By

GAL X

OUANTITY CODE DESCRIPTION WELL 310 SACKS PER UNIT)

15, 98 WELL II TRUCKING TRUCKING CHARGE 325

15.00 2.50 76.00 55, 00

1140.00 37-50

8178.75

				* .	_
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	coTetal \$ 1277.50
C1:25	3:45 ARRIVED JOB	START UNLOADING	1. JOB NOT READY     2. SLOW POUR OR PLANP     3. TRUCK AREAD ON JOB     4. CONTRACTOR PROME DOWN     5. ADDED WATER	TIME DIVE	12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1:11	1:52				ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
325			89.		GRAND TOTAL > 1421.61