


WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

NORTH



Locate well correctly on above Section Plat

Saline County, Sec. 36 Twp. 15 Rge. 4 (E) W (W)
Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines SE/CN SW/4 SE/4
Lease Owner Cooperative Refinery Association
Lease Name Carlson B Well No. 2
Office Address Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed July 28 19 51
Application for plugging filed July 28 19 51
Application for plugging approved July 28 19 51
Plugging commenced July 28 19 51
Plugging completed July 28 19 51
Reason for abandonment of well or producing formation

If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Ruall Durkee
Producing formation Depth to top Bottom Total Depth of Well 3442 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				13 3/8"	75 ft.	none
				8 5/8"	340 ft.	none

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Filled hole with heavy mud.

Set plug at 160 ft. with 15 sacks hand mixed cement on top.

Set Plug at 30 ft. with 10 sacks hand mixed cement on top.

AUG 1 X 1951

8-15-51

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Cooperative Refinery Association
Address Wichita, Kansas

STATE OF Kansas, COUNTY OF Barton
Honaker Drilling Co., Inc. (Contractor) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) C. L. Miew
Great Bend, Kansas (Address)

SUBSCRIBED AND SWORN to before me this 31 day of July 19 51
Kenneth J. Fischer
Notary Public.



6-25-55
PLUGGING
SEC 36 T 15 R 4W
BOOK PAGE 99 LINE 9

DRILLERS LOG

Operator: Cooperative Refinery Association
 Contractor: Honaker Drilling Co., Inc.
 Lease: Carlson #2-B

15169-00658-0000

Top Soil and Sand	0	50
Shale and Sand	50	100
Shale and Shells	100	132
Run 2 Jts. of 13 3/8" New Seamless casing set at 75 ft. - cemented with 150 Sack Cement and 150# Calcium Chloride.		
Shale and Shells	132	160
Shale and Shells	160	340
Run 15 Jts. of 8 5/8" used casing - set at 340 ft. Cemented with 175 sacks cement and 300# calcium Chloride.		
Anhydrite	340	360
Broken Anhydrite	360	445
Shale and Shells	445	550
Shale and Lime	550	608
Lime and Shale	608	765
Lime and Shale	765	790
Red Bed and Shells	790	815
Lime and Shale	815	895
Lime and Shale	895	993
Lime and Shale	993	1185
Lime and Shale	1185	1200
Salt, Shale and Shells	1200	1475
Lime and Shale	1475	1515
Shale	1515	1735
Shale and Lime	1735	1875
Lime and Shale	1875	2045
Lime and Shale	2045	2135
Shale	2135	2199
Shale and Lime	2199	2315
Shale and Lime	2315	2423
Lime and Shale	2423	2545
Shale and Lime	2545	2630
Lime	2630	2700
Lime and Shale	2700	2750
Lime and Shale	2750	2835
Lime and Shale	2835	2930
Lime and Shale	2930	2990
Lime	2990	3030
Lime and Shale	3030	3095
Lime	3095	3134
Lime	3134	3165
Lime	3165	3185
Lime and Shale	3185	3237
Shale	3237	3303
Lime and Shale	3303	3378
Lime and Shale	3378	3423
Shale	3423	3442 T.D.

The above is correct to the best of my knowledge.

HONAKER DRILLING CO., INC.

By Joe J. Honaker
 President

Subscribed and sworn to before me this 31st day of July 1951.

My commission expires: June 25, 1955

Kenneth A. Fischer
 Notary Public

Darton County, Kansas

PLUGGING
 FILE SEC 36-715-R-4W
 BOOK PAGE 92 LINE 9