## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:	;				(\$	See Instructi	ons on He	verse Sia	<del>0</del> )					
	en Flow iverabil				Test Date	: •11-2	0-201	0	API	No. 15 -//9-	21,054			
Company		<u>.                                    </u>	COFFE	Coepa	4570N		Lease	Inc				Well Nur ー3	nber	
County ,		Location		Section		TWP 345		RNG (E/W)		Acres Attributed		tributed		
Company  EAGLE CREEK CORN  County Location  Meade NW/W  Field  Nouinger				Reservoir		<u> </u>	Gas Gat		hering Conne					
Novi	104	ER			Marro	رسعت و k Total Depti	<u> </u>		DC. Packer S	PMIDS				
Completic 8-/6	on Date 0 - 20	00/			-	7/			racker c	Klowi				
Casing Size Weight 4/2" 10.5#			Internal D	iameter	Set :	Set at 5927		rations ろ	778 TO 58/Z					
Tubing Size			Weight	, <b>#</b>	Internal Diameter		Set at 5 778		Perforations		To			
Type Com	pletion	(Des	,		Type Fluid Production				Pump Unit or Traveling Plunger? Yes / No					
Try	66	75				TER			% Nitrog		Gas G	ravity - G		
	Thru 774	`/	lus / Tubing)		% Carbon Dloxide				(Meter Run) (Prover) S					
Vertical D	epth(H		· · · · · · · · · · · · · · · · · · ·	****			sure Taps				Meter	Run) (Pr	over) Size රෙහි	
57	73			-20	in	8:00	lange	<b>T</b> .1	//- 2	2/ 00	10 at 8:00	2 1	AND DAN	
											at			
Well on L	ine:	S	tarted	20	) <u>''</u> al		(AM) (PM)			20	at		————	
				······		OBSERVE	D SURFAC		<del></del>	W. b. t	Duration of Shut	-in	Hours	
Static / Orl		Meler		Pressure Differential	Flowing Temperature	Well Head Temperature	Casing Welthead Pressure		Tubing Wellhead Pressure (P_) or (P,) or (P,)		Duration (Hours)		Liquid Produced (Barrels)	
Property	(Inch		Prover Pressure psig (Pm)	Inches H <sub>2</sub> 0	t	t	(P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> ) psig psia		(P_) a	psla	(riodia)		(2011010)	
Shut-In							5	19.4	<u> </u>		24	2	2	
Flow								<u> </u>	<u> </u>					
	<u> </u>					FLOW STR	EAM ATT	RIBUTES					<del> </del> 1	
Plate Coefficient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd		Circle one:  Meter or  Prover Pressure  psia		Press Extension P <sub>m</sub> xh	Gravity Factor F <sub>g</sub>		Flowing Temperature Factor F <sub>tt</sub>		Peviation Metered F Factor R F <sub>pv</sub> (Mcfd)		OW GOR (Cubic Feet/ Barrel)		Flowing Fluid Gravity G <sub>m</sub>	
					(OPEN FL	.OW) (DELIV	ERABILIT	Y) CALCI	JLATIONS	<u> </u>	(P,	)²= 0.2		
(P <sub>E</sub> )2 =		_:_	(P_)2 =_		P <sub>d</sub> =	·	%	(P <sub>e</sub> - 14.4)	+ 14.4 = _	<u> </u>	(P,	) <sup>2</sup> =		
$(P_e)^2 - (P_a)^2$ or $(P_e)^2 - (P_a)^2$		(P <sub>a</sub> ) <sup>2</sup> · (P <sub>a</sub> ) <sup>2</sup>		1. P <sub>e</sub> <sup>2</sup> - P <sub>e</sub> <sup>2</sup> 2. P <sub>e</sub> <sup>2</sup> - P <sub>e</sub> <sup>2</sup> Midded by: P <sub>e</sub> <sup>2</sup> - P <sub>e</sub> <sup>2</sup>	LOG of formula 1, or 2.	P.*- P.*	Backpressure Cur Slope = "n" or Assigned Standard Slope		n x	rog [	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)		
	-							<del></del>						
Open Flo	DW .			Mcfd @ 14	.65 psia		Delivera	ability	l		Mcfd @ 14.65 p	sia		
				behalf of the				authorized	to make t	the above rep	ort and that he to the second of the second		riedge of	
<del></del>			Witness (if	any)	<del></del> -					For	Company	RE	CEIVE	
			For Commi	esion	· · · · · · · · · · · · · · · · · · ·					Ch	ecked by	DEC	2 9 20	

**KCC WICHITA** 

exempt status un and that the fore correct to the bes	der Rule K.A.R. 82-3-304 on behalf of the operator
	rounds that said well:
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D see to supply to the best of my ability any and all supporting documents deemed by Commission by to corroborate this claim for exemption from testing.
	Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.