For KCC Use:	10-24-2011
Effective Date: _	12011
District #	
SGA? XYe	s No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compliance with the Kansas	ourset ourset houseador hay moot at Submitted was also form.
Expected Spud Date: October 31, 2011	Spot Description:
month day year	SE - SW - SE Sec. 25 Twp. 17 S. R. 4 E W
34489	(9/9/9/9) 200 feet from N / X S Line of Section
OPERATOR: License#Name: Husky Ventures, Inc.	3,315 feet from E / X W Line of Section
Address 1: 204 N. Robinson Avenue	Is SECTION: Regular Irregular?
Address 2: Suite 1800	<u> </u>
City: Oklahoma City State: OK Zip: 73102 +	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Chuck Long	County: McPherson Lease Name: Hoffman Well #: 1-25 Vertical Core
Phone: 540-270-0242	Lease Name: Hoffman Well #: 1-25 Vertical Core
CONTRACTOR: Licensett (#5929)	
CONTRACTOR: License#(#3929) Name; _Duke Drilling Co., Inc.	Is this a Prorated / Spaced Field?
Hallo,	Target Formation(s): Maquoketa Nearest Lease or unit boundary line (in footage): 600'
Well Drilled For: Well Class: Type Equipment:	4054.001
Oil Enh Rec Infield Mud Rotary	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Public water supply well within one mile: Yes X No
Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic ;# of HolesOther	Depth to bottom of usable water: 183
Other:	Surface Pipe by Alternate: XI III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 300'
_	Length of Conductor Pipe (if any): 100'
Operator:	Projected Total Depth: 3400'
Well Name:Original Total Depth:	Formation at Total Depth: Maquoketa
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: irrigation water system well
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location: KCC DKT #: / (~Coffs ~) 62 ~C HO2	(Note: Apply for Permit with DWR
・ VCC DVT 4: 11~ 「内側ちゃ」いふ つ と DV)に	
NCC DKI #. 71 COVIG 755 CITOTE	Will Cores be taken?
	Magueketa
	If Yes, proposed zone: Maquoketa P
Vertical core hole, will PB : Ko for horizontal leg	If Yes, proposed zone: Maquoketa P
Vertical core hole, will PB : Ko for horizontal 149 AF The undersigned hereby affirms that the drilling, completion and eventual plants	If Yes, proposed zone: Maquoketa P
Vertical core hole, will PB Ko for horizontal Itage The undersigned hereby affirms that the drilling, completion and eventual places to the solution of the so	If Yes, proposed zone: Maquoketa P
Vertical core hole, will PB Ko for horizontal Its AF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone: Maquoketa P
Vertical core hole, will PB Ko for horizontal RF The undersigned hereby affirms that the drilling, completion and eventual ple It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each	If Yes, proposed zone: Maquoketa P
Vertical core hole, will PB Ko for horizontal AF The undersigned hereby affirms that the drilling, completion and eventual ple It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: RECEIVED
Vertical core hole, will PB Ko for horizontal AF The undersigned hereby affirms that the drilling, completion and eventual ple It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the distriction of the distri	If Yes, proposed zone: Maquoketa RECEIVED OCT 18 2011 In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set VCHITA the underlying formation. It trict office on plug length and placement is necessary prior to plugging;
Vertical care hole, will PB Ko for horizontal Ing AF The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluging.	If Yes, proposed zone: Maquoketa RECEIVED OCT 18 2011 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set CHITA the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
Vertical care hole, will PB Ko for horizontal 179 AF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each an inimimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be eemented.	If Yes, proposed zone: Maquoketa RECEIVED OCT 18 2011 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set ICHITA the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
Vertical care hole, will PB Ko for horizontal 179 AF The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set in the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	If Yes, proposed zone: Maquoketa RECEIVED OCT 18 2011 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set CHITA the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
Vertical care hole, will PB Ko for horizontal 179 AF The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set in the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	If Yes, proposed zone: Maquoketa RECEIVED OCT 18 2011 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set CHITA the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
Vertical care hole, will PB Ko for horizontal 179 AF The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the disection of the surface of the well is either plugues. The appropriate district office will be notified before well is either plugues. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be applied to the surface of the statements made herein are true and to the beautiful surface in the statements made herein are true and to the beautiful surface.	If Yes, proposed zone: Maquoketa RECEIVED OCT 18 2011 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set CHITA the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
Vertical care hole, will PB Ko for horizontal Ing AF The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: Maquoketa RECEIVED OCT 18 2011 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set CHITA the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the beautiful plate: Date: 10/18/10// Signature of Operator or Agent:	If Yes, proposed zone: Maquoketa RECEIVED OCT 18 2011 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set CHITA the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
Vertical core hole, will PB Ko for horizontal AF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office of intent to drill shall be posted on each and the district office will be notified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. Signature of Operator or Agent: Date: Signature of Operator or Agent: Signature of Operator or Agent:	If Yes, proposed zone: Maquoketa RECEIVED OCT 18 2011 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set ICHITA the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the beautiful plate: Date: 10/18/10// Signature of Operator or Agent:	If Yes, proposed zone: Maquoketa RECEIVED OCT 18 2011 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set ICHITA the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
Vertical care hole, will PB Ko for horizontal AF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the beginning of the plant is a plant of the plant of the plant is a plant of the plant of the plant is a plant of the plant of the plant of the plant is a plant of the plan	If Yes, proposed zone: Maquoketa RECEIVED OCT 18 2011 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set CHITA the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each an infimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the bear of the plant shall be set to the statements made herein are true and to the bear of the statements made herein are true and to the bear of the statements made herein are true and to the bear of the statements made herein are true and to the bear of the statements made herein are true and to the bear of the statements made herein are true and to the bear of the statements made herein are true and to the bear of the statements made herein are true and to the bear of the statements made herein are true and to the bear of the statements made herein are true and to the bear of the statements made herein are true and to the bear of the statements made herein are true and to the bear of the statements made herein are true and to the bear of the statements made herein are true and to the bear of the statements made herein are true and to the bear of the statements made herein are true and to the bear of the statements made herein are true and to the bear of the statements made herein are true and to the statements made herein	If Yes, proposed zone: Maquoketa RECEIVED OCT 18 2011 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set ICHITA the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
Vertical care hole, will PB Ko for horizontal AF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the intention of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set in	If Yes, proposed zone: Maquoketa RECEIVED OCT 18 2011 In drilling rig; The drilling rig; The constant of the top; in all cases surface pipe shall be set ICHITA the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
Vertical care hole, will PB Ko for horizontal AF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the approved in the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging in the surface of the well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be approved to the statements made herein are true and to the beginning that the statements made herein are true and to the beginning that the statements made herein are true and to the beginning that the statements made herein are true and to the beginning that the statements made herein are true and to the beginning that the statements made herein are true and to the beginning that the statements made herein are true and to the beginning that the statements made herein are true and to the beginning that the statements made herein are true and to the beginning that the statements made herein are true and to the beginning that the statements made herein are true and to the beginning that the statements made herein are true and to the beginning that the statements made herein are true and to the beginning that the statements made herein are true and to the beginning that the statements made herein are true and to the beginning that the statements made herein are true and to the beginning that the statement are true and to the statement are true and to the statement are true and to the stateme	If Yes, proposed zone: Maquoketa RECEIVED OCT 18 2011 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set CHITA we underlying formation. It to office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
Vertical care hole, will PB Ko for horizontal AF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the intention of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set in	If Yes, proposed zone: Maquoketa RECEIVED
Vertical care hole, will PB Ko for horizontal AF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into th	If Yes, proposed zone: Maquoketa RECEIVED
Vertical care hole, will PB Ko for horizontal AF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the intention of the prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set i	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. RECEIVED OCT 18 2011 KCC WICHITA in drilling rig; by circulating cement to the top; in all cases surface pipe shall be set ICHITA the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the drill unconsolidated of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging in a management between the operator and the district office will be notified before well is either pluging in a management of the district office will be notified before well is either pluging in the proposition of the shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing order where the proposition of the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. 1 hereby certify that the statements made herein are true and to the beginning of the proposition of the prior to the proposition of the proposition of the proposition of the proposition	If Yes, proposed zone: Maquoketa RECEIVED

For KCC Use ONLY
API # 15 - 1/3-2/349-00-00

Operator: Husky Ventures, Inc.

Well Number: 1-25 Vertical Core

Lease: Hoffman

Field: Wildcat

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

200

3,315

Location of Well: County: McPherson

Sec.25 Twp. 17 S. R.4

N / X S Line of Section

_____feet from E / W Line of Section

er of Acres attr QTR/QTR/QTR			- 6W	- SW	_ SE	Is	s Section:	Regular or Irregular
		sw/	ŞE					Irregular, locate well from nearest corner boundary. er used: NE NW SE SW
						PLAT	(see	attached plat)
				_	the neare	st lease (or unit boun	dary line. Show the predicted locations of
lease roa	ads, tank bal	teries, pipe	elines and				by the Kans te plat if des	sas Surface Owner Notice Act (House Bill 2032). sired.
								٦
								LEGEND
	÷	:		•••••		:	:	O Well Location
								Tools Dottons Location
	· · · · · · · · ·	:				· 	· · · · · · · · · · · · · · · · · · ·	Pipeline Location
						:		Lease Road Location RECE
	·	:				· :	. · :	Pipeline Location Pipeline Location Electric Line Location Lease Road Location OCT 18 EXAMPLE KCC WIC
			1			:		EXAMPLE KO
		:				:		The state of the s
,,,,,,,,	: :	:						
							· · · · · · · · · · · · · · · · · · ·	1980'F\$L
								Y
	i i						:	
		:				:		SEWARD CO. 3390' FEL
	:]			:	:	VETIMIE 90, 3030 LL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Melanie L. Thrower, RLS 1297 using GPS Topcon GR3 surveyed points and set 1/2"x2' Iron Rebar and lathe as shown. Elevations are to NGVD 29 Datum based on a BM17-4-25.5 being a USBR Brass Cap, set in concrete monument 0.3' above ground, 3' SW of corner fence post, 3' S and 23' E of W 1/4 Cor. Sec. 25, T17S, R4W. Elev. 1354.29 NGVD29

NIZ4 Com Sin ka 1175 bay

South Section line (STEUX Mode)

0' 5{' 100' 15

St law Sec 25 7178 way RedC245. 15645.23



Sec. 25 T17S R4W

RAWN DATE McPherson Count, RECEIVED

01/28/2011

STAKE LOCATIONS


KCC WICHITA

SCALE SHEET


PROJECT/NO.

 $t^{*} = 50^{\circ}$ 1 of

HUSKY VENTURES INC



RECEIVED OCT 1 8, 2011 KCC WICHITA



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Well Location: BE SW SW SE Sec. 25 Twp. 17 S. R. 4 Eas West County: McPherson Lease Name: Hoffman Well #: 1-25 Vertical Core If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:			
County: McPherson Lease Name: Hoffman Well #: 1-25 Vertical Core If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Lease Name: Hoffman Well #: 1-25 Vertical Core If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
When filing a Form T-1 involving multiple surface owners, attach an addition			
sheet listing all of the information to the left for each surface owner. Surfac owner information can be found in the records of the register of deeds for the			
county, and in the real estate property tax records of the county treasurer.			
atteries, pipelines, and electrical lines. The locations shown on the plat he Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted			
he Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted (House Bill 2032), I have provided the following to the surface ated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form			
he Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted (House Bill 2032), I have provided the following to the surface			
the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted (House Bill 2032), I have provided the following to the surface ated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form ting filed is a Form C-1 or Form CB-1, the plat(s) required by this			
(House Bill 2032), I have provided the following to the surface ated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Forming filed is a Form C-1 or Form CB-1, the plat(s) required by this email address. Inowledge that, because I have not provided this information, the er(s). To mitigate the additional cost of the KCC performing this e, payable to the KCC, which is enclosed with this form.			
(House Bill 2032), I have provided the following to the surface ated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form ing filed is a Form C-1 or Form CB-1, the plat(s) required by this email address. Inowledge that, because I have not provided this information, the er(s). To mitigate the additional cost of the KCC performing this e, payable to the KCC, which is enclosed with this form.			

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Husky Ventures, In	c.	License Number: 34489				
Operator Address: 204 N. Robinso	n Avenue	e 1800 Oklahoma City OK 73102				
Contact Person: Chuck Long		Phone Number: 540-270-0242				
Lease Name & Well No.: Hoffman 1-25 Vertical Core			Pit Location (QQQQ):			
Type of Pit:	Pit is:	·	<u>-SE</u> _ SW _ SE			
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 25 Twp. 17 R. 4 East X West			
Settling Pit X Drilling Pit	If Existing, date constructed:		200 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity: 20,000 (bbls)		3,315 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)			McPherson County			
Is the pit located in a Sensitive Ground Water A	urea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? XYes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? as directed by KCC District #2			
Pit dimensions (all but working pits):	50 Length (fe	et)150	Width (feet)			
Depth fro	om ground level to de	epest point:	(feet)			
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.						
material, institutes and instantiator procedure.		l				
		1 -				
pe			cally for integrity			
Distance to nearest water well within one-mile of	of pit:		west fresh water 26 feet.			
n/a §36 feet Depth of water well	60 feet	Source of information in the source of inform	mation: well owner electric log bowner electric log			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:water and water-based mud				
Number of producing wells on lease:		Type of material utilized in drilling/workover: Number of working pits to be utilized: 1				
Barrels of fluid produced daily:		Abandonment	procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.			
I hereby certify that the above statem	ents are true and con	rect to the best of	Thy knowledge and belief. CT 18 20 KCC WICHIT			
10/10/2211		MA	KCC WICHT			
Date Signature of Applicant or Agent						
Date		Sic	majure of Applicant or Agent			
Date			n'ajure of Applicant or Agent			
Date	KCC	OFFICE USE O	n'ajure of Applicant or Agent			

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wtight, Commissioner

October 19, 2011

Husky Ventures, Inc. 204 N. Robinson Ave Ste 1800 Oklahoma City, OK 73102

Re: Drilling Pit Application

Hoffman Lease Well No. 1-25 Vertical GIL

SE/4 Sec. 25-17S-04W McPherson County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File

15-113-21349-000



Sender's email: cgoos@morrislaing.com Direct Phone: 316-383-6425 Direct Fax: 316-383-6525 Robert I. Guenthner Ken M. Peterson Robert D. Overman A.J. Schwartz William B. Sorensen Jr. Jeffery L. Carmichael Robert W. Coykendall Robert K. Anderson Karl R. Swartz Roger L. Theis Richard F. Hayse Thomas R. Docking Diane S. Worth Janet Huck Ward Roger N. Walter
James D. Young
Kelly S. Herzik
Luke A. Sobba
Kimberly K. Bonifas
Richard A. Kear
Cameron V. Michaud
Blanca P. Greenstein*
Ryan M. Peck
Shannon M. Braun
Will B. Wohlford
Kristen D. Wheeler
Emily Cassell Docking
Joshua J. Hofer

Julia Gilmore Gaughan Jeremy W. Harris Maren K. Ludwig Christopher T. Borniger Megan L. Hoffman Jonathan A. Schlatter Brandon W. Deines Khari E. Taustin*

Of Counsel John W. Johnson Joon K. Park[‡] Clinton M. Goos

* Resident and Licensed in Florida

[‡] Licensed in Michigan

October 18, 2011

Rick Hestermann Kansas Corporation Commission Conservation Division 130 S. Market, Suite 2078 Wichita, KS 67202

RE: Notice of Intent to Drill of Husky Ventures, Inc.

SE SW SW SE Sec. 25-17S-4W, McPherson County, KS
Hoffman #1-25Vertical Core well

Dear Rick:

Please find enclosed the Notice of Intent to Drill with attached plat map, as well as the Application for Surface Pit and Certification of Compliance with the Kansas Surface Owner Notification Act, for filing with your office.


Please let me know if any additional information is needed at this time.

Very truly yours,

Clinton M. Goos

For the Firm

CMG:jcb Enclosures OCT 1 8 2011 KCC WICHITA





Sender's email: cgoos@morrislaing.com Direct Phone: 316-383-6425 Direct Fax: 316-383-6525

Robert I. Guenthner Ken M. Peterson Robert D. Overman A.J. Schwartz William B. Sorensen Jr. Jeffery L. Carmichael Robert W. Coykendall Robert K. Anderson Karl R. Swartz Roger L. Theis Richard F. Hayse Thomas R. Docking Diane S. Worth Janet Huck Ward

Roger N. Walter James D. Young Kelly S. Herzik Luke A. Sobba Kimberly K. Bonifas Richard A. Kear Cameron V. Michaud Blanca P. Greenstein* Rvan M. Peck Shannon M. Braun Will B. Wohlford Kristen D. Wheeler **Emily Cassell Docking** Joshua J. Hofer

Julia Gilmore Gaughan Jeremy W. Harris Maren K. Ludwig Christopher T. Borniger Megan L. Hoffman Jonathan A. Schlatter Brandon W. Deines Khari E. Taustin*

Of Counsel John W. Johnson Joon K. Park‡ Clinton M. Goos

Resident and Licensed in Florida

[‡] Licensed in Michigan

October 18, 2011

Rick Hestermann Kansas Corporation Commission Conservation Division 130 S. Market, Suite 2078 Wichita, KS 67202

Notice of Intent to Drill of Husky Ventures, Inc.

SE SW SW SE Sec. 25-17S-4W, McPherson County, KS Hoffman #1-25 well

Dear Rick:

Please find enclosed the Notice of Intent to Drill with attached plat map, as well as the Application for Surface Pit and Certification of Compliance with the Kansas Surface Owner Notification Act, for filing with your office. In order to get a more representative core sample of the target formation, Husky plans to take a vertical core, and then plug that hole back to the kickoff point for the horizontal well.

Please let me know if any additional information is needed at this time.

Very truly yours,

Clinton M. Goos

For the Firm

OCT 1 8 2011

LEGALSECTION

CMG:jcb Enclosures